

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/29/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

MEDINA'S ALF CORP

**2443 NW 93 ST
MIAMI, FL 33147**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments A re-licensure survey was conducted at Medina's ALF corp. on Deficiencies were identified at the time of the survey.	A 000		
A 078 SS=D	59A-36.010(2) FAC Staffing Standards - Staff (2) STAFF. (a) Within 30 days after beginning employment, newly hired staff must submit a written statement from a health care provider documenting that the individual does not have any signs or symptoms of communicable The examination performed by the health care provider must have been conducted no earlier than 6 months before submission of the statement. Newly hired staff does not include an employee transferring without a break in service from one facility to another when the facility is under the same management or ownership. 1. Evidence of a negative examination must be documented on an annual basis. Documentation provided by the Florida Department of Health or a licensed health care provider certifying that there is a shortage of testing materials satisfies the annual examination requirement. An individual with a positive test must submit a health care provider's statement that the individual does not constitute a risk of 2. If any staff member has, or is suspected of having, a communicable, such individual must be immediately removed from duties until a written statement is submitted from a health care provider indicating that the individual does not constitute a risk of transmitting a communicable (b) Staff must be qualified to perform their assigned duties consistent with their level of	A 078		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 078	Continued From page 1 education, training, preparation, and experience. Staff providing services requiring licensing or certification must be appropriately licensed or certified. All staff must exercise their responsibilities, consistent with their qualifications, to observe residents, to document observations on the appropriate resident's record, and to report the observations to the resident's health care provider in accordance with this rule chapter. (c) All staff must comply with the training requirements of rule 59A-36.011, F.A.C. (d) An assisted living facility _____ to provide services to residents must ensure that individuals providing services are qualified to perform their assigned duties in accordance with this rule chapter. The contract between the facility and the staffing agency or contractor must specifically describe the services the staffing agency or contractor will provide to residents. (e) For facilities with a licensed capacity of 17 or more residents, the facility must: 1. Develop a written job description for each staff position and provide a copy of the job description to each staff member; and, 2. Maintain time sheets for all staff. (f) Level 2 background screening must be conducted for staff, including staff _____ by the facility to provide services to residents, pursuant to sections 408.809 and 429.174, F.S. This Statute or Rule is not met as evidenced by: Based on record review and interview the facility failed to document freedom from () on annual basis for one out of five staff (Staff A). Findings Included: Record review showed Staff A had no proof of	A 078			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/29/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

MEDINA'S ALF CORP

**2443 NW 93 ST
MIAMI, FL 33147**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 078	Continued From page 2 documentation of having a freedom from exam in file. On _____ at 3:00 PM, Staff B stated Staff A could not have the _____ test because of _____. Class III	A 078		
A 079 SS=D	59A-36.010(3) FAC Staffing Standards - Levels (3) STAFFING STANDARDS. (a) Minimum staffing: 1. Facilities must maintain the following minimum staff hours per week: Number of Residents, Day Care Participants, and Respite Care Residents Staff Hours/Week 0-5 168 212 16-25 253 26-35 294 36-45 335 46-55 375 56-65 416 66-75 457 76-85 498 86-95 539 For every 20 total combined residents, day care participants, and respite care residents over 95 add 42 staff hours per week. 2. Independent living residents, as referenced in subsection 59A-36.015(3), F.A.C., who occupy beds included within the licensed capacity of an assisted living facility but do not receive personal, limited nursing, or extended congregate care services, are not counted as residents for purposes of computing minimum staff hours.	A 079		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 079	Continued From page 3 3. At least one staff member who has access to facility and resident records in case of an emergency must be in the facility at all times when residents are in the facility. Residents serving as paid or volunteer staff may not be left solely in charge of other residents while the facility administrator, manager or other staff are absent from the facility. 4. In facilities with 17 or more residents, there must be at least one staff member awake at all hours of the day and night. 5. A staff member who has completed courses in First Aid and _____ () and holds a currently valid card documenting completion of such courses must be in the facility at all times. a. Documentation of attendance at First Aid or courses pursuant to subsection 59A-36.011(5), F.A.C., satisfies this requirement. b. A nurse is considered as having met the course requirements for First Aid. An emergency medical technician or paramedic currently certified under chapter 401, part III, F.S., is considered as having met the course requirements for both First Aid and _____. 6. During periods of temporary absence of the administrator or manager of more than 48 hours when residents are on the premises, a staff member who is at least _____ must be physically present and designated in writing to be in charge of the facility. No staff member shall be in charge of a facility for a consecutive period of 21 days or more, or for a total of 60 days within a calendar year, without being an administrator or manager. 7. Staff whose duties are exclusively building or grounds maintenance, clerical, or food preparation do not count towards meeting the minimum staffing hours requirement.	A 079		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 079	Continued From page 4 8. The administrator or manager's time may be counted for the purpose of meeting the required staffing hours, provided the administrator or manager is actively involved in the day-to-day operation of the facility, including making decisions and providing supervision for all aspects of resident care, and is listed on the facility's staffing schedule. 9. Only on-the-job staff may be counted in meeting the minimum staffing hours. Vacant positions or absent staff may not be counted. (b) Notwithstanding the minimum staffing requirements specified in paragraph (a), all facilities, including those composed of apartments, must have enough qualified staff to provide resident supervision, and to provide or arrange for resident services in accordance with the residents' scheduled and unscheduled service needs, resident contracts, and resident care standards as described in rule 59A-36.007, F.A.C. (c) The facility must maintain a written work schedule that reflects its 24-hour staffing pattern for a given time period. Upon request, the facility must make the daily work schedules of direct care staff available to residents or their representatives. (d) The facility must provide staff immediately when the agency determines that the requirements of paragraph (a) are not met. The facility must immediately increase staff above the minimum levels established in paragraph (a), if the agency determines that adequate supervision and care are not being provided to residents, resident care standards described in rule 59A-36.007, F.A.C., are not being met, or that the facility is failing to meet the terms of residents' contracts. The agency will consult with the facility administrator and residents regarding any	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 079	Continued From page 5 determination that additional staff is required. Based on the recommendations of the local fire safety authority, the agency may require additional staff when the facility fails to meet the fire safety standards described in rule chapter 69A-40, F.A.C., until such time as the local fire safety authority informs the agency that fire safety requirements are being met. 1. When additional staff is required above the minimum, the agency will require the submission of a corrective action plan within the time specified in the notification indicating how the increased staffing is to be achieved to meet resident service needs. The plan will be reviewed by the agency to determine if it sufficiently increases the staffing levels to meet resident needs. 2. When the facility can demonstrate to the agency that resident needs are being met, or that resident needs can be met without increased staffing, the agency may modify staffing requirements for the facility and the facility will no longer be required to maintain a plan with the agency. (e) Facilities that are co-located with a nursing home may use shared staffing provided that staff hours are only counted once for the purpose of meeting either assisted living facility or nursing home minimum staffing ratios. (f) Facilities holding a limited mental health, extended congregate care, or limited nursing services license must also comply with the staffing requirements of rules 59A-36.020, 59A-36.021 or 59A-36.022, F.A.C., respectively. This Statute or Rule is not met as evidenced by: Based on observation, record review and interview the facility failed to maintain the	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 079	Continued From page 6 minimum staff hours per week for a census of six residents. Findings Included: On at 9:30 AM, Staff C was observed in facility working alone with a census of 6 residents. Review of the staffing schedule for showed only Staff B was schedule to work during the day and night, for a total of 20 hours. Staff A was scheduled to work from 4 PM to 8 PM. Staff C was not on the schedule. On at 3:00 PM, Staff B stated that she worked every day and slept at facility. She added, she forgot to include Staff C on the schedule because she was recently hired. She mentioned she was not in facility when the survey started because she was at a meeting. Class III	A 079			
A 081 SS=D	59A-36.011(. . .) FAC Training - Staff In-Service (2) STAFF PRESERVICE ORIENTATION. (a) Facilities must provide a preservice orientation of at least 2 hours to all new assisted living facility employees who have not previously completed core training as detailed in subsection (1). (b) New staff must complete the preservice orientation prior to interacting with residents. (c) Once complete, the employee and the facility administrator must sign a statement that the employee completed the preservice orientation which must be kept in the employee's personnel record.	A 081			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11695297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 081	Continued From page 7 (d) In addition to topics that may be chosen by the facility administrator, the preservice orientation must cover: 1. Resident's rights; and, 2. The facility's license type and services offered by the facility. (3) STAFF IN-SERVICE TRAINING. Facility administrators or managers shall provide or arrange for the following in-service training to facility staff: (a) Staff who provide direct care to residents, other than nurses, certified nursing assistants, or home health aides trained in accordance with rule 59A-8.0095, F.A.C., must receive a minimum of 1 hour in-service training in _____ control, including universal precautions and facility sanitation procedures, before providing personal care to residents. The facility must use its _____ control policies and procedures when offering this training. Documentation of compliance with the staff training requirements of 29 CFR 1910.1030, relating to _____ borne _____, may be used to meet this requirement. (b) Staff who provide direct care to residents must receive a minimum of 1 hour in-service training within 30 days of employment that covers the following subjects: 1. Reporting adverse incidents. 2. Facility emergency procedures including chain-of-command and staff roles relating to emergency evacuation. (c) Staff who provide direct care to residents, who have not taken the core training program, shall receive a minimum of 1 hour in-service training within 30 days of employment that covers the following subjects: 1. Resident rights in an assisted living facility. 2. Recognizing and reporting resident _____,	A 081			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 081	Continued From page 8 neglect, and The facility must use its prevention policies and procedures when offering this training. (d) Staff who provide direct care to residents, other than nurses, CNAs, or home health aides trained in accordance with rule 59A-8.0095, F.A.C., must receive 3 hours of in-service training within 30 days of employment that covers the following subjects: 1. Resident behavior and needs. 2. Providing assistance with the activities of daily living. (e) Staff who prepare or serve food, who have not taken the assisted living facility core training must receive a minimum of 1-hour-in-service training within 30 days of employment in safe food handling practices. (f) All facility staff shall receive in-service training regarding the facility's resident elopement response policies and procedures within thirty (30) days of employment. 1. All facility staff shall be provided with a copy of the facility's resident elopement response policies and procedures. 2. All facility staff shall demonstrate an understanding and competency in the implementation of the elopement response policies and procedures. This Statute or Rule is not met as evidenced by: Based on observation, record review and interview the facility failed to complete the preservice orientation training for one out of three new hired staff (Staff C). Findings as follow: On at 9:30 AM, Staff C was observed in facility assisting residents in the activities of daily living.	A 081			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 081	Continued From page 9 Record review showed Staff C was hired and there was no documentation of the preservice orientation training in file. On, Staff B stated Staff C would complete her training's on next Friday. Class III	A 081			
A 082 SS=D	59A-36.011(4) FAC Training - (4) (/ /). Pursuant to section 381.0035, F.S., all facility employees, with the exception of employees subject to the requirements of section 456.033, F.S., must complete a one-time education course on and, including the topics prescribed in the section 381.0035, F.S. New facility staff must obtain the training within 30 days of employment. Documentation of compliance must be maintained in accordance with subsection (12), of this rule. This Statute or Rule is not met as evidenced by: Based on record review and interview the facility failed to have one out of four staff (Staff B) trained in (/ /) Findings Included: Record review showed Staff B was hired on and the facility had no documentation of Staff B having the training in file.	A 082			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 082	Continued From page 10 On at 3:00 PM, Staff B stated the training was misplaced. Class III	A 082			
A 083 SS=D	59A-36.011(5) FAC Training - First Aid and (5) FIRST AID AND (). A staff member who has completed courses in First Aid and and holds a currently valid card documenting completion of such courses must be in the facility at all times. (a) Documentation that the staff member possess current certification that requires the student to demonstrate, in person, that he or she is able to perform and which is issued by an instructor or training provider that is approved to provide training by the American Red Cross, the American Association, the National Safety Council, or an organization whose training is accredited by the Commission on Accreditation for Pre-Hospital Continuing Education satisfies this requirement. (b) A nurse shall be considered as having met the training requirement for First Aid. An emergency medical technician or paramedic currently certified under chapter 401, Part III, F.S., shall be considered as having met the training requirements for both First Aid and C.P.R. This Statute or Rule is not met as evidenced by: Based on observation, record review and interview the facility failed to have at least one staff present at all times trained in () and First Aid.	A 083			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 083	Continued From page 11 Findings Included: On _____ at 9:30 AM, Staff C was observed in facility, alone with a census of 6 residents. Record review showed no proof of documentation that Staff C had _____ and First Aid training in file. On _____ at 3:00 PM, Staff B stated Staff C would receive the _____ and First AID training next Friday. Class III	A 083		
A 125 SS=D	429.27(2) FS; 559A-36.013(3) FAC Fiscal - Surety Bonds 429.27 (2) A facility, or an owner, administrator, employee, or representative thereof, may not act as the guardian, trustee, or conservator for any resident of the assisted living facility or any of such resident's property. An owner, administrator, or staff member, or representative thereof, may not act as a competent resident's payee for social security, veteran's, or railroad benefits without the consent of the resident. Any facility whose owner, administrator, or staff, or representative thereof, serves as representative payee for any resident of the facility shall file a surety bond with the agency in an amount equal to twice the average monthly aggregate income or personal funds due to residents, or expendable for their account, which are received by a facility. Any facility whose owner, administrator, or staff, or a representative thereof, is granted power of attorney for any resident of the facility shall file a surety bond with the agency for each resident for whom such	A 125		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 125	Continued From page 12 power of attorney is granted. The surety bond shall be in an amount equal to twice the average monthly income of the resident, plus the value of any resident's property under the control of the attorney in fact. The bond shall be executed by the facility as principal and a licensed surety company. The bond shall be conditioned upon the faithful compliance of the facility with this section and shall run to the agency for the benefit of any resident who suffers a financial loss as a result of the misuse or misappropriation by a facility of funds held pursuant to this subsection. Any surety company that cancels or does not renew the bond of any licensee shall notify the agency in writing not less than 30 days in advance of such action, giving the reason for the cancellation or nonrenewal. Any facility owner, administrator, or staff, or representative thereof, who is granted power of attorney for any resident of the facility shall, on a monthly basis, be required to provide the resident a written statement of any transaction made on behalf of the resident pursuant to this subsection, and a copy of such statement given to the resident shall be retained in each resident's file and available for agency inspection. 59A-36.013 (3) SURETY BONDS. Pursuant to the requirements of section 429.27(2), F.S.: (a) For entities that own more than one facility in the state, one surety bond may be purchased to cover the needs of all residents served by the entities. (b) The following additional bonding requirements apply to facilities serving residents receiving . . . : 1. If serving as representative payee for a resident receiving . . . , the minimum bond	A 125			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/29/2019
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

MEDINA'S ALF CORP

**2443 NW 93 ST
MIAMI, FL 33147**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 125	Continued From page 13 proceeds must equal twice the value of the resident's monthly aggregate income, which must include any supplemental security income or social security income plus the payments, including the personal needs allowance. 2. If holding a power of attorney for a resident receiving , the minimum bond proceeds must equal twice the value of the resident's monthly aggregate income, which must include any supplemental security income or social security income; the payments, including the personal allowance; plus the value of any property belonging to a resident held at the facility. (c) Upon the annual issuance of a new bond or continuation bond, the facility must file a copy of the bond with the Agency Central Office. This Statute or Rule is not met as evidenced by: Based on record review and interview the facility failed to have a surety bond when acted as a payee of two out of six residents (Residents #1 and #6). Findings Included: Record review showed that the facility was representative payee for the social security checks of Residents #1 and #6. Further record review showed the facility had no proof of having a surety bond. On at 2:00 PM, Staff B stated the facility was the payee of Residents #1 and #6 and the facility had no surety bond because they did not know it was needed. Class III	A 125		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 162 SS=D	59A-36.015(3) FAC Records - Resident (3) RESIDENT RECORDS. Resident records must be maintained on the premises and include: (a) Resident demographic data as follows: 1. Name, 2. , 3. Race, 4. Date of birth, 5. Place of birth, if known, 6. Social security number, 7. Medicaid and/or Medicare number, or name of other health insurance 8. Name, address, and telephone number of next of kin, legal representative, or individual designated by the resident for notification in case of an emergency; and, 9. Name, address, and telephone number of the health care provider and case manager, if applicable. (b) A copy of the Resident Health Assessment form, AHCA Form 1823 described in rule 59A-36.006, F.A.C. (c) Any orders for medications, nursing services, therapeutic diets, , or other services to be provided, supervised, or implemented by the facility that require a health care provider's order. (d) Documentation of a resident's refusal of a therapeutic diet pursuant to rule 59A-36.012, F.A.C., if applicable. (e) The resident care record described in paragraph 59A-36.007(1)(e), F.A.C. (f) A record that is initiated on admission. Information may be taken from AHCA Form 1823 or the resident's health assessment. Residents receiving assistance with the activities of daily living must have their recorded semi-annually. (g) For facilities that will have unlicensed staff	A 162		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 162	Continued From page 15 assisting the resident with the self-administration of medication, a copy of the written informed consent described in rule 59A-36.006, F.A.C., if such consent is not included in the resident's contract. (h) For facilities that manage a pill organizer, assist with self-administration of medications or administer medications for a resident, copies of the required medication records maintained pursuant to rule 59A-36.008, F.A.C. (i) A copy of the resident's contract with the facility, including any addendums to the contract as described in rule 59A-36.018, F.A.C. (j) For a facility whose owner, administrator, staff, or representative thereof, serves as an attorney in fact for a resident, a copy of the monthly written statement of any transaction made on behalf of the resident as required in section 429.27, F.S. (k) For any facility that maintains a separate trust fund to receive funds or other property belonging to or due a resident, a copy of the quarterly written statement of funds or other property disbursed as required in section 429.27, F.S. (l) If the resident is an _____ recipient, a copy of the Department of Children and Families form Alternate Care Certification for _____, _____ (_____), CF-ES 1006, _____, which is hereby incorporated by reference and available for review at: http://www.flrules.org/Gateway/reference.asp?No=Ref-04004. The absence of this form will not be the basis for administrative action against a facility if the facility can demonstrate that it has made a good faith effort to obtain the required documentation from the Department of Children and Families. (m) Documentation of the _____ of a health care surrogate, health care proxy, guardian, or the existence of a power of attorney,	A 162			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 162	Continued From page 16 where applicable. (n) For hospice patients, the interdisciplinary care plan and other documentation that the resident is a hospice patient as required in rule 59A-36.006, F.A.C. (o) The resident's _____, DH Form 1896, if applicable. (p) For independent living residents who receive meals and occupy beds included within the licensed capacity of an assisted living facility, but who are not receiving any personal, limited nursing, or extended congregate care services, record keeping may be limited to the following at the discretion of the facility: 1. A log listing the names of residents participating in this arrangement, 2. The resident demographic data required in this paragraph, 3. The health assessment described in rule 59A-36.006, F.A.C., 4. The resident's contract described in rule 59A-36.018, F.A.C.; and, 5. A health care provider's order for a therapeutic diet if such diet is prescribed and the resident participates in the meal plan offered by the facility. (q) Except for resident contracts, which must be retained for 5 years, all resident records must be retained for 2 years following the departure of a resident from the facility unless it is required by contract to retain the records for a longer period of time. Upon request, residents must be provided with a copy of their records upon departure from the facility. (r) Additional resident records requirements for facilities holding a limited mental health, extended congregate care, or limited nursing services license are provided in rules 59A-36.020, 59A-36.021 and 59A-36.022, F.A.C., respectively.	A 162			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 162	Continued From page 17 This Statute or Rule is not met as evidenced by: Based on observation, record review and interview the facility failed to have an accurate health assessment for one out of six residents (Resident #2). Findings Included: On at 10:30 AM, Resident #2 was observed sitting in a wheelchair and maneuvering independently. At 12:25 PM, Resident #2 was observed eating lunch without assistance. Review of health assessment dated showed Resident #2 needed total assistance with ambulation, bathing, , eating and grooming. On at 3:00 PM, Staff B stated resident needed assistance with activities of daily living and was able to transfer and move independently throughout the facility using a wheelchair. Class III	A 162			
A 200 SS=D	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 18 facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 19 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to chapter 252, F, S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 20 maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 21 assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall submit its plan to the local emergency management agency for review within 30 days of the effective date of this rule. Assisted living facility plans previously submitted and approved pursuant to emergency rule 58AER17-1 will require resubmission only if changes are made to the plan. (b) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (c) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the local emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within two (2) business days of the approval of the plan from the local emergency management agency, the assisted living facility shall submit in writing proof of the approval to the	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)
A 200	Continued From page 22 Agency for Health Care Administration. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the local emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) The Agency shall allow an extension up to _____ to providers in compliance with paragraph (c) below and who can show delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes. Assisted living facilities shall notify the Agency that they will utilize the extension and keep the Agency apprised of progress on a quarterly basis to ensure there are no unnecessary delays. If an assisted living facility can show in its quarterly progress reports that unavoidable delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes will occur beyond the initial extension date, the assisted living facility may request a waiver pursuant to section 120.542, F.S. (c) During the extension period, an assisted living facility must make arrangements pending full implementation of its plan that provides the residents with an area or areas to congregate that meets the safe indoor air temperature requirements of subsection (1) (a) for a minimum	A 200	

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 23 of ninety-six (96) hours. 1. An assisted living facility not located in an evacuation zone must either have an alternative power source onsite or have a contract in place for delivery of an alternative power source and fuel when requested. Within twenty-four (24) hours of the issuance of a state of emergency for an event that may impact primary power delivery for the area of the assisted living facility, it must have the alternative power source and no less than ninety-six (96) hours of fuel stored onsite. 2. An assisted living facility located in an evacuation zone pursuant to chapter 252, F.S. must either: a. Fully and safely evacuate its residents prior to the arrival of the event; or b. Have an alternative power source and no less than ninety-six (96) hours of fuel stored onsite, within twenty-four (24) hours of the issuance of a state of emergency for the area of the assisted living facility. (d) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (e) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (f) The Agency for Health Care Administration may request cooperation from the State Fire Marshal to conduct inspections to ensure implementation of the plan in compliance with this rule. (5) POLICIES AND PROCEDURES.	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 24 (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in _____ air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of _____ and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee,	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 25 surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by chapter 429, part I, or chapter 408, part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative: 1. Upon submission of the plan to the local emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969297	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 10/29/2019
NAME OF PROVIDER OR SUPPLIER MEDINA'S ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 2443 NW 93 ST MIAMI, FL 33147		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 26 access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: Based on observation, record review and interview the facility failed to implement the Emergency Power Plan. Findings Included: On _____ at 9:30 AM, observed 10 gallons of gasoline stored. No _____ monoxide detector observed at the facility. Review of the generator data plan showed documentation that stated 5 gallons of gasoline runs the generator for 14 hours. The facility had less than the minimum of gasoline required to run the generator for 48 hours. Residents' record review showed no proof of documentation residents were informed about the emergency power plan implementation in writing. On _____ at 3:00 PM, Staff B stated they will go to buy the required amount of gasoline and the monoxide detector immediately. Staff B stated, she did not know a _____ monoxide detector had to be installed in the facility or to inform residents about the emergency power plan implementation in writing. Class III	A 200			