

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 000}	Initial Comments A revisit to complaint 2020011899 was conducted at Sloan Home of Central Fl Inc Assisted Living Facility on . There were deficiencies identified at the time of survey.	{A 000}		
{A 008} SS=D	429.26() FS; 59A-36.006(2) FAC Admissions - Health Assessment 429.26 (4) If possible, each resident shall have been examined by a licensed physician, a licensed physician assistant, or a licensed nurse practitioner within 60 days before admission to the facility. The signed and completed medical examination report shall be submitted to the owner or administrator of the facility who shall use the information contained therein to assist in the determination of the appropriateness of the resident's admission and continued stay in the facility. The medical examination report shall become a permanent part of the record of the resident at the facility and shall be made available to the agency during inspection or upon request. An assessment that has been completed through the Comprehensive Assessment and Review for Long-Term Care Services (CARES) Program fulfills the requirements for a medical examination under this subsection and s. 429.07(3)(b)6. (5) Except as provided in s. 429.07, if a medical examination has not been completed within 60 days before the admission of the resident to the facility, a licensed physician, licensed physician assistant, or licensed nurse practitioner shall examine the resident and complete a medical examination form provided by the agency within 30 days following the admission to the facility to enable the facility owner or administrator to determine the appropriateness of the admission. The medical examination form shall become a	{A 008}		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 008}	Continued From page 1 permanent part of the record of the resident at the facility and shall be made available to the agency during inspection by the agency or upon request. (6) Any resident accepted in a facility and placed by the department or the Department of Children and Families shall have been examined by medical personnel within 30 days before placement in the facility. The examination shall include an assessment of the appropriateness of placement in a facility. The findings of this examination shall be recorded on the examination form provided by the agency. The completed form shall accompany the resident and shall be submitted to the facility owner or administrator. Additionally, in the case of a mental health resident, the Department of Children and Families must provide documentation that the individual has been assessed by a psychiatrist, clinical psychologist, clinical social worker, or nurse, or an individual who is supervised by one of these professionals, and determined to be appropriate to reside in an assisted living facility. The documentation must be in the facility within 30 days after the mental health resident has been admitted to the facility. An evaluation completed upon discharge from a state mental hospital meets the requirements of this subsection related to appropriateness for placement as a mental health resident providing it was completed within 90 days prior to admission to the facility. The applicable department shall provide to the facility administrator any information about the resident that would help the administrator meet his or her responsibilities under subsection (1). Further, department personnel shall explain to the facility operator any special needs of the resident and advise the operator whom to call should problems arise. The	{A 008}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 008}	Continued From page 2 applicable department shall advise and assist the facility administrator where the special needs of residents who are recipients of _____, _____, _____ require such assistance. 59A-36.006 (2) HEALTH ASSESSMENT. As part of the admission criteria, an individual must undergo a _____-to-_____ medical examination completed by a health care provider as specified in either paragraph (a) or (b) of this subsection. (a) A medical examination completed within 60 calendar days before the individual's admission to a facility pursuant to section 429.26(4), F.S. The examination must address the following: 1. The physical and mental status of the resident, including the identification of any health-related problems and functional limitations, 2. An evaluation of whether the individual will require supervision or assistance with the activities of daily living, 3. Any nursing or _____, _____ services required by the individual, 4. Any special diet required by the individual, 5. A list of current medications prescribed, and whether the individual will require any assistance with the administration of medication, 6. Whether the individual has signs or symptoms of _____, _____, _____ or any other communicable _____, which are likely to be transmitted to other residents or staff, 7. A statement on the day of the examination that, in the opinion of the examining health care provider, the individual's needs can be met in an assisted living facility; and, 8. The date of the examination, and the name, signature, address, telephone number, and license number of the examining health care	{A 008}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 008}	Continued From page 3 provider. The medical examination may be conducted by a health care provider licensed under chapter 458, 459 or 464, F.S. (b) A medical examination completed after the resident's admission to the facility within 30 calendar days of the admission date. The examination must be recorded on AHCA Form 1823, Resident Health Assessment for Assisted Living Facilities, _____, which is incorporated by reference and available online at: http://www.flrules.org/Gateway/reference.asp?No=Ref-09170. Faxed or electronic copies of the completed form are acceptable. The form must be completed as instructed. 1. Items on the form that have been omitted by the health care provider during the examination may be obtained by the facility either orally or in writing from the health care provider. 2. Omitted information must be documented in the resident's record. Information received orally must include the name of the health care provider, the name of the facility staff recording the information, and the date the information was provided. 3. Electronic documentation may be used in place of completing the section on AHCA Form 1823 referencing Services Offered or Arranged by the Facility for the Resident. The electronic documentation must include all of the elements described in this section of AHCA Form 1823. (c) Any information required by paragraph (a), that is not contained in the medical examination report conducted before the individual's admission to the facility must be obtained by the administrator using AHCA Form 1823 within 30 days after admission. (d) Medical examinations of residents placed by the department, by the Department of Children and Families, or by an agency under contract with	{A 008}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 008}	Continued From page 4 either department must be conducted within 30 days before placement in the facility and recorded on AHCA Form 1823 described in paragraph (b). (e) An assessment that has been conducted through the Comprehensive, Assessment, Review and Evaluation for Long-Term Care Services (CARES) program may be substituted for the medical examination requirements of section 429.26, F.S. and this rule. (f) Any orders issued by the health care provider conducting the medical examination for medications, nursing, therapeutic diets, or other services to be provided or supervised by the facility may be attached to the health assessment. A health care provider may attach a DH Form 1896, Florida Form, for residents who do not wish to be administered in the case of _____ or _____. (g) A resident placed in a facility on a temporary emergency basis by the Department of Children and Families pursuant to section 415.105 or 415.1051, F.S., is exempt from the examination requirements of this subsection for up to 30 days. However, a resident accepted for temporary emergency placement must be entered on the facility's admission and discharge log and counted in the facility census. A facility may not exceed its licensed capacity in order to accept such a resident. A medical examination must be conducted on any temporary emergency placement resident accepted for regular admission. This Statute or Rule is not met as evidenced by: DEFICIENCY REMAINED UNCORRECTED Based on record review and interview the facility did not obtain a complete and accurate resident health assessment form (AHCA form 1823) for 1	{A 008}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 008}	Continued From page 5 of 1 sampled resident (#3). Findings: On during a complaint investigation a record review for resident #3 and revealed the AHCA form 1823 completed by the health care provider and that was dated, the health care provider did not indicate the type of assistance he required with That section was left blank. On at 10 AM during the revisit survey, the owner was asked to provide the updated and corrected AHCA form 1823 for resident #3 and she said the AHCA form 1823 had not been updated by the health care provider. Class III	{A 008}		
{A 181} SS=B	59A-36.019(2) FAC Emergency Plan Approval (2) EMERGENCY PLAN APPROVAL. The plan must be submitted for review and approval to the local emergency management agency. (a) If the local emergency management agency requires revisions to the emergency management plan, such revisions must be made and the plan resubmitted to the local office within 30 days of receiving notification that the plan must be revised. (b) A new facility as described in rule 59A-36.014, F.A.C., and facilities whose ownership has been transferred, must submit an emergency management plan within 30 days after obtaining a license. (c) The facility must review its emergency management plan on an annual basis. Any substantive changes must be submitted to the	{A 181}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 181}	Continued From page 6 local emergency agency for review and approval. 1. Changes in the name, address, telephone number, or position of staff listed in the plan are not considered substantive revisions for the purposes of this rule. 2. Changes in the identification of specific staff must be submitted to the local emergency management agency annually as a signed and dated addendum that is not subject to review and approval. (d) The local emergency management agency is the final administrative authority for emergency management plans prepared by assisted living facilities. (e) Any plan approved by the local emergency management agency is considered to have met all the criteria and conditions established in this rule. This Statute or Rule is not met as evidenced by: DEFICIENCY REMAINED UNCORRECTED Based on the review of the comprehensive emergency management plan (CEMP) and interview, the facility failed to have evidence that their plan was reviewed on an annual basis. Findings: On _____ during a complaint investigation a review of the facility's CEMP revealed it was approved on _____. There was no evidence found to confirm that the facility had reviewed the CEMP annually. On _____ at 10 AM during the revisit survey, the owner said the CEMP was reviewed and she did not have documentation to confirm.	{A 181}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 181}	Continued From page 7 Class	{A 181}		
{A 200} SS=D	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 200}	Continued From page 8 portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to chapter 252, F. S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 9 campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 200}	Continued From page 10 and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall submit its plan to the local emergency management agency for review within 30 days of the effective date of this rule. Assisted living facility plans previously submitted and approved pursuant to emergency rule 58AER17-1 will require resubmission only if changes are made to the plan. (b) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (c) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the local emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 11 copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within two (2) business days of the approval of the plan from the local emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the local emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) The Agency shall allow an extension up to _____ to providers in compliance with paragraph (c) below and who can show delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes. Assisted living facilities shall notify the Agency that they will utilize the extension and keep the Agency apprised of progress on a quarterly basis to ensure there are	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 12 no unnecessary delays. If an assisted living facility can show in its quarterly progress reports that unavoidable delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes will occur beyond the initial extension date, the assisted living facility may request a waiver pursuant to section 120.542, F.S. (c) During the extension period, an assisted living facility must make arrangements pending full implementation of its plan that provides the residents with an area or areas to congregate that meets the safe indoor air temperature requirements of subsection (1) (a) for a minimum of ninety-six (96) hours. 1. An assisted living facility not located in an evacuation zone must either have an alternative power source onsite or have a contract in place for delivery of an alternative power source and fuel when requested. Within twenty-four (24) hours of the issuance of a state of emergency for an event that may impact primary power delivery for the area of the assisted living facility, it must have the alternative power source and no less than ninety-six (96) hours of fuel stored onsite. 2. An assisted living facility located in an evacuation zone pursuant to chapter 252, F.S. must either: a. Fully and safely evacuate its residents prior to the arrival of the event; or b. Have an alternative power source and no less than ninety-six (96) hours of fuel stored onsite, within twenty-four (24) hours of the issuance of a state of emergency for the area of the assisted living facility. (d) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (e) Existing assisted living facilities that undergo	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 13 any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (f) The Agency for Health Care Administration may request cooperation from the State Fire Marshal to conduct inspections to ensure implementation of the plan in compliance with this rule. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of , and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 200}	Continued From page 14 written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by chapter 429, part I, or chapter 408, part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has	{A 200}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 200}	Continued From page 15 been granted, each resident and the resident's legal representative: 1. Upon submission of the plan to the local emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: DEFICIENCY REMAINED UNCORRECTED Based on the Florida health finder.gov, review of the facility's written environmental control plan policies and procedures and interview, the facility did not have a cooling device as the plan listed and had no evidence to confirm that facility staff could effectively and immediately activate, operate and maintain the alternative power source and any fuel required for operation of the alternative power source. Findings: On _____ during a complaint investigation staff A, a caregiver said she did not know how to operate the alternative power source. She said owner's family would come to the facility to connect it if needed.	{A 200}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 200}	Continued From page 16 Observations during that time revealed there was a portable generator with on top of it in the outside storage. There was a propane tank outside. There was a transfer switch inside the facility closet next to the kitchen. There was no cooling device observed at the facility. Review of the facility's environmental control plan revealed the plan noted that the facility had and would use a Honeywell Air-Evaporative Cooler. Review of Florida health finder.gov on revealed the facility reported its environmental control plan was implemented on and the plan was approved on On at 11 AM during the revisit survey, the facility's owner said the Air-Evaporative Cooler was not at the facility because she could not find anyone to bring it to the facility Class III	{A 200}			
{CZ821} SS=C	59A-35.110 FAC Reporting Requirements; Electronic Submission 59A-35.110 Reporting Requirements; Electronic Submission. (1) During the two year licensure period, any change or expiration of any information that is required to be reported under chapter 408, part II, F.S., or authorizing statutes for the provider type as specified in section 408.803(3), F.S., during the license application process must be reported to the Agency within 21 days of occurrence of the change, including: (a) Insurance coverage renewal; (b) Bond renewal; (c) Change of administrator or the similarly titled	{CZ821}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{CZ821}	Continued From page 17 person who is responsible for the day-to-day operation of the provider; (d) Annual sanitation inspections; (e) Fire inspections; and, (f) Approval of revisions to emergency management plans. (2) Electronic submission of information. (a) The following required information must be submitted electronically through the Agency's Single Sign On Portal located at https://apps.ahca.myflorida.com/SingleSignOnPortal: 1. Nursing homes: Adverse incident reports must be submitted electronically to the Agency within 15 calendar days after the occurrence of the incident as required in section 400.147, F.S. on Nursing Home Adverse Incident, AHCA Form 3110-0010 OL, , which is hereby incorporated by reference and available at: https://www.flrules.org/Gateway/reference.asp?No=Ref-08777, and through the Agency's adverse incident reporting system which can only be accessed through the Agency's Single Sign On Portal located at: https://apps.ahca.myflorida.com/SingleSignOnPortal. 2. Assisted living facilities: a. Adverse incident reports must be submitted electronically to the Agency within 1 business day after the occurrence of the incident, and within 15 days after the occurrence of the incident as required in section 429.23, F.S., on Assisted Living Facility Adverse Incident, AHCA Form 3180-1025 OL, , which is hereby incorporated by reference and available at: https://www.flrules.org/Gateway/reference.asp?No=Ref-08778, and through the Agency's adverse	{CZ821}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{CZ821}	Continued From page 18 incident reporting system which can only be accessed through the Agency's Single Sign On Portal located at: https://apps.ahca.myflorida.com/SingleSignOnPortal . b. Liability claim reports required pursuant to section 429.23(5), F.S., and rule 58A-5.0242, F.A.C. 3. Hospitals: Adverse incident reports must be submitted electronically to the Agency within 15 calendar days after the occurrence of the incident as required in Section 395.0197, F.S., on Hospital Adverse Incident, AHCA Form 3140-5001 OL, , which is hereby incorporated by reference and available at: https://www.flrules.org/Gateway/reference.asp?No=Ref-08779 , and through the Agency's adverse incident reporting system which can only be accessed through the Agency's Single Sign On Portal located at: https://apps.ahca.myflorida.com/SingleSignOnPortal . 4. Ambulatory Surgical Centers: Adverse incident reports must be submitted electronically to the Agency within 15 calendar days after the occurrence of the incident as required in section 395.0197, F.S., on Ambulatory Surgical Center Adverse Incident, AHCA Form 3140-5004 OL, , which is hereby incorporated by reference and available at: https://www.flrules.org/Gateway/reference.asp?No=Ref-08780 , and through the Agency's adverse incident reporting system which can only be accessed through the Agency's Single Sign On Portal located at: https://apps.ahca.myflorida.com/SingleSignOnPortal . (b) The licensee must retain a copy of all	{CZ821}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 08/12/2020
NAME OF PROVIDER OR SUPPLIER SLOAN HOME OF CENTRAL FL INC			STREET ADDRESS, CITY, STATE, ZIP CODE 307 S HIAWASSEE RD ORLANDO, FL 32835		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{CZ821}	Continued From page 19 documentation generated at time of reporting as confirmation of successful electronic submission. (c) If the Agency's Single Sign On Portal or the online adverse incident reporting system is temporarily out of service the licensee may contact the Agency directly at 1(888)419-3456 for assistance. Reporting will resume as soon as online access is restored. This Statute or Rule is not met as evidenced by: DEFICIENCY REMAINED UNCORRECTED Based on record reviews and interviews, the facility failed to electronically submit to the agency, a preliminary report within 1 business day of an events followed by 15 days after the occurrence of an event that was reported to law enforcement for investigation and elopement. Findings: On _____ at 9:20 AM during a complaint investigation, the owner said the facility did not have any adverse incident reports. The agency received a complaint that noted resident #3 left the facility and the facility did not know the whereabouts of the residents. The owner said on _____ at 11:20 AM, resident #3 did leave the facility, she did not know the exact date or time, there was no documentation available at the facility regarding the incident. The owner said because they could not find him, the police were called to assist in finding him. She was informed at the time that an adverse incident report was required because the police investigated and because of the elopement. The owner said at the time she did not know she should have submitted an adverse	{CZ821}			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{CZ821}	Continued From page 20 incident report. Review of a police report revealed the following: On 8/12/2020 at 11:50 PM, the officer responded to 307 S Hiawassee Road (facility's address), in reference to a missing person. Upon arrival, he met with the owner, he entered the missing person into the system as missing and endangered. The owner was notified by her overnight caregiver that one of her residents, (#3), walked away from the residence and had not returned. The owner went to the residence to look for resident #3. She also did a check of nearby businesses but was unable to locate him. The owner advised that she was not aware of resident #3 doing this before. The officer also met with the caregiver who said she gave resident #3 his last cigarette of the day at 10:30 PM. He went out to the front of the house and was smoking it out there like usual. The caregiver looked out of the front window and saw that resident #3 was outside of their gate and walking southbound on the sidewalk. She went outside and told resident #3 to come to the house, resident #3 turned and looked at her. She used her hand to wave to him to come to the house. The caregiver went inside expecting resident #3 to come inside too. After about ten minutes, she went outside looking for him but did not see him. The caregiver called the owner. The officer did a check of the residence and the backyard for resident #3 with negative results. Resident #3 is diagnosed with early stages of dementia. The Orange County Chase and K9 responded to the scene to locate resident #3. He was tracked	{CZ821}		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 08/12/2020
---	--	--	---

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SLOAN HOME OF CENTRAL FL INC

**307 S HIAWASSEE RD
ORLANDO, FL 32835**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{CZ821}	Continued From page 21 southbound on Hiwassee, which ended at Fairway Cove . . . off Hiwassee Road, near Raleigh Street with negative results. The officer noted he was notified by other Deputies that resident #3 has . . . away before and was located at Woodlawn Cemetery. Another reported noted on . . . a deputy facility in reference to a missing person located. He made contact with resident #3 who was in good health. Resident #3 stated he got on the bus and went to the Florida Mall. Resident #3 stated that he slept in the area and could not remember the exact location. Resident #3 said he took a bus . . . home and arrived yesterday morning. On . . . at 10:15 AM, The owner was asked if the facility had submitted the adverse incident reports as required and she said they had not. Unclassified	{CZ821}		