

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 11/17/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP	STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments A COVID-19 Control & Generator Monitoring survey was conducted at Amigos Home ALF Corp. on Deficiencies were identified at the time of the visit.	A 000		
A 079 SS=G	59A-36.010(3) FAC Staffing Standards - Levels (3) STAFFING STANDARDS. (a) Minimum staffing: 1. Facilities must maintain the following minimum staff hours per week: Number of Residents, Day Care Participants, and Respite Care Residents Staff Hours/Week 0-5 168 212 16-25 253 26-35 294 36-45 335 46-55 375 56-65 416 66-75 457 76-85 498 86-95 539 For every 20 total combined residents, day care participants, and respite care residents over 95 add 42 staff hours per week. 2. Independent living residents, as referenced in subsection 59A-36.015(3), F.A.C., who occupy beds included within the licensed capacity of an assisted living facility but do not receive personal, limited nursing, or extended congregate care services, are not counted as residents for purposes of computing minimum staff hours. 3. At least one staff member who has access to facility and resident records in case of an emergency must be in the facility at all times	A 079		

AHCA Form 3020-0001
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 079	Continued From page 1 when residents are in the facility. Residents serving as paid or volunteer staff may not be left solely in charge of other residents while the facility administrator, manager or other staff are absent from the facility. 4. In facilities with 17 or more residents, there must be at least one staff member awake at all hours of the day and night. 5. A staff member who has completed courses in First Aid and () and holds a currently valid card documenting completion of such courses must be in the facility at all times. a. Documentation of attendance at First Aid or courses pursuant to subsection 59A-36.011(5), F.A.C., satisfies this requirement. b. A nurse is considered as having met the course requirements for First Aid. An emergency medical technician or paramedic currently certified under chapter 401, part III, F.S., is considered as having met the course requirements for both First Aid and . 6. During periods of temporary absence of the administrator or manager of more than 48 hours when residents are on the premises, a staff member who is at least , must be physically present and designated in writing to be in charge of the facility. No staff member shall be in charge of a facility for a consecutive period of 21 days or more, or for a total of 60 days within a calendar year, without being an administrator or manager. 7. Staff whose duties are exclusively building or grounds maintenance, clerical, or food preparation do not count towards meeting the minimum staffing hours requirement. 8. The administrator or manager's time may be counted for the purpose of meeting the required staffing hours, provided the administrator or	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 079	Continued From page 2 manager is actively involved in the day-to-day operation of the facility, including making decisions and providing supervision for all aspects of resident care, and is listed on the facility's staffing schedule. 9. Only on-the-job staff may be counted in meeting the minimum staffing hours. Vacant positions or absent staff may not be counted. (b) Notwithstanding the minimum staffing requirements specified in paragraph (a), all facilities, including those composed of apartments, must have enough qualified staff to provide resident supervision, and to provide or arrange for resident services in accordance with the residents' scheduled and unscheduled service needs, resident contracts, and resident care standards as described in rule 59A-36.007, F.A.C. (c) The facility must maintain a written work schedule that reflects its 24-hour staffing pattern for a given time period. Upon request, the facility must make the daily work schedules of direct care staff available to residents or their representatives. (d) The facility must provide staff immediately when the agency determines that the requirements of paragraph (a) are not met. The facility must immediately increase staff above the minimum levels established in paragraph (a), if the agency determines that adequate supervision and care are not being provided to residents, resident care standards described in rule 59A-36.007, F.A.C., are not being met, or that the facility is failing to meet the terms of residents' contracts. The agency will consult with the facility administrator and residents regarding any determination that additional staff is required. Based on the recommendations of the local fire safety authority, the agency may require	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 079	Continued From page 3 additional staff when the facility fails to meet the fire safety standards described in rule chapter 69A-40, F.A.C., until such time as the local fire safety authority informs the agency that fire safety requirements are being met. 1. When additional staff is required above the minimum, the agency will require the submission of a corrective action plan within the time specified in the notification indicating how the increased staffing is to be achieved to meet resident service needs. The plan will be reviewed by the agency to determine if it sufficiently increases the staffing levels to meet resident needs. 2. When the facility can demonstrate to the agency that resident needs are being met, or that resident needs can be met without increased staffing, the agency may modify staffing requirements for the facility and the facility will no longer be required to maintain a plan with the agency. (e) Facilities that are co-located with a nursing home may use shared staffing provided that staff hours are only counted once for the purpose of meeting either assisted living facility or nursing home minimum staffing ratios. (f) Facilities holding a limited mental health, extended congregate care, or limited nursing services license must also comply with the staffing requirements of rules 59A-36.020, 59A-36.021 or 59A-36.022, F.A.C., respectively. This Statute or Rule is not met as evidenced by: Based on interview, and record review, the facility failed to have enough qualified staff available to provide resident supervision or arrange for resident services according to resident's scheduled and unscheduled needs for five out of	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 079	Continued From page 4 five sampled residents (Resident's # 1 - 5). Findings Include: On at 9:50 AM, Staff A stated that the census was five residents and that two of the five were under hospice care. Staff A further stated that she was the only employee working at the facility. A review of the facility's schedule for the month of revealed Staff A was scheduled to work alone all day Monday through Wednesday and Staff B to work alone all day Saturday and Sunday. Further review of the facility's schedule showed that Staff A and B were scheduled to work Thursdays and Fridays; however, there was no documentation of what time either staff worked. A review of Resident # 1's health assessment dated showed diagnoses of 's High , Atherosclerotic . Resident # 1 had decreased vision and hearing limitations in addition to a decreased memory and concentration status. Further review of the health assessment showed Resident # 1 was under hospice care and needed total care with activities of daily living such as ambulation, bathing, , eating, self-care (grooming), toileting, and transferring. A review of Resident # 2's health assessment dated showed diagnoses of High , Atherosclerotic and . Resident # 2	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 11/17/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

AMIGOS HOME ALF CORP

**8360 SW 43 TERRACE
MIAMI, FL 33155**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 079	Continued From page 5 also had decreased vision and hearing limitations, a decreased memory and concentration status. Further review of the health assessment showed Resident # 2 needed assistance with all activities of daily living. A review of Resident # 3's health assessment dated showed diagnoses of High Prostatic Hyperplasia, Non-Resident # 3 also had decreased vision and hearing limitations in addition to a decreased memory and concentration status. Further review of the health assessment showed Resident # 3 needed assistance with all activities of daily living. A review of Resident # 4's health assessment dated showed diagnoses of Resident # 4 has sensory limitations related to's. Further review of the health assessment showed Resident # 4 needed assistance with eating and needed total care with ambulation, bathing, self-care, toileting, and transferring. A review of Resident # 5's health assessment dated showed diagnoses of Atherosclerotic and Resident # 5 also had decreased vision and hearing limitations in addition to a decreased memory and concentration status. Further review of the health assessment showed Resident # 5 was under hospice care and needed total care with all activities of daily living.	A 079		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 079	Continued From page 6 On at 11:26 AM, the Administrator stated, "I'm looking for an employee, but it's not easy". Class II	A 079			
A 182 SS=G	59A-36.019(3) FAC Emergency Mgmt - Plan Implementation (3) PLAN IMPLEMENTATION. (a) All staff must be trained in their duties and are responsible for implementing the emergency management plan. (b) If telephone service is not available during an emergency, the facility must request assistance from local law enforcement or emergency management personnel in maintaining communication. This Statute or Rule is not met as evidenced by: Based on observation and interview, the facility failed to ensure that all staff were trained in their duties and would be responsible for implementing the emergency management plan. Staff A was unable to start the alternate power source (a portable generator) that would be used to cool the facility in the event of a loss of primary power Findings Included: On at 9:58 AM, Staff A stated, "Yes I know how to turn it in on and connect it and everything". On at 10:20 AM, observation showed Staff A tried to turn on the generator, however the generator didn't start. The Administrator then checked the gasoline tank and found that there was no gas in the generator. Staff A then stated	A 182			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP		STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 182	Continued From page 7 that she didn't know how to fill the generator with gasoline. She stated, "that's the Administrator's job". On at approximately 10:23 AM, the Administrator stated, "I took out the gas because I have neighbors who smoke, and they can flick the cigarette over and start a fire". On at 10:25 AM, further observation showed the Administrator fill up the generator with gas and guided Staff A on how to turn on the generator. Class II	A 182		
A 200 SS=D	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 8 in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 9 plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to chapter 252, F, S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain _____ temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 10 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall submit its plan to the local emergency management agency for review within 30 days of the effective date of this rule. Assisted living facility plans previously submitted and approved pursuant to emergency	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 11 Rule 58AER17-1 will require resubmission only if changes are made to the plan. (b) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (c) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the local emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within two (2) business days of the approval of the plan from the local emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the local emergency management agency and update within ten (10) business days of	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 11/17/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

AMIGOS HOME ALF CORP

**8360 SW 43 TERRACE
MIAMI, FL 33155**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 12 implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) The Agency shall allow an extension up to _____ to providers in compliance with paragraph (c) below and who can show delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes. Assisted living facilities shall notify the Agency that they will utilize the extension and keep the Agency apprised of progress on a quarterly basis to ensure there are no unnecessary delays. If an assisted living facility can show in its quarterly progress reports that unavoidable delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes will occur beyond the initial extension date, the assisted living facility may request a waiver pursuant to section 120.542, F.S. (c) During the extension period, an assisted living facility must make arrangements pending full implementation of its plan that provides the residents with an area or areas to congregate that meets the safe indoor air temperature requirements of subsection (1) (a) for a minimum of ninety-six (96) hours. 1. An assisted living facility not located in an evacuation zone must either have an alternative power source onsite or have a contract in place for delivery of an alternative power source and fuel when requested. Within twenty-four (24) hours of the issuance of a state of emergency for an event that may impact primary power delivery for the area of the assisted living facility, it must have the alternative power source and no less	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 13 than ninety-six (96) hours of fuel stored onsite. 2. An assisted living facility located in an evacuation zone pursuant to chapter 252, F.S. must either: a. Fully and safely evacuate its residents prior to the arrival of the event; or b. Have an alternative power source and no less than ninety-six (96) hours of fuel stored onsite, within twenty-four (24) hours of the issuance of a state of emergency for the area of the assisted living facility. (d) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (e) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (f) The Agency for Health Care Administration may request cooperation from the State Fire Marshal to conduct inspections to ensure implementation of the plan in compliance with this rule. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 14 residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of _____ and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by chapter 429, part I, or chapter 408, part II, F.S., including, but not limited to, license revocation, license	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 11/17/2020
NAME OF PROVIDER OR SUPPLIER AMIGOS HOME ALF CORP			STREET ADDRESS, CITY, STATE, ZIP CODE 8360 SW 43 TERRACE MIAMI, FL 33155		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 15 suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative: 1. Upon submission of the plan to the local emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to acquire services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968467	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 11/17/2020
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

AMIGOS HOME ALF CORP

**8360 SW 43 TERRACE
MIAMI, FL 33155**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 16 alternate power source maintained at the assisted living facility. Findings Included: On _____ at approximately 9:55 AM, observed a portable generator (Generac GP 17500E) and two gas caddies of 30 gallons worth of gasoline in the backyard. A review of the facility's generator maintenance list showed no documentation of when the generator had been tested. On _____ at 11:14 AM, the Administrator stated, "Every 15 days I turn it on. I don't write it down. I won't lie to you if I haven't done it". Class III	A 200		