

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments An unannounced Relicensure, Complaint, #2021003980, Focus Control and Generator Monitoring survey was conducted on at Sela ALF, Inc. There were deficiencies identified during the time of the survey.	A 000		
A 054	59A-36.008(5) FAC Medication - Records (5) MEDICATION RECORDS. (a) For residents who use a pill organizer managed in subsection (2), the facility must keep either the original labeled medication container; or a medication listing with the prescription number, the name and address of the issuing pharmacy, the health care provider's name, the resident's name, the date dispensed, the name and strength of the drug, and the directions for use. (b) The facility must maintain a daily medication observation record for each resident who receives assistance with self-administration of medications or medication administration. A medication observation record must be immediately updated each time the medication is offered or administered and include: 1. The name of the resident and any known the resident may have; 2. The name of the resident's health care provider and the health care provider's telephone number; 3. The name, strength, and directions for use of each medication; and, 4. A chart for recording each time the medication is taken, any missed dosages, refusals to take medication as prescribed, or medication errors. (c) For medications that serve as chemical, the facility must, pursuant to section 429.41, F.S., maintain a record of the prescribing	A 054		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 054	Continued From page 1 physician's annual evaluation of the use of the medication. This Statute or Rule is not met as evidenced by: Based on interview and record review, the facility failed to ensure that the Medication Observation Records (MORs) was updated (signed), immediately after medication assistance was provided to a resident, for 1 of 2 sample medication pass observations (Resident # 1). The findings included: On at 11:50 AM, a random review of the Medication Observation Records (MORs) was conducted with Staff A (Med-Tech). The review revealed that a medication for Resident # 2 was not signed off (initialed/documented) on the MORs. Resident # 2 , 9:00 AM and 9:00 PM - MORs not signed , and This surveyor asked the Administrator has the medication been discontinued. On at 4:29 PM, the Administrator stated that she does not have the order to discontinue the medication. She stated that the Hospice nurse must get the order signed. The Administrator was given the opportunity to locate the missing document. No document was provided During an interview with the Administrator on at 05:00 PM, she acknowledged the findings and no additional information was provided.	A 054		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 054	Continued From page 2 Class III	A 054		
A 078	59A-36.010(2) FAC Staffing Standards - Staff (2) STAFF. (a) Within 30 days after beginning employment, newly hired staff must submit a written statement from a health care provider documenting that the individual does not have any signs or symptoms of communicable . The examination performed by the health care provider must have been conducted no earlier than 6 months before submission of the statement. Newly hired staff does not include an employee transferring without a break in service from one facility to another when the facility is under the same management or ownership. 1. Evidence of a negative examination must be documented on an annual basis. Documentation provided by the Florida Department of Health or a licensed health care provider certifying that there is a shortage of testing materials satisfies the annual examination requirement. An individual with a positive test must submit a health care provider's statement that the individual does not constitute a risk of 2. If any staff member has, or is suspected of having, a communicable , such individual must be immediately removed from duties until a written statement is submitted from a health care provider indicating that the individual does not constitute a risk of transmitting a communicable (b) Staff must be qualified to perform their assigned duties consistent with their level of education, training, preparation, and experience. Staff providing services requiring licensing or	A 078		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 078	Continued From page 3 certification must be appropriately licensed or certified. All staff must exercise their responsibilities, consistent with their qualifications, to observe residents, to document observations on the appropriate resident's record, and to report the observations to the resident's health care provider in accordance with this rule chapter. (c) All staff must comply with the training requirements of rule 59A-36.011, F.A.C. (d) An assisted living facility _____ to provide services to residents must ensure that individuals providing services are qualified to perform their assigned duties in accordance with this rule chapter. The contract between the facility and the staffing agency or contractor must specifically describe the services the staffing agency or contractor will provide to residents. (e) For facilities with a licensed capacity of 17 or more residents, the facility must: 1. Develop a written job description for each staff position and provide a copy of the job description to each staff member; and, 2. Maintain time sheets for all staff. (f) Level 2 background screening must be conducted for staff, including staff _____ by the facility to provide services to residents, pursuant to sections 408.809 and 429.174, F.S. This Statute or Rule is not met as evidenced by: Based on observation, interview and record review, it was determined the facility failed to ensure that each staff member had evidence of a negative () examination documented on an annual basis, for 2 out of 3 sampled staff records (Administrator and Staff B). The findings included: On _____ employee record reviews were	A 078			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 078	Continued From page 4 conducted. The following was observed: a) Administrator date of hire revealed a examination dated There was no evidence of a negative . . . examination documented on an annual basis. b) Staff B date of hire revealed no evidence of a negative . . . examination documented on an annual basis. The Administrator was given the opportunity to locate the documents. She stated that she will need to go to her house to check on the documents. No documents were provided. During an interview with the Administrator on at 5:00 PM the findings were discussed and acknowledged. Class III	A 078		
A 080	429.52(. . .) FS: 59A-36.011(1) FAC Training - Core & Competency Test 429.52 (2) Administrators and other assisted living facility staff must meet minimum training and education requirements established by the agency by rule. This training and education is intended to assist facilities to appropriately respond to the needs of residents, to maintain resident care and facility standards, and to meet licensure requirements. (3) The agency, in conjunction with providers, shall develop core training requirements for administrators consisting of core training learning objectives, a competency test, and a minimum required score to indicate successful passage of the core competency test. The required core	A 080		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 080	Continued From page 5 competency test must cover at least the following topics: (a) State law and rules relating to assisted living facilities. (b) Resident rights and identifying and reporting neglect, and (c) Special needs of elderly persons, persons with mental illness, and persons with _____ and how to meet those needs. (d) Nutrition and food service, including acceptable sanitation practices for preparing, storing, and serving food. (e) Medication management, recordkeeping, and proper techniques for assisting residents with self-administered medication. (f) Firesafety requirements, including fire evacuation drill procedures and other emergency procedures. (g) Care of persons with _____'s _____ and related _____ 59A-36.011 (1) ASSISTED LIVING FACILITY CORE TRAINING REQUIREMENTS AND COMPETENCY TEST. (a) The assisted living facility core training requirements established by the department pursuant to section 429.52, F.S., shall consist of a minimum of 26 hours of training plus a competency test. (b) Administrators and managers must successfully complete the assisted living facility core training requirements within 3 months from the date of becoming a facility administrator or manager. Successful completion of the core training requirements includes passing the competency test. The minimum passing score for the competency test is 75%. Administrators who have attended core training prior to _____	A 080		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 080	Continued From page 6 and managers who attended the core training program prior to _____, shall not be required to take the competency test. Administrators licensed as nursing home administrators in accordance with chapter 468, part II, F.S., are exempt from this requirement. (c) Administrators and managers shall participate in 12 hours of continuing education in topics related to assisted living every 2 years. (d) A newly hired administrator or manager who has successfully completed the assisted living facility core training and continuing education requirements, shall not be required to retake the core training. An administrator or manager who has successfully completed the core training but has not maintained the continuing education requirements will be considered a new administrator or manager for the purposes of the core training requirements and must: 1. Retake the assisted living facility core training; and, 2. Retake and pass the competency test. (e) The fees for the competency test shall not exceed \$200.00. The payment for the competency test fee shall be remitted to the entity administering the test. A new fee is due each time the test is taken. This Statute or Rule is not met as evidenced by: Based on employee record review and staff interview, the facility failed to ensure the facility is operating by a qualified Administrator/owner by meeting the required training, the Assisted Living Facility 26 hours Core course successfully completing within 3 months from the date of becoming a facility Administrator.	A 080			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 080	Continued From page 7 The Findings Included: During a record review of employee's files with the Administrator on _____, revealed the Administrator owner lacked evidence of a minimum of 26 hours core training. The Administrator date of hire is _____. The Administrator was given the opportunity to locate the document. No document was provided. On _____ at 2:32 PM the Administrator stated that she will need to go to her house to check on the documents. During an interview on _____ at 5:00 PM with the Administrator she acknowledged the findings. Class III	A 080			
A 200	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure _____ air temperatures will	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 8 be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 9 equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to chapter 252, F. S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 10 loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a _____ monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall submit its plan	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 11 to the local emergency management agency for review within 30 days of the effective date of this rule. Assisted living facility plans previously submitted and approved pursuant to emergency Rule 58AER17-1 will require resubmission only if changes are made to the plan. (b) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (c) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the local emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within two (2) business days of the approval of the plan from the local emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 12 emergency power plans on its website within ten (10) business days of the plan's approval by the local emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) The Agency shall allow an extension up to _____ to providers in compliance with paragraph (c) below and who can show delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes. Assisted living facilities shall notify the Agency that they will utilize the extension and keep the Agency apprised of progress on a quarterly basis to ensure there are no unnecessary delays. If an assisted living facility can show in its quarterly progress reports that unavoidable delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes will occur beyond the initial extension date, the assisted living facility may request a waiver pursuant to section 120.542, F.S. (c) During the extension period, an assisted living facility must make arrangements pending full implementation of its plan that provides the residents with an area or areas to congregate that meets the safe indoor air temperature requirements of subsection (1) (a) for a minimum of ninety-six (96) hours. 1. An assisted living facility not located in an evacuation zone must either have an alternative power source onsite or have a contract in place for delivery of an alternative power source and fuel when requested. Within twenty-four (24)	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 13 hours of the issuance of a state of emergency for an event that may impact primary power delivery for the area of the assisted living facility, it must have the alternative power source and no less than ninety-six (96) hours of fuel stored onsite. 2. An assisted living facility located in an evacuation zone pursuant to chapter 252, F.S. must either: a. Fully and safely evacuate its residents prior to the arrival of the event; or b. Have an alternative power source and no less than ninety-six (96) hours of fuel stored onsite, within twenty-four (24) hours of the issuance of a state of emergency for the area of the assisted living facility. (d) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (e) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (f) The Agency for Health Care Administration may request cooperation from the State Fire Marshal to conduct inspections to ensure implementation of the plan in compliance with this rule. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC			STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 14 source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of heat and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 15 rule, the Agency for Health Care Administration may seek any remedy authorized by chapter 429, part I, or chapter 408, part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative: 1. Upon submission of the plan to the local emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by:	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 16 Based on record review, observation, and interview, the facility failed to maintain notification letters, written policies, and procedures. The findings included: During an interview with the Administrator, on at 11:29 AM, she stated that she does not have the notification letters, written policies, and procedures. The Administrator was given an opportunity to locate the documents. No documents were provided. During an interview with the Administrator, on at 5:00 PM, she acknowledged the findings and no additional information was provided. Class III	A 200		
A1300	Dem Emerg Order 20-011 Visitation 1. Every facility must continue to prohibit the entry of any individual to the facility, except in the following circumstances: A. Family members, friends, and individuals visiting residents in end-of-life situations including any resident enrolled in hospice; B. Hospice or care workers caring for residents in end-of-life situations including any resident enrolled in hospice; C. Any individuals or providers giving necessary health care to a resident, provided that such individuals or providers: (1) comply with the most recent Centers for Control and Prevention (CDC) requirements for personal protective equipment (PPE), (2) are screened for signs and symptoms of COVID-19 prior to entry, and (3) comply with the most recent	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 17 control requirements of the CDC and the facility; D. Facility staff; E. Facility residents; F. Attorneys of Record for residents in Adult Mental Health and Treatment Facilities or forensic facilities for court-related matters if virtual or telephonic means are unavailable; G. Public Guardians as set forth in chapter 744, Florida Statutes, Professional Guardians as defined by subsection 744.102(17), and their professional staff pursuant to subsection 744.361(14), Florida Statutes; H. Attorneys and their legal staff who are acting in their capacity as the legal representatives of residents where (a) the residents and lawyers are engaged in an active attorney-client relationships, (b) the visit is related to representation in legal proceedings or in consultation on legal matters, and (c) virtual or telephonic means are unavailable; I. Representatives of the federal or state government seeking entry as part of their official duties, including but not limited to Long-Term Care Ombudsman program, representatives of the Department of Children and Families, the Department of Health, the Department of Elderly Affairs, the Agency for Health Care Administration, the Agency for Persons with Disabilities, a protection and advocacy organization under 42 U.S.C. §15041, the Office of the Attorney General, any law enforcement officer, and any emergency medical personnel; J. Compassionate care visitors who meet the following definitions and satisfy the following criteria: i. Compassionate care visitors provide support, including emotional support, to help residents deal with difficult transition or loss, upsetting events, end-of-life situations, significant	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 18 changes (such as recent admission to the facility), the need for assistance, cueing or encouraging with eating or drinking, or emotional distress or decline. ii. Regarding compassionate care visitors, the facility shall: 1. Establish policies and procedures for designation and utilizations of compassionate care visitors; 2. Set a limit on the total number of visitors allowed in the facility based on the ability of staff to safely screen and monitor visitation; 3. Develop an agreeable schedule in concert with the residents and visitors, including evening and weekends, to accommodate work or childcare barriers; 4. Provide instructional signage throughout the facility and prevention and control education, including education on proper use of PPE, hygiene, and social distancing; 5. Designate key staff to support prevention and control training; 6. Screen compassionate care visitors to prevent possible introduction of COVID-19; 7. Maintain a visitor log for signing in and out; 8. Monitor visitor adherence to appropriate use of masks, PPE, and social distancing, especially for those who may have difficulty with compliance such as children; and 9. After attempts to mitigate concerns, restrict or revoke visitation if the compassionate care visitor fails to follow prevention and control requirements or other COVID-19-related rules of the facility. iii. Compassionate care visitors shall: 1. Wear a surgical mask and other PPE as appropriate. PPE for compassionate care	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 19 visitors must be consistent with the most recent CDC guidance for health care workers; 2. Participate in facility-provided training on prevention and control, use of PPE, use of masks, sanitation, and social distancing, and sign acknowledgement of completion of training and adherence to the facility's prevention and control policies; 3. Comply with facility-provided COVID-19 testing, if offered; 4. Visit in the resident's room or in facility-designated visitation areas within the building; and 5. Maintain social distance of at least six feet with staff and other residents and limit movement in the facility except compassionate care visitors are not required to maintain social distance from the resident being visited. The facility may require compassionate care visitors to submit to facility-provided COVID-19 testing so long as use of testing is based on the most recent CDC and U.S. Food and Drug Administration (FDA) guidance. K. General visitors, i.e. individuals other than compassionate care visitors, under the criteria detailed below: i. To accept general visitors, the facility must meet the following criteria: 1. Other than in a dedicated wing or unit that accepts COVID-19 cases from the community, the facility must have no new facility-onset of resident COVID-19 cases in the previous fourteen (14) days; 2. The facility must have fourteen (14) days with no new facility-onset of staff COVID-19 cases where a positive staff person was in the facility in the ten (10) days prior to the positive test; 3. Sufficient staff to support	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 20 management of visitors; 4. Adequate PPE for staff, at a minimum; 5. Adequate cleaning and supplies; and 6. Adequate capacity at referral hospitals for the facility. ii. General visitors must: 1. Wear a ... mask and perform proper hygiene; 2. Sign an acknowledgement form noting receipt and understanding of the facility's visitation and ... prevention and control policies. 3. Comply with facility-provided COVID-19 testing, if offered; 4. Visit in a resident's room or other facility-designated area; and 5. Maintain social distance of at least six with staff and residents, and limit movement in the facility. iii. Before allowing general visitors, the facility shall: 1. Set a policy to prohibit visitation if the resident receiving general visitors is ... positive for COVID-19 and not recovered (as defined by most recent CDC guidance), or ... for COVID-19; 2. Screen general visitors to prevent possible introduction of COVID-19; 3. Establish limits on the total number of visitors allowed in the facility, or with a resident at one time based on the ability of staff to safely screen and monitor visitation; 4. Establish limits on the length of visits, days, hours, and number of visits allowed per week; 5. Schedule visitors by ... only; 6. Maintain a visitor log for signing in and	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 21 out; 7. Immediately cease general visitation if a resident--other than in a dedicated wing or unit that accepts COVID-19 cases from the community--tests positive for COVID- 19, or is exhibiting symptoms indicating that he or she is presumptively positive for COVID-19, or a staff person who was in the facility in the prior ten (10) days tests positive for COVID-19; 8. Monitor visitor adherence to appropriate use of masks, PPE, and social distancing; 9. Notify and inform residents and their representatives of any changes in the facility's visitation policy; 10. Clean and visiting areas between visitors and maintain handwashing or sanitation stations; and 11. Designate staff to support -prevention and control education of visitors on use of PPE, use of masks, sanitation, and social distancing. . Facilities allowing general visitation shall enable general visitation as described in either or both paragraphs 1 and 2 below: 1. Provide outdoor visitation spaces that are protected from weather elements, such as porches, courtyards, patios, or other covered areas that are protected from heat and sun, with cooling devices if needed. The provisions of K.(i) (1) and (2) are not applicable to outdoor visitation. 2. Create indoor visitation spaces for residents in a room that is not accessible by other residents, or in the resident's private room if the resident is bedbound and for health reasons cannot leave his or her room. v. Limit the number of visitors per resident at one time, vi. Each facility may require general visitors	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 22 to submit to facility- provided COVID-19 testing so long as use of testing is based on the most recent CDC and FDA guidance. L. Barbers and beauty salons may resume services to residents with the following precautions: i. Services are permissible only if: 1. Other than in a dedicated wing or unit that accepts COVID-19 cases, the facility has had no new facility- onset of resident COVID-19 cases in the previous fourteen (14) days; and 2. Fourteen (14) days have passed with no new staff COVID-19 cases where a positive staff person was in the facility in the ten (10) days prior to the positive test. ii. Barbers and salon staff must wear surgical masks, gloves, practice proper hygiene, and follow the same requirements as compassionate caregivers; iii. Waiting customers must follow social distancing guidelines; - Residents receiving services must wear masks; v. Services are only provided to facility residents, not outside clients or guests; vi. Services may not be provided to a resident who tests positive for COVID-19 or is exhibiting symptoms indicating that he or she is presumptively positive for COVID-19; and vii. Service and salon areas must be properly cleaned and , and equipment must be sanitized between residents. 2. Individuals seeking entry to the facility, under the above section 1, will not be allowed to enter if they meet any of the screening criteria listed below: A. Any person with COVID-19 who does not meet the most recent criteria from the	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 23 CDC to end isolation. B. Any person showing, presenting signs or symptoms of, or disclosing the presence of a _____, including _____, chills, _____, repeated shaking with chills, new loss of taste or smell, or any other COVID-19 symptoms identified by the CDC. C. Any person who has been in close contact with any person(s) known to be _____ with COVID-19, who does not meet the most recent criteria from the CDC to end _____. 3. All facilities must require any individual who is entering the facility and who will have physical contact with any resident to wear PPE pursuant to the most recent CDC guidelines. Persons without physical contact with any resident must wear a _____ mask. All facilities are encouraged to provide regular COVID-19 testing for staff and visitors. 4. Any resident leaving the facility temporarily for medical _____ or other activities, and any resident receiving visits from health care providers, must wear a _____ mask, if tolerated by that resident's condition. All residents must be screened upon return to the facility. _____ protection should also be encouraged. _____ should be scheduled through the facility or group home to ensure proper screening and adherence to _____-control measures. 5. All visitors must immediately inform the facility if they develop a _____ or symptoms consistent with COVID-19 or test positive for COVID-19 within fourteen (14) days of a visit to the facility. 6. Documentation showing compliance with the	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 03/25/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SELA ALF, INC

**4080 NORTH 35TH AVENUE
HOLLYWOOD, FL 33021**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A1300	Continued From page 24 following requirements must be kept for all visitation within a facility: A. Individuals entering a facility must be screened. To achieve this purpose, a facility may use a standardized questionnaire or other form of documentation. B. The facility is required to maintain documentation of all non-resident individuals entering the facility. The documentation must contain: i. Name of the individual entering the facility; ii. Date and time of entry; and iii. The screening mechanism used by the facility to conclude that the individual did not meet any of the enumerated COVID-19 screening criteria. This documentation must include the screening employee's printed name and signature. This Statute or Rule is not met as evidenced by: Based on observation, record review and interview, the facility failed to establish policies and procedures for essential caregivers and compassionate care visitors. The findings included: On at 11:03 AM an control assessment was conducted with the Administrator. This surveyor requested the visitation policy. The Administrator did not provide the policy. This surveyor informed the Administrator that this is a regulation that has been created regarding visitation as it relates to the COVID-19 pandemic. During an interview with the Administrator on at 05:00 PM, she acknowledged the findings and no additional information was provided.	A1300		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968337	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 03/25/2021
NAME OF PROVIDER OR SUPPLIER SELA ALF, INC		STREET ADDRESS, CITY, STATE, ZIP CODE 4080 NORTH 35TH AVENUE HOLLYWOOD, FL 33021			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A1300	Continued From page 25 Class III	A1300			