

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11932390	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 08/16/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

AMELIA ALF

2135 40TH AVENUE N.

SAINT PETERSBURG, FL 33714

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments A capacity increase survey was conducted at Amelia Assisted Living Facility on 08/16/2021. Deficiencies were identified at the time of survey.	A 000		
A 004 SS=D	59A-36.004 FAC Licensure - Requirements (1) SERVICE PROHIBITION. An assisted living facility may not represent that it provides any service other than a service for which it is licensed to provide. (2) CHANGE IN USE OF SPACE REQUIRING AGENCY CENTRAL OFFICE APPROVAL. A change in the use of space that increases or decreases a facility's capacity must not be made without prior approval from the Agency Central Office. Approval must be based on the compliance with the physical plant standards provided in rule 59A-36.014, F.A.C., as well as documentation of compliance with applicable fire safety and sanitation inspection requirements referenced in rule 59A-36.005, F.A.C. (3) CHANGE IN USE OF SPACE REQUIRING AGENCY FIELD OFFICE APPROVAL. A change in the use of space that involves converting an area to resident use, which has not previously been inspected for such use, must not be made without prior approval from the Agency Field Office. Approval must be based on compliance with the physical plant standards provided in rule 59A-36.014, F.A.C., as well as documentation of compliance with applicable fire safety and sanitation inspection standards referenced in rule 59A-36.005, F.A.C. (4) CONTIGUOUS PROPERTY. If a facility consists of more than one building, all buildings included under a single license must be on contiguous property. "Contiguous property" means property under the same ownership separated by no more than a two-lane street that	A 004		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11932390	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 08/16/2021
NAME OF PROVIDER OR SUPPLIER AMELIA ALF			STREET ADDRESS, CITY, STATE, ZIP CODE 2135 40TH AVENUE N. SAINT PETERSBURG, FL 33714		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 004	Continued From page 1 traverses the property. A licensed location may be expanded to include additional contiguous property with the approval of the agency to ensure continued compliance with the requirements and standards of chapters 408, Part II, 429, Part I, F.S. and rule chapter 59A-35, F.A.C., and this rule chapter. (5) PROOF OF INSPECTIONS. A copy of the annual fire safety and sanitation inspections described in rule 59A-36.005, F.A.C., must be submitted annually to the Agency Central Office. The annual inspections must be submitted no later than 30 calendar days after the inspections. Failure to comply with this requirement may result in administrative action pursuant to chapter 408, part II, and section 429.14, F.S., and rule chapter 59A-35, F.A.C. (6) RESIDENTS RECEIVING STATE-FUNDED SERVICES. Upon request, the facility administrator or designee must identify residents receiving state-funded services to the agency and the department for monitoring purposes authorized by state and federal laws. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to provide a Pinellas County letter of approval for zoning or change of use related to its capacity increase application. Findings included: A facility record review conducted on _____ revealed no evidence of a Pinellas County letter of approval for zoning and/or change of use related to its capacity increase application. These findings were discussed and confirmed during an interview with the Administrator on _____ at 11:19 AM. During this interview the	A 004			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11932390	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 08/16/2021
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

AMELIA ALF

2135 40TH AVENUE N.

SAINT PETERSBURG, FL 33714

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 004	Continued From page 2 Administrator stated, " No, I haven't gotten that done yet. I received communication ... that said everything is to be completed online. I went online and didn't find anything." Class III	A 004		