

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

STELLAR ALF, LLC

**14502 ROSEWOOD RD
MIAMI LAKES, FL 33014**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 162 SS=D	59A-36.015(3) FAC Records - Resident (3) RESIDENT RECORDS. Resident records must be maintained on the premises and include: (a) Resident demographic data as follows: 1. Name, 2. , 3. Race, 4. Date of birth, 5. Place of birth, if known, 6. Social security number, 7. Medicaid and/or Medicare number, or name of other health insurance , 8. Name, address, and telephone number of next of kin, legal representative, or individual designated by the resident for notification in case of an emergency; and, 9. Name, address, and telephone number of the health care provider and case manager, if applicable. (b) A copy of the Resident Health Assessment form, AHCA Form 1823 described in rule 59A-36.006, F.A.C. (c) Any orders for medications, nursing services, therapeutic diets, , or other services to be provided, supervised, or implemented by the facility that require a health care provider's order. (d) Documentation of a resident's refusal of a therapeutic diet pursuant to rule 59A-36.012, F.A.C., if applicable. (e) The resident care record described in paragraph 59A-36.007(1)(e), F.A.C. (f) A . record that is initiated on admission. Information may be taken from AHCA Form 1823 or the resident's health assessment. Residents receiving assistance with the activities of daily living must have their . recorded semi-annually. (g) For facilities that will have unlicensed staff assisting the resident with the self-administration	A 162		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 162	Continued From page 1 of medication, a copy of the written informed consent described in rule 59A-36.006, F.A.C., if such consent is not included in the resident's contract. (h) For facilities that manage a pill organizer, assist with self-administration of medications or administer medications for a resident, copies of the required medication records maintained pursuant to rule 59A-36.008, F.A.C. (i) A copy of the resident's contract with the facility, including any addendums to the contract as described in rule 59A-36.018, F.A.C. (j) For a facility whose owner, administrator, staff, or representative thereof, serves as an attorney in fact for a resident, a copy of the monthly written statement of any transaction made on behalf of the resident as required in section 429.27, F.S. (k) For any facility that maintains a separate trust fund to receive funds or other property belonging to or due a resident, a copy of the quarterly written statement of funds or other property disbursed as required in section 429.27, F.S. (l) If the resident is an _____ recipient, a copy of the Department of Children and Families form Alternate Care Certification for _____, _____ (_____), CF-ES 1006, _____, which is hereby incorporated by reference and available for review at: http://www.flrules.org/Gateway/reference.asp?No=Ref-04004. The absence of this form will not be the basis for administrative action against a facility if the facility can demonstrate that it has made a good faith effort to obtain the required documentation from the Department of Children and Families. (m) Documentation of the _____ of a health care surrogate, health care proxy, guardian, or the existence of a power of attorney, where applicable.	A 162			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 162	Continued From page 2 (n) For hospice patients, the interdisciplinary care plan and other documentation that the resident is a hospice patient as required in rule 59A-36.006, F.A.C. (o) The resident's _____, DH Form 1896, if applicable. (p) For independent living residents who receive meals and occupy beds included within the licensed capacity of an assisted living facility, but who are not receiving any personal, limited nursing, or extended congregate care services, record keeping may be limited to the following at the discretion of the facility: 1. A log listing the names of residents participating in this arrangement, 2. The resident demographic data required in this paragraph, 3. The health assessment described in rule 59A-36.006, F.A.C., 4. The resident's contract described in rule 59A-36.018, F.A.C.; and, 5. A health care provider's order for a therapeutic diet if such diet is prescribed and the resident participates in the meal plan offered by the facility. (q) Except for resident contracts, which must be retained for 5 years, all resident records must be retained for 2 years following the departure of a resident from the facility unless it is required by contract to retain the records for a longer period of time. Upon request, residents must be provided with a copy of their records upon departure from the facility. (r) Additional resident records requirements for facilities holding a limited mental health, extended congregate care, or limited nursing services license are provided in rules 59A-36.020, 59A-36.021 and 59A-36.022, F.A.C., respectively.	A 162			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 162	Continued From page 3 This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to have a copy of the resident 1823 AHCA health assessment for one out of the six sampled residents (Resident#2). Findings Included: A review of the facility's admission and discharge log showed Resident#2 was admitted to the facility on . A review of Resident#2's record showed there was no copy of the 1823 AHCA health assessment in file. In an interview with the Administrator on at 3:43 pm, she acknowledged the health assessment was not in Resident #2 file. Class III	A 162		
A 200 SS-I	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

STELLAR ALF, LLC

**14502 ROSEWOOD RD
MIAMI LAKES, FL 33014**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 4 licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 5 offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to chapter 252, F, S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 6 temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 7 (a) Each assisted living facility licensed prior to the effective date of this rule shall submit its plan to the local emergency management agency for review within 30 days of the effective date of this rule. Assisted living facility plans previously submitted and approved pursuant to emergency Rule 58AER17-1 will require resubmission only if changes are made to the plan. (b) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (c) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the local emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within two (2) business days of the approval of the plan from the local emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 200	Continued From page 8 the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the local emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) The Agency shall allow an extension up to _____ to providers in compliance with paragraph (c) below and who can show delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes. Assisted living facilities shall notify the Agency that they will utilize the extension and keep the Agency apprised of progress on a quarterly basis to ensure there are no unnecessary delays. If an assisted living facility can show in its quarterly progress reports that unavoidable delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes will occur beyond the initial extension date, the assisted living facility may request a waiver pursuant to section 120.542, F.S. (c) During the extension period, an assisted living facility must make arrangements pending full implementation of its plan that provides the residents with an area or areas to congregate that meets the safe indoor air temperature requirements of subsection (1) (a) for a minimum of ninety-six (96) hours. 1. An assisted living facility not located in an evacuation zone must either have an alternative power source onsite or have a contract in place	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

STELLAR ALF, LLC

**14502 ROSEWOOD RD
MIAMI LAKES, FL 33014**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 9 for delivery of an alternative power source and fuel when requested. Within twenty-four (24) hours of the issuance of a state of emergency for an event that may impact primary power delivery for the area of the assisted living facility, it must have the alternative power source and no less than ninety-six (96) hours of fuel stored onsite. 2. An assisted living facility located in an evacuation zone pursuant to chapter 252, F.S. must either: a. Fully and safely evacuate its residents prior to the arrival of the event; or b. Have an alternative power source and no less than ninety-six (96) hours of fuel stored onsite, within twenty-four (24) hours of the issuance of a state of emergency for the area of the assisted living facility. (d) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (e) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (f) The Agency for Health Care Administration may request cooperation from the State Fire Marshal to conduct inspections to ensure implementation of the plan in compliance with this rule. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 10 maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in . . . air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of . . . and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 11 (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by chapter 429, part I, or chapter 408, part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative: 1. Upon submission of the plan to the local emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format,	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 12 upon request. This Statute or Rule is not met as evidenced by: Based on observation, record review and interview, the facility failed to test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source (Generator), to ensure in the event of the loss of primary electrical power, air temperatures will be maintained at or below 81 degrees Fahrenheit. The facility alternate power source (generator) was not working at time of the Agency visit. Findings Included: On at 2:20 pm, observed a portable generator (Duramax XP 120). On at 2:28 pm, the Administrator and Staff B was asked to turn on the generator. Observed Staff B attempt to turn on the generator from 2:28 pm to 3:09 pm and the generator would not start. A review of the facility's maintenance log showed the facility's portable generator was last tested on In an interview with the Administrator on at 3:10 pm, she stated the generator was tested recently, but she could not recall a date. She stated she did not know why the portable generator was not working. Class II	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Continued From page 13	A 000			
A 000	Initial Comments A biennial re-licensure survey was conducted at Stellar ALF, LLC on Deficiencies were identified at the time of the survey.	A 000			
A 054 SS=D	59A-36.008(5) FAC Medication - Records (5) MEDICATION RECORDS. (a) For residents who use a pill organizer managed in subsection (2), the facility must keep either the original labeled medication container; or a medication listing with the prescription number, the name and address of the issuing pharmacy, the health care provider's name, the resident's name, the date dispensed, the name and strength of the drug, and the directions for use. (b) The facility must maintain a daily medication observation record for each resident who receives assistance with self-administration of medications or medication administration. A medication observation record must be immediately updated each time the medication is offered or administered and include: 1. The name of the resident and any known the resident may have; 2. The name of the resident's health care provider and the health care provider's telephone number; 3. The name, strength, and directions for use of each medication; and, 4. A chart for recording each time the medication is taken, any missed dosages, refusals to take medication as prescribed, or medication errors. (c) For medications that serve as chemical , the facility must, pursuant to Section 429.41, F.S., maintain a record of the prescribing physician's annual evaluation of the use of the	A 054			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 054	Continued From page 14 medication. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility to failed to ensure the Medication Observation Record (MOR) for each resident who receives assistance with self-administration medication, included the time medication is taken for one out of six sampled resident (Resident#2) Findings Included: A review of Resident#2 medication observation record showed the resident was prescribed 10 mg tab daily. A review of Resident #2 medication label for (10 mg tab) showed the medication was ordered to be taken in the morning. Review of Resident #2 MOR showed there was no recording of the times resident had taken the medications. In an interview with the Administrator on at 3:18 pm, she stated she would have the times resident take the medications documented. Class III	A 054		
A 056 SS=D	59A-36.008(7) FAC Medication - Labeling and Orders (7) MEDICATION LABELING AND ORDERS. (a) The facility may not store prescription drugs for self-administration, assistance with self-administration, or administration unless they are properly labeled and dispensed in	A 056		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 056	Continued From page 15 accordance with Chapters 465 and 499, F.S., and Rule 64B16-28.108, F.A.C. If a customized patient medication package is prepared for a resident, and separated into individual medicinal drug containers, then the following information must be recorded on each individual container: 1. The resident's name; and, 2. The identification of each medicinal drug in the container. (b) Except with respect to the use of pill organizers as described in subsection (2), no individual other than a pharmacist may transfer medications from one storage container to another. (c) If the directions for use are "as needed" or "as directed," the health care provider must be contacted and requested to provide revised instructions. For an "as needed" prescription, the circumstances under which it would be appropriate for the resident to request the medication and any limitations must be specified; for example, "as needed for , , not to exceed 4 tablets per day." The revised instructions, including the date they were obtained from the health care provider and the signature of the staff who obtained them, must be noted in the medication record, or a revised label must be obtained from the pharmacist. (d) Any change in directions for use of a medication that the facility is administering or providing assistance with self-administration must be accompanied by a written, faxes, or electronic copy of a medication order issued and signed by the resident's health care provider. The new directions must promptly be recorded in the resident's medication observation record. The facility may then obtain a revised label from the pharmacist or place an "alert" label on the medication container that directs staff to examine	A 056			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 056	Continued From page 16 the revised directions for use in the medication observation record. (e) A nurse may take a medication order by telephone. Such order must be promptly documented in the resident's medication observation record. The facility must obtain a written medication order from the health care provider within 10 working days. A faxed or electronic copy of a signed order is acceptable. (f) The facility must make every reasonable effort to ensure that prescriptions for residents who receive assistance with self-administration of medication or medication administration are filled or refilled in a timely manner. (g) Pursuant to Section 465.0276(5), F.S., and Rule 61N-1.006, F.A.C., sample or complimentary prescription drugs that are dispensed by a health care provider, must be kept in their original manufacturer's packaging, which must include the practitioner's name, the resident's name for whom they were dispensed, and the date they were dispensed. If the sample or complimentary prescription drugs are not dispensed in the manufacturer's labeled package, they must be kept in a container that bears a label containing the following: 1. Practitioner's name, 2. Resident's name, 3. Date dispensed, 4. Name and strength of the drug, 5. Directions for use; and, 6. Expiration date. (h) Pursuant to Section 465.0276(2)(c), F.S., before dispensing any sample or complimentary prescription drug, the resident's health care provider must provide the resident with a written prescription, or a faxed or electronic copy of such order.	A 056		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 056	Continued From page 17 This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to follow the doctor's order for one out of six sampled residents (Resident#3) Findings Included: A review of Resident#3's medication observation record (MOR) showed the resident was prescribed 600 mg tab three times a day(7 am, 1 pm, 7 pm). There was no documentation that showed Resident#3 had taken the scheduled 1:00 PM medication dosage on In an interview with the Administrator on at 3:32 PM, she stated staff B had forgot to give the Resident #3 the medication. Class III	A 056		
A 081 SS=D	429.52(1 & 7) FS; 59A-36.011(. . .) FAC Training - Staff In-Service 429.52(1) (1) Each new assisted living facility employee who has not previously completed core training must attend a preservice orientation provided by the facility before interacting with residents. The preservice orientation must be at least 2 hours in duration and cover topics that help the employee provide responsible care and respond to the needs of facility residents. Upon completion, the employee and the administrator of the facility must sign a statement that the employee completed the required preservice orientation. The facility must keep the signed statement in the employee's personnel record.	A 081		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 18 (7) Facility staff shall participate in inservice training relevant to their job duties as specified by agency rule. Topics covered during the preservice orientation are not required to be repeated during inservice training. A single certificate of completion that covers all required inservice training topics may be issued to a participating staff member if the training is provided in a single training course. 59A-36.011 (2) STAFF PRESERVICE ORIENTATION. (a) Facilities must provide a preservice orientation of at least 2 hours to all new assisted living facility employees who have not previously completed core training as detailed in subsection (1). (b) New staff must complete the preservice orientation prior to interacting with residents. (c) Once complete, the employee and the facility administrator must sign a statement that the employee completed the preservice orientation which must be kept in the employee's personnel record. (d) In addition to topics that may be chosen by the facility administrator, the preservice orientation must cover: 1. Resident's rights; and, 2. The facility's license type and services offered by the facility. (3) STAFF IN-SERVICE TRAINING. Facility administrators or managers shall provide or arrange for the following in-service training to facility staff: (a) Staff who provide direct care to residents, other than nurses, certified nursing assistants, or home health aides trained in accordance with rule 59A-8.0095, F.A.C., must receive a minimum of 1	A 081		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
NAME OF PROVIDER OR SUPPLIER STELLAR ALF, LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 14502 ROSEWOOD RD MIAMI LAKES, FL 33014		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 19 hour in-service training in control, including universal precautions and facility sanitation procedures, before providing personal care to residents. The facility must use its control policies and procedures when offering this training. Documentation of compliance with the staff training requirements of 29 CFR 1910.1030, relating to borne may be used to meet this requirement. (b) Staff who provide direct care to residents must receive a minimum of 1 hour in-service training within 30 days of employment that covers the following subjects: 1. Reporting adverse incidents. 2. Facility emergency procedures including chain-of-command and staff roles relating to emergency evacuation. (c) Staff who provide direct care to residents, who have not taken the core training program, shall receive a minimum of 1 hour in-service training within 30 days of employment that covers the following subjects: 1. Resident rights in an assisted living facility. 2. Recognizing and reporting resident neglect, and The facility must use its prevention policies and procedures when offering this training. (d) Staff who provide direct care to residents, other than nurses, CNAs, or home health aides trained in accordance with rule 59A-8.0095, F.A.C., must receive 3 hours of in-service training within 30 days of employment that covers the following subjects: 1. Resident behavior and needs. 2. Providing assistance with the activities of daily living. (e) Staff who prepare or serve food, who have not taken the assisted living facility core training must	A 081		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

STELLAR ALF, LLC

**14502 ROSEWOOD RD
MIAMI LAKES, FL 33014**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 081	Continued From page 20 receive a minimum of 1-hour-in-service training within 30 days of employment in safe food handling practices. (f) All facility staff shall receive in-service training regarding the facility's resident elopement response policies and procedures within thirty (30) days of employment. 1. All facility staff shall be provided with a copy of the facility's resident elopement response policies and procedures. 2. All facility staff shall demonstrate an understanding and competency in the implementation of the elopement response policies and procedures. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to ensure staff completed a preservice orientation of at least 2 hours prior to interacting with residents for three out of four sampled (Staff B, Staff C, and Staff D) staff. Findings Included: A review of the facility's personnel file's for Staff B, Staff C, and Staff D showed there was no documentation of having completed at least 2 hours of preservice orientation prior to interacting with residents in file. In an interview with the Administrator on at 3:40 PM, she confirmed that the staff did not received 2-hour preservice training. Class III	A 081		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

STELLAR ALF, LLC

**14502 ROSEWOOD RD
MIAMI LAKES, FL 33014**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 161	Continued From page 21	A 161		
A 161 SS=D	429.275(2) FS; 59A-36.015(2) FAC Records - Staff 429.275 (2) The administrator or owner of a facility shall maintain personnel records for each staff member which contain, at a minimum, documentation of background screening, if applicable, documentation of compliance with all training requirements of this part or applicable rule, and a copy of all licenses or certification held by each staff who performs services for which licensure or certification is required under this part or rule. 59A-36.015 (2) STAFF RECORDS. (a) Personnel records for each staff member must contain, at a minimum, a copy of the employment application, with references furnished, and documentation verifying freedom from signs or symptoms of communicable In addition, records must contain the following, as applicable: 1. Documentation of compliance with all staff training and continuing education required by rule 59A-36.011, F.A.C., 2. Copies of all licenses or certifications for all staff providing services that require licensing or certification, 3. Documentation of compliance with level 2 background screening for all staff subject to screening requirements as specified in section 429.174, F.S., and rule 59A-36.010, F.A.C., 4. For facilities with a licensed capacity of 17 or more residents, a copy of the job description given to each staff member pursuant to rule 59A-36.010, F.A.C., 5. Documentation verifying direct care staff and	A 161		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11968740	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 01/19/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

STELLAR ALF, LLC

**14502 ROSEWOOD RD
MIAMI LAKES, FL 33014**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 161	Continued From page 22 administrator participation in resident elopement drills pursuant to paragraph 59A-36.007(8)(c), F.A.C. (b) The facility is not required to maintain personnel records for staff provided by a licensed staffing agency or staff employed by an entity to provide direct or indirect services to residents and the facility. However, the facility must maintain a copy of the contract between the facility and the staffing agency or contractor as described in rule 59A-36.010, F.A.C. (c) The facility must maintain the written work schedules and staff time sheets for the most current 6 months as required by rule 59A-36.010, F.A.C. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to maintain personnel records for each staff member which contain documentation of background screening for one out of four sampled (Staff C) staff. Findings Included: A review of Staff C's record showed there was no copy of the background screening in file. In an interview with the Administrator on at 3:42 pm, she stated she will print the updated background screening and put it the staff file. Class III	A 161		