

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/15/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ALTON ACLF HOME

**2090 NW 115TH STREET
MIAMI, FL 33167**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments A biennial re-licensure survey was conducted at Alton ACLF Home on 06/15/2022. Deficiencies were identified at the time of the survey.	A 000		
A 052 SS=F	429.256(); 59A-36.008(3) Medication - Assistance with Self-Admin 429.256 (3) Assistance with self-administration of medication includes: (a) Taking the medication, in its previously dispensed, properly labeled container, including an _____ syringe that is prefilled with the proper dosage by a pharmacist and an _____ that is prefilled by the manufacturer, from where it is stored, and bringing it to the resident. (b) In the presence of the resident, confirming that the medication is intended for that resident, orally advising the resident of the medication name and dosage, opening the container, removing a prescribed amount of medication from the container, and closing the container. The resident may sign a written waiver to opt out of being orally advised of the medication name and dosage. The waiver must identify all of the medications intended for the resident, including names and dosages of such medications, and must immediately be updated each time the resident's medications or dosages change. (c) Placing an oral dosage in the resident's _____ or placing the dosage in another container and helping the resident by lifting the container to his or her _____. (d) Applying _____ medications. (e) Returning the medication container to proper storage. (f) Keeping a record of when a resident receives assistance with self-administration under this section.	A 052		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 052	Continued From page 1 (g) Assisting with the use of a _____, including removing the cap of a _____, opening the unit dose of _____ solution, and pouring the prescribed premeasured dose of medication into the dispensing cup of the _____. (h) Using a _____ to perform _____ level checks. (i) Assisting with putting on and taking off _____ stockings. (j) Assisting with applying and removing an _____ but not with titrating the prescribed _____ settings. (k) Assisting with the use of a continuous positive airway pressure device but not with titrating the prescribed setting of the device. (l) Assisting with measuring vital signs. (m) Assisting with _____ bags. (4) Assistance with self-administration does not include: (a) Mixing, _____, converting, or _____ medication doses, except for measuring a prescribed amount of liquid medication or breaking a scored tablet or crushing a tablet as prescribed. (b) The preparation of syringes for injection or the administration of medications by any injectable route. (c) Administration of medications by way of a tube inserted in a _____ of the body. (d) Administration of _____ preparations. (e) The use of irrigations or debriding agents used in the treatment of a skin condition. (f) Assisting with _____, or _____ preparations. (g) Assisting with medications ordered by the physician or health care professional with prescriptive authority to be given "as needed," unless the order is written with specific	A 052			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 052	Continued From page 2 parameters that preclude independent judgment on the part of the unlicensed person, and the resident requesting the medication is aware of his or her need for the medication and understands the purpose for taking the medication. (h) Medications for which the time of administration, the amount, the strength of dosage, the method of administration, or the reason for administration requires judgment or discretion on the part of the unlicensed person. (5) Assistance with the self-administration of medication by an unlicensed person as described in this section shall not be considered administration as defined in s. 465.003. 59A-36.008 (3) ASSISTANCE WITH SELF-ADMINISTRATION. (a) Any unlicensed person providing assistance with self-administration of medication must be _____ or older, trained to assist with self administered medication pursuant to the training requirements of Rule 59A-36.011, F.A.C., and must be available to assist residents with self-administered medications in accordance with procedures described in Section 429.256, F.S. and this rule. (b) In addition to the specifications of Section 429.256(3), F.S., assistance with self-administration of medication includes, orally advising the resident of the name and dosage of the medication and verbally prompting a resident to take medications as prescribed. (c) In order to facilitate assistance with self-administration, trained staff may prepare and make available such items as water, juice, cups, and spoons. Trained staff may also return unused	A 052			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 052	Continued From page 3 doses to the medication container. Medication, which appears to have been contaminated, must not be returned to the container. (d) Trained staff must observe the resident take the medication. Any concerns about the resident's reaction to the medication or suspected noncompliance must be reported to the resident's health care provider and documented in the resident's record. (e) When a resident who receives assistance with medication is away from the facility and from facility staff, the following options are available to enable the resident to take medication as prescribed: 1. The health care provider may prescribe a medication schedule that coincides with the resident's presence in the facility. 2. The medication container may be given to the resident, a friend, or family member upon leaving the facility, with this fact noted in the resident's medication record. 3. The medication may be transferred to a pill organizer pursuant to the requirements of subsection (2), and given to the resident, a friend, or family member upon leaving the facility, with this fact noted in the resident's medication record, or 4. Medications may be separately prescribed and dispensed in an easier to use form, such as unit dose packaging. (f) Assistance with self-administration of medication does not include the activities detailed in Section 429.256(4), F.S. (g) As used in Section 429.256(4)(h), F.S., the terms "judgment" and "discretion" mean interpreting vital signs and evaluating or assessing a resident's condition. (h) All trained staff must adhere to the facility's _____ control policy and procedures when	A 052			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 052	Continued From page 4 assisting with the self-administration of medication. This Statute or Rule is not met as evidenced by: Based on observations and interview, the facility failed to follow proper while assisting two out of two sample residents with self-administration of medication (Resident #1 and Resident #2). Finding include: At 5:09 PM on _____, during medication observation, it was observed that Staff B had pre-pour both Resident #1's and Resident #2's evening medications. Prior to giving the medications to both residents, Staff B did not read the medication label to the residents. Finally, Staff B did not immediately sign the Medication Observation Record after the residents took their medications. In an interview with Staff B on _____ at 5:12 PM, Staff B stated, "I always have done it this way." Class III	A 052			
A 054 SS=F	59A-36.008(5) FAC Medication - Records (5) MEDICATION RECORDS. (a) For residents who use a pill organizer managed in subsection (2), the facility must keep either the original labeled medication container; or a medication listing with the prescription number, the name and address of the issuing pharmacy, the health care provider's name, the	A 054			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 054	Continued From page 5 resident's name, the date dispensed, the name and strength of the drug, and the directions for use. (b) The facility must maintain a daily medication observation record for each resident who receives assistance with self-administration of medications or medication administration. A medication observation record must be immediately updated each time the medication is offered or administered and include: 1. The name of the resident and any known _____ the resident may have; 2. The name of the resident's health care provider and the health care provider's telephone number; 3. The name, strength, and directions for use of each medication; and, 4. A chart for recording each time the medication is taken, any missed dosages, refusals to take medication as prescribed, or medication errors. (c) For medications that serve as chemical _____, the facility must, pursuant to Section 429.41, F.S., maintain a record of the prescribing physician's annual evaluation of the use of the medication. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to maintain an accurate and up to date Medication Observation Record for two out of two sample residents (Resident #1 and Resident #2). Finding include: A review of Resident #1's and Resident #2's _____ Medication Observation Records showed that the medication route was not written in the medication record. In an interview with Staff B on _____ at 5:12	A 054			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 054	Continued From page 6 PM, Staff B acknowledged that the required information was not included on the Medication Observation Record. Class III	A 054			
A 084 SS=D	59A-36.011(6) FAC 429.52(6), FS Training - Assis Self-Admin Meds & Med Mgmt 59A-36.011 (6) ASSISTANCE WITH THE SELF-ADMINISTRATION OF MEDICATION AND MEDICATION MANAGEMENT. Unlicensed persons who will be providing assistance with the self-administration of medications as described in rule 59A-36.008, F.A.C., must meet the training requirements pursuant to section 429.52(6), F.S., prior to assuming this responsibility. Courses provided in fulfillment of this requirement must meet the following criteria: (a) Training must cover state law and rule requirements with respect to the supervision, assistance, administration, and management of medications in assisted living facilities; procedures and techniques for assisting the resident with self-administration of medication including how to read a prescription label; providing the right medications to the right resident; common medications; the importance of taking medications as prescribed; recognition of side effects and adverse reactions and procedures to follow when residents appear to be experiencing side effects and adverse reactions; documentation and record keeping; and medication storage and disposal. Training shall include demonstrations of proper techniques, including techniques for control, and ensure unlicensed staff have adequately demonstrated that they have acquired the skills	A 084			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 084	Continued From page 7 necessary to provide such assistance. (b) The training must be provided by a registered nurse or licensed pharmacist who shall issue a training certificate to a trainee who demonstrates, in person and both physically and verbally, the ability to: 1. Read and understand a prescription label; 2. Provide assistance with self-administration in accordance with section 429.256, F.S., and rule 59A-36.008, F.A.C., including: a. Assist with oral dosage forms, _____ dosage forms, and _____, _____ and dosage forms; b. Measure liquid medications, break scored tablets, and crush tablets in accordance with prescription directions; c. Recognize the need to obtain clarification of an "as needed" prescription order; d. Recognize a medication order which requires judgment or discretion, and to advise the resident, resident's health care provider or facility employer of inability to assist in the administration of such orders; e. Complete a medication observation record; f. Retrieve and store medication; g. Recognize the general signs of adverse reactions to medications and report such reactions; h. Assist residents with _____ syringes that are prefilled with the proper dosage by a pharmacist and _____ that are prefilled by the manufacturer by taking the medication, in its previously dispensed, properly labeled container, from where it is stored, and bringing it to the resident for self-injection; i. Assist with _____; j. Use a _____ to perform _____ testing; k. Assist residents with _____	A 084			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 084	Continued From page 8 and continuous positive airway pressure (CPAP) devices, excluding the titration of the _____ levels; i. Apply and remove _____ stockings and hosiery; m. Placement and removal of _____, bags, excluding the removal of the _____ or manipulation of the _____ site; and, n. Measurement of _____ rate, temperature, and _____ rate. (c) Unlicensed persons, as defined in section 429.256(1)(b), F.S., who provide assistance with self-administered medications and have successfully completed the initial 6 hour training, must obtain, annually, a minimum of 2 hours of continuing education training on providing assistance with self-administered medications and safe medication practices in an assisted living facility. The 2 hours of continuing education training may be provided online. (d) Trained unlicensed staff who, prior to the effective date of this rule, assist with the self-administration of medication and have successfully completed 4 hours of assistance with self-administration of medication training must complete an additional 2 hours of training that focuses on the topics listed in sub-subparagraphs (6)(b)2.h.-n. of this section, before assisting with the self-administration of medication procedures listed in sub-subparagraphs (6)(b)2.h.-n. 429.52 (6) Staff assisting with the self-administration of medications under s. 429.256 must complete a minimum of 6 additional hours of training provided by a registered nurse or a licensed pharmacist before providing assistance. Two hours of continuing education are required	A 084			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 084	Continued From page 9 annually thereafter. The agency shall establish by rule the minimum requirements of this training This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to provide six hours of training on assistance with self-administration of medication for one out of two sample staff (Staff B). Finding include: A review of Staff B's Employee Record on showed that Staff B was hired on A review of Staff B Employee Record on showed that there was no documentation that Staff B completed the four or six hours of assistance with self-administration of medication training. In an interview with Staff B on at 1:52 PM, Staff B acknowledged that she did not complete the training course. Class III	A 084			
A 152 SS=E	59A-36.014(3) FAC Physical Plant - Safe Living Environ/Other (3) OTHER REQUIREMENTS. (a) All facilities must: 1. Provide a safe living environment pursuant to section 429.28(1)(a), F.S.; 2. Be maintained free of hazards; and, 3. Ensure that all existing architectural, mechanical, electrical and structural systems, and appurtenances are maintained in good	A 152			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 152	Continued From page 10 working order. (b) Pursuant to section 429.27, F.S., residents must be given the option of using their own belongings as space permits. When the facility supplies the furnishings, each resident bedroom or sleeping area must have at least the following furnishings: 1. A clean, comfortable bed with a mattress no less than 36 inches wide and 72 inches long, with the top surface of the mattress at a comfortable height to ensure easy access by the resident; 2. A closet or wardrobe space for hanging clothes; 3. A dresser, or other furniture designed for storage of clothing or personal effects; 4. A table or nightstand, bedside lamp or floor lamp, and waste basket; and, 5. A comfortable chair, if requested. (c) The facility must maintain master or duplicate keys to resident bedrooms to be used in the event of an emergency. (d) Residents who use portable bedside commodes must be provided with privacy during use. (e) Facilities must make available linens and personal laundry services for residents who require such services. Linens provided by a facility must be free of tears, stains and must not be soiled. This Statute or Rule is not met as evidenced by: Based on observations and interview, the facility failed to ensure that all existing architectural, mechanical, electrical, and structural systems, and appurtenances are maintained in good working order. In addition, the facility failed to supply the required furnishing to the resident rooms. Finding Include:	A 152			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 152	Continued From page 11 At approximately 10:00 AM on _____, during a tour of the facility, it was observed that: 1. In _____, the smoke detector was broken. There was some damaged to the walls. In addition, the resident was missing a night lamp. 2. In _____, there was some damage to the closet door and to the top shelf of the closet. In addition, the resident was missing a night lamp. 3. In the kitchen, one of the kitchen cabinet door was broken. 4. In the hallway, the wall needed to be painted. In an interview with Staff B on _____ at approximately 10:00 AM, Staff B stated that it will be fixed. Class III	A 152			
A 167 SS=F	59A-36.018 FAC; 429.24 FS Resident Contracts 59A-36.018 Resident Contracts. (1) Pursuant to section 429.24, F.S., the facility must offer a contract for execution by the resident or the resident's legal representative before or at the time of admission. The contract must contain the following provisions: (a) A list of the specific services, supplies and accommodations to be provided by the facility to the resident, including limited nursing and extended congregate care services that the resident elects to receive; (b) The daily, weekly, or monthly rate; (c) A list of any additional services and charges to be provided that are not included in the daily, weekly, or monthly rates, or a reference to a separate fee schedule that must be attached to the contract;	A 167			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 167	Continued From page 12 (d) A provision stating that at least 30 days written notice will be given before any rate increase; (e) Any rights, duties, or responsibilities of residents, other than those specified in section 429.28, F.S.; (f) The purpose of any advance payments or deposit payments, and the refund policy for such advance or deposit payments; (g) A refund policy that must conform to section 429.24(3), F.S.; (h) A written bed hold policy and provisions for terminating a bed hold agreement if a facility agrees in writing to reserve a bed for a resident who is admitted to a nursing home, health care facility, or _____ facility. The resident or responsible party must notify the facility in writing of any change in status that would prevent the resident from returning to the facility. Until such written notice is received, the agreed upon daily, weekly, or monthly rate may be charged by the facility unless the resident's medical condition prevents the resident from giving written notification, such as when a resident is comatose, and the resident does not have a responsible party to act on the resident's behalf; (i) A provision stating whether the facility is affiliated with any religious organization and, if so, which organization and its relationship to the facility; (j) A provision that, upon determination by the administrator or health care provider that the resident needs services beyond those that the facility is licensed to provide, the resident or the resident's representative, or agency acting on the resident's behalf, must be notified in writing that the resident must make arrangements for transfer to a care setting that is able to provide services needed by the resident. In the event the resident has no one to represent him or her, the facility must refer the resident to the social	A 167			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 167	Continued From page 13 service agency for placement. If there is disagreement regarding the appropriateness of placement, provisions outlined in section 429.26(8), F.S., will take effect; (k) A provision that residents must be assessed upon admission pursuant to subsection 59A-36.006(2), F.A.C., and every 3 years thereafter, or after a significant change, pursuant to subsection (4), of that rule; (l) The facility's policies and procedures for self-administration, assistance with self-administration, and administration of medications, if applicable, pursuant to rule 59A-36.008, F.A.C. This also includes provisions regarding over-the-counter (OTC) products pursuant to subsection (8) of that rule; and, (m) The facility's policies and procedures related to a properly executed DH Form 1896, (2) The resident, or the resident's representative, must be provided with a copy of the executed contract. (3) The facility may not levy an additional charge for any supplies, services, or accommodations that the facility has agreed by contract to provide as part of the standard daily, weekly, or monthly rate. The resident or resident's representative must be furnished in advance with an itemized written statement setting forth additional charges for any services, supplies, or accommodations available to residents not covered under the contract. An addendum must be added to the resident contract to reflect the additional services, supplies, or accommodations not provided under the original agreement. Such addendum must be dated and signed by the facility and the resident or resident's legal representative and a copy given to the resident or resident's representative.	A 167			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 167	Continued From page 14 429.24 FS (1) The presence of each resident in a facility shall be covered by a contract, executed at the time of admission or prior thereto, between the licensee and the resident or his or her designee or legal representative. Each party to the contract shall be provided with a duplicate original thereof, and the licensee shall keep on file in the facility all such contracts. The licensee may not destroy or otherwise dispose of any such contract until 5 years after its expiration. (2) Each contract must contain express provisions specifically setting forth the services and accommodations to be provided by the facility; the rates or charges; provision for at least 30 days' written notice of a rate increase; the rights, duties, and _____ of the residents, other than those specified in s. 429.28; and other matters that the parties deem appropriate. A new service or accommodation added to, or implemented in, a resident's contract for which the resident was not previously charged does not require a 30-day written notice of a rate increase. Whenever money is deposited or advanced by a resident in a contract as security for performance of the contract agreement or as advance rent for other than the next immediate rental period: (a) Such funds shall be deposited in a banking institution in this state that is located, if possible, in the same community in which the facility is located; shall be kept separate from the funds and property of the facility; may not be represented as part of the assets of the facility on financial statements; and shall be used, or otherwise expended, only for the account of the resident. (b) The licensee shall, within 30 days of receipt of advance rent or a security deposit, notify the	A 167			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 167	Continued From page 15 resident or residents in writing of the manner in which the licensee is holding the advance rent or security deposit and state the name and address of the depository where the moneys are being held. The licensee shall notify residents of the facility's policy on advance deposits. (3)(a) The contract shall include a refund policy to be implemented at the time of a resident's transfer, discharge, or (b) If a licensee agrees to reserve a bed for a resident who is admitted to a medical facility, including, but not limited to, a nursing home, health care facility, or . . . facility, the resident or his or her responsible party shall notify the licensee of any change in status that would prevent the resident from returning to the facility. Until such notice is received, the agreed-upon daily rate may be charged by the licensee. (c) The purpose of any advance payment and a refund policy for such payment, including any advance payment for housing, meals, or personal services, shall be covered in the contract. (4) The contract shall state whether or not the facility is affiliated with any religious organization and, if so, which organization and its general responsibility to the facility. (5) Neither the contract nor any provision thereof relieves any licensee of any requirement or . . . imposed upon it by this part or rules adopted under this part. (6) In lieu of the provisions of this section, facilities certified under chapter 651 shall comply with the requirements of s. 651.055. (7) Notwithstanding the provisions of this section,	A 167			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 167	Continued From page 16 facilities which consist of 60 or more apartments may require refund policies and termination notices in accordance with the provisions of part II of chapter 83, provided that the lease is terminated automatically without financial penalty in the event of a resident's or relocation due to hospitalization or to medical reasons which necessitate services or care beyond which the facility is licensed to provide. The date of termination in such instances shall be the date the unit is fully vacated. A lease may be substituted for the contract if it meets the disclosure requirements of this section. For the purpose of this section, the term "apartment" means a room or set of rooms with a kitchen or kitchenette and lavatory located within one or more buildings containing other similar or like residential units. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to ensure that the resident contract did not include a provision for a 45-day notice of discharge for two out of two sample residents (Resident #1 and Resident #2). Finding include: A review of Resident #1 and Resident #2 "Agreement for Care" showed that both contracts did not include a 45 days' notice of relocation or termination or residency from the facility. In an interview with Staff B on at 12:21 PM, Staff B stated, "I thought it was 30 days". Class III	A 167			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/15/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ALTON ACLF HOME

**2090 NW 115TH STREET
MIAMI, FL 33167**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200 A 200 SS=F	Continued From page 17 59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for	A 200 A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 18 monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to chapter 252, F. S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 19 residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 20 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall submit its plan to the local emergency management agency for review within 30 days of the effective date of this rule. Assisted living facility plans previously submitted and approved pursuant to emergency Rule 58AER17-1 will require resubmission only if changes are made to the plan. (b) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (c) Each existing assisted living facility that undergoes any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the local emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 21 physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within two (2) business days of the approval of the plan from the local emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the local emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule. (b) The Agency shall allow an extension up to _____ to providers in compliance with paragraph (c) below and who can show delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes. Assisted living facilities shall notify the Agency that they will utilize the extension and keep the Agency apprised of progress on a quarterly basis to ensure there are no unnecessary delays. If an assisted living facility can show in its quarterly progress reports	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 22 that unavoidable delays caused by necessary construction, delivery of ordered equipment, zoning or other regulatory approval processes will occur beyond the initial extension date, the assisted living facility may request a waiver pursuant to section 120.542, F.S. (c) During the extension period, an assisted living facility must make arrangements pending full implementation of its plan that provides the residents with an area or areas to congregate that meets the safe indoor air temperature requirements of subsection (1) (a) for a minimum of ninety-six (96) hours. 1. An assisted living facility not located in an evacuation zone must either have an alternative power source onsite or have a contract in place for delivery of an alternative power source and fuel when requested. Within twenty-four (24) hours of the issuance of a state of emergency for an event that may impact primary power delivery for the area of the assisted living facility, it must have the alternative power source and no less than ninety-six (96) hours of fuel stored onsite. 2. An assisted living facility located in an evacuation zone pursuant to chapter 252, F.S. must either: a. Fully and safely evacuate its residents prior to the arrival of the event; or b. Have an alternative power source and no less than ninety-six (96) hours of fuel stored onsite, within twenty-four (24) hours of the issuance of a state of emergency for the area of the assisted living facility. (d) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (e) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 23 require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (f) The Agency for Health Care Administration may request cooperation from the State Fire Marshal to conduct inspections to ensure implementation of the plan in compliance with this rule. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that makes them readily available at the licensee's	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 24 physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by chapter 429, part I, or chapter 408, part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's legal representative:	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 25 1. Upon submission of the plan to the local emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: Based on observations and interview, the facility failed to maintain the facility _____ temperature at or below 81 degrees Fahrenheit. The facility also failed to notify within five business days in writing each resident or the resident's legal representative regarding the facility Emergency Environmental Control Plan for two out of two sample residents (Resident #1 and Resident #2). Finding include: A. At 9:52 AM on _____, the facility's air conditioning control unit showed that the air temperature was 85 degrees Fahrenheit. According to Staff B, the air conditioning unit was turn off. Staff B then proceeded to the air conditioning unit on. At 3:48 PM on _____, the facility air	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 26 conditioning control unit showed that the air temperature was 83 degrees Fahrenheit. In an interview with Staff B on _____ at 4:00 PM, Staff B acknowledged that the facility's temperature was above 81 degrees Fahrenheit. B. In a review of Resident #1 and Resident #2 Resident Records on _____, it showed that there was no documentation on file of the facility's Emergency Environmental Control Plan. In an interview with Staff B on _____ at 3:05 PM, Staff B stated, "I will do it". Class III		A 200		
AL243 SS=D	429.075(1) FS; 59A-36.011(9) FAC LMH - Training 429.075 (1) To obtain a limited mental health license, a facility must hold a standard license as an assisted living facility, must not have any current uncorrected violations, and must ensure that, within 6 months after receiving a limited mental health license, the facility administrator and the staff of the facility who are in direct contact with mental health residents must complete training of no less than 6 hours related to their duties. This designation may be made at the time of initial licensure or relicensure or upon request in writing by a licensee under this part and part II of chapter 408. Notification of approval or denial of such request shall be made in accordance with this part, part II of chapter 408, and applicable rules. This training must be provided by or approved by the Department of Children and Families.		AL243		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/15/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ALTON ACLF HOME

**2090 NW 115TH STREET
MIAMI, FL 33167**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
AL243	Continued From page 27 59A-36.011 (9) LIMITED MENTAL HEALTH TRAINING. (a) Pursuant to section 429.075, F.S., the administrator, managers and staff, who have direct contact with mental health residents in a licensed limited mental health facility, must receive the following training: 1. A minimum of 6 hours of specialized training in working with individuals with mental health diagnoses. a. The training must be provided or approved by the Department of Children and Families and must be taken within 6 months of the facility's receiving a limited mental health license or within 6 months of employment in a limited mental health facility. b. Training received under this subparagraph may count once for 6 of the 12 hours of continuing education required for administrators and managers pursuant to section 429.52(5), F.S., and subsection (1) of this rule. 2. A minimum of 3 hours of continuing education, which may be provided by the ALF administrator, online, or through distance learning, biennially thereafter in subjects dealing with one or more of the following topics: a. Mental health diagnoses; and, b. Mental health treatment such as: (i) Mental health needs, services, behaviors and appropriate interventions; (ii) Resident progress in achieving treatment goals; (iii) How to recognize changes in the resident's status or condition that may affect other services received or may require intervention; and, () Crisis services and the procedures. 3. For administrators and managers, the	AL243		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/15/2022
NAME OF PROVIDER OR SUPPLIER ALTON ACLF HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 2090 NW 115TH STREET MIAMI, FL 33167		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
AL243	Continued From page 28 continuing education requirement under this subsection will satisfy 3 of the 12 hours of continuing education required biennially pursuant to section 429.52(5), F.S., and subsection (1) of this rule. 4. Administrators, managers and direct contact staff affected by the continuing education requirement under this subsection shall have up to 6 months after the effective date of this rule to meet the training requirement. (b) Administrators, managers and staff do not have to repeat the initial training should they change employers provided they present a copy of their training certificate to the current employer for retention in the facility's personnel files. They must also ensure that copies of the continuing education training certificates, pursuant to subparagraph (a)2. of this subsection, are retained in their personnel files. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to provide 6 hours of specialized training in Limited Mental Health (LMH) that is provided or approved by the Department of Children and Families within six months of employment for one out of two sample staff (Staff B). Finding include: A review of Staff B Employee Record on _____, it showed that Staff B was hired on _____. A review of Staff B Employee Record on _____, it showed that there was no documentation that Staff B completed the 6 hours of specialized training in Limited Mental Health. A review of the facility's license showed that it	AL243			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953314	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/15/2022
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

ALTON ACLF HOME

**2090 NW 115TH STREET
MIAMI, FL 33167**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
AL243	Continued From page 29 was authorized to provide care to residents meeting the LMH criteria. A review of facility records showed that one of two sampled residents (Resident #2) was identified as meeting LMH criteria. In an interview on _____ at 1:52 PM, Staff B stated, "I did not know I needed the six hours training course." Class III	AL243		