

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965499	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R 11/08/2022
NAME OF PROVIDER OR SUPPLIER SOUTHERN LIVE-IN OF BRANDON		STREET ADDRESS, CITY, STATE, ZIP CODE 619 PRINCETON STREET BRANDON, FL 33511			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 000}	Initial Comments A Revisit to 09/20/2022 Biennial Survey in conjunction with a complaint (#2022012241) and generator monitoring survey was conducted at Southern Live-in of Brandon on 11/08/2022. Deficiencies were found to be corrected at the time of survey.	{A 000}			

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE