

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965634	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R-C 11/09/2022
---	--	--	---

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SODALIS TAMPA

**2626 WEST BEARSS AVENUE
TAMPA, FL 33618**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{A 000}	Initial Comments A revisit to complaint (number 2022011508) was conducted on _____ at Sodalís Tampa. There were deficiencies identified at the time of survey.	{A 000}		
{A 181} SS=D	59A-36.019(2) FAC Emergency Plan Approval (2) EMERGENCY PLAN APPROVAL. The plan must be submitted for review and approval to the local emergency management agency. (a) If the local emergency management agency requires revisions to the emergency management plan, such revisions must be made and the plan resubmitted to the local office within 30 days of receiving notification that the plan must be revised. (b) A new facility as described in Rule 59A-36.014, F.A.C., and facilities whose ownership has been transferred, must submit an emergency management plan within 30 days after obtaining a license. (c) The facility must review its emergency management plan on an annual basis. Any substantive changes must be submitted to the local emergency agency for review and approval. 1. Changes in the name, address, telephone number, or position of staff listed in the plan are not considered substantive revisions for the purposes of this rule. 2. Changes in the identification of specific staff must be submitted to the local emergency management agency annually as a signed and dated addendum that is not subject to review and approval. (d) The local emergency management agency is the final administrative authority for emergency management plans prepared by assisted living facilities. (e) Any plan approved by the local emergency	{A 181}		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965634	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED R-C 11/09/2022
NAME OF PROVIDER OR SUPPLIER SODALIS TAMPA			STREET ADDRESS, CITY, STATE, ZIP CODE 2626 WEST BEARSS AVENUE TAMPA, FL 33618		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 181}	Continued From page 1 management agency is considered to have met all the criteria and conditions established in this rule. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to provide evidence of an approved Comprehensive Emergency Management Plan (CEMP) Findings included: A review of the facility's records on at 10:30AM revealed no evidence of an annual review or recent submission of the facility's CEMP. Record review of electronic communication from the county emergency management dated conducted on revealed there was no submission for the year 2021 so there would not be a recent approval letter. The previous entity did not submit since 2020. The county emergency management would need a plan to be submitted for the facility which will be the new submission. These findings were discussed with the Executive Director (ED) on at 12:00 PM. During this interview the ED confirmed that the CEMP had not been approved. Class III	{A 181}			