

Agency for Health Care Administration

|                                                     |                                                                                |                                                                        |                                                        |
|-----------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>AL11967134</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: _____<br><br>B. WING: _____ | (X3) DATE SURVEY<br>COMPLETED<br><br><b>04/15/2024</b> |
|-----------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------------------|

|                                                                       |                                                                                                |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>CARMITA'S HOME HEALTH, INC</b> | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>2700 CONWAY GARDENS ROAD<br/>ORLANDO, FL 32806</b> |
|-----------------------------------------------------------------------|------------------------------------------------------------------------------------------------|

| (X4) ID<br>PREFIX<br>TAG | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)                                                                                      | ID<br>PREFIX<br>TAG | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) | (X5)<br>COMPLETE<br>DATE |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------|
| A 000                    | <p>Initial Comments</p> <p>An abbreviated re-licensure survey and a generator monitoring was conducted at Carmita's Home Health on 4/15/24. The facility did not have a deficiency at the time of the survey.</p> | A 000               |                                                                                                                          |                          |

AHCA Form 3020-0001  
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE