

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
CZ814	435.12(2)(b-d), FS Background Screening Clearinghouse 435.12 Care Provider Background Screening Clearinghouse.- (2)(b) Until such time as the _____ are enrolled in the national retained print notification program at the Federal Bureau of Investigation: 1. A person with a break in service of more than 90 days from a position that requires screening by a specified agency must submit to a national screening if the person returns to a position that requires screening by a specified agency. 2. Effective _____, or a later date as determined by the Agency for Health Care Administration, for the participation of qualified entities in the clearinghouse under s. 435.12, a person with a break in service of more than 90 days from a position for which screening is conducted by a qualified entity participating in the clearinghouse must submit to a national screening if the person returns to a position for which screening is conducted by a qualified entity. (c) An employer of persons subject to screening or a qualified entity participating in the clearinghouse must register with the clearinghouse and maintain the employment or affiliation status of all persons included in the clearinghouse. 1. Before _____, initial status and any changes in status must be reported within 10 business days after a person receives his or her initial status or after a change in the person 's status has been made. 2. Effective _____, initial status and any changes in status must be reported within 5 business days after a person receives his or her initial status or after a change in the person 's status has been made.	CZ814		

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X8) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
CZ814	Continued From page 1 (d) An employer or a qualified entity participating in the clearinghouse must register with and initiate all criminal history checks through the clearinghouse before referring an employee or potential employee or a person with a current or potential affiliation with a qualified entity for electronic submission to the Department of Law Enforcement. The registration must include the person's full first name, middle initial, and last name; social security number; date of birth; mailing address; and race. Individuals, persons, applicants, and controlling interests that cannot legally obtain a social security number must provide an individual taxpayer identification number. This Statute or Rule is not met as evidenced by: Based on the Agency for Healthcare Administration (AHCA) Background Screening (BGS) website, personnel record review and interview, the facility failed to register 1 of 1 sampled staff (A) on the Background Screening Employee Roster within 5 business day as required. Findings: On at 10:30 AM, a review of the facility's BGS Employee Roster and Caregiver A was not on the roster. A review of Caregiver A's personnel record revealed a hire date of . A copy of her Level 2 BGS results for eligibility dated . On at 3:30 PM, an interview with the Administrator confirmed the findings.	CZ814			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
CZ814	Continued From page 2 (Photographic Evidence Obtained) Unclassified	CZ814			
A 000	Initial Comments A Complaint Investigation #2025007485 and an attempted generator monitoring was conducted at Seaside Villa Adult Living Facility LLC. Assisted Living Facility on . The facility had deficiencies at the time of the survey visit.	A 000			
A 025 SS=D	429.26(7) FS; 59A-36.007(1) FAC Resident Care - Supervision 429.26 (7) The facility shall notify a licensed physician when a resident exhibits signs of or or has a change of condition in order to rule out the presence of an underlying physiological condition that may be contributing to such or . The notification must occur within 30 days after the acknowledgment of such signs by facility staff. If an underlying condition is determined to exist, the facility must notify the resident's representative or designee of the need for health care services and must assist in making , , for the necessary care and services to treat the condition. If the resident does not have a representative or designee or if the resident's representative or designee cannot be located or is unresponsive, the facility shall arrange with the appropriate health care provider for the necessary care and services to treat the condition. 59A-36.007 Resident Care Standards. An assisted living facility must provide care and	A 025			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/17/2025
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SEASIDE VILLA ADULT LIVING FACILITY LLC

**610 PALM DR
SATELLITE BEACH, FL 32937**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 025	Continued From page 3 services appropriate to the needs of residents accepted for admission to the facility. (1) SUPERVISION. Facilities must offer personal supervision as appropriate for each resident, including the following: (a) Monitoring of the quantity and quality of resident diets in accordance with Rule 59A-36.012, F.A.C. (b) Daily observation by designated staff of the activities of the resident while on the premises, and awareness of the general health, safety, and physical and emotional well-being of the resident. (c) Maintaining a general awareness of the resident's whereabouts. The resident may travel independently in the community. (d) Contacting the resident's health care provider and other appropriate party such as the resident's family, guardian, health care surrogate, or case manager if the resident exhibits a significant change. (e) Contacting the resident's family, guardian, health care surrogate, or case manager if the resident is discharged or moves out. (f) Maintaining a written record, updated as needed, of any significant changes, any illnesses that resulted in medical attention, changes in the method of medication administration, or other changes that resulted in the provision of additional services. This Statute or Rule is not met as evidenced by: Based on resident record review and interview, the facility failed to maintain written documentation and updates as needed for 2 of 2 sampled residents (#1, #2) as required. Findings: 1. A review of resident #1's record revealed an	A 025		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 025	Continued From page 4 admission date of . Resident #1 has resided in the facility for 3 years and there were no facility notes in the record to review. 2. A review of resident #2's record revealed admission date . Resident #2 has resided has in the facility for one year and half and there were no facility notes in the record to review. On at 3:45 PM, an interview with the Administrator confirmed the finding. Class III	A 025			
A 079 SS=D	59A-36.010(3) FAC Staffing Standards - Levels (3) STAFFING STANDARDS. (a) Minimum staffing: 1. Facilities must maintain the following minimum staff hours per week: Number of Residents, Day Care Participants, and Respite Care Residents Staff Hours/Week 0-5 168 212 16-25 253 26-35 294 36-45 335 46-55 375 56-65 416 66-75 457 76-85 498 86-95 539 For every 20 total combined residents, day care participants, and respite care residents over 95 add 42 staff hours per week. 2. Independent living residents, as referenced in	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 079	Continued From page 5 subsection 59A-36.015(3), F.A.C., who occupy beds included within the licensed capacity of an assisted living facility but do not receive personal, limited nursing, or extended congregate care services, are not counted as residents for purposes of computing minimum staff hours. 3. At least one staff member who has access to facility and resident records in case of an emergency must be in the facility at all times when residents are in the facility. Residents serving as paid or volunteer staff may not be left solely in charge of other residents while the facility administrator, manager or other staff are absent from the facility. 4. In facilities with 17 or more residents, there must be at least one staff member awake at all hours of the day and night. 5. A staff member who has completed courses in First Aid and () and holds a currently valid card documenting completion of such courses must be in the facility at all times. a. Documentation of attendance at First Aid or courses pursuant to subsection 59A-36.011(5), F.A.C., satisfies this requirement. b. A nurse is considered as having met the course requirements for First Aid. An emergency medical technician or paramedic currently certified under chapter 401, part III, F.S., is considered as having met the course requirements for both First Aid and 6. During periods of temporary absence of the administrator or manager of more than 48 hours when residents are on the premises, a staff member who is at least () must be physically present and designated in writing to be in charge of the facility. No staff member shall be in charge of a facility for a consecutive period of 21 days or more, or for a total of 60 days within a	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 079	Continued From page 6 calendar year, without being an administrator or manager. 7. Staff whose duties are exclusively building or grounds maintenance, clerical, or food preparation do not count towards meeting the minimum staffing hours requirement. 8. The administrator or manager's time may be counted for the purpose of meeting the required staffing hours, provided the administrator or manager is actively involved in the day-to-day operation of the facility, including making decisions and providing supervision for all aspects of resident care, and is listed on the facility's staffing schedule. 9. Only on-the-job staff may be counted in meeting the minimum staffing hours. Vacant positions or absent staff may not be counted. (b) Notwithstanding the minimum staffing requirements specified in paragraph (a), all facilities, including those composed of apartments, must have enough qualified staff to provide resident supervision, and to provide or arrange for resident services in accordance with the residents' scheduled and unscheduled service needs, resident contracts, and resident care standards as described in rule 59A-36.007, F.A.C. (c) The facility must maintain a written work schedule that reflects its 24-hour staffing pattern for a given time period. Upon request, the facility must make the daily work schedules of direct care staff available to residents or their representatives. (d) The facility must provide staff immediately when the agency determines that the requirements of paragraph (a) are not met. The facility must immediately increase staff above the minimum levels established in paragraph (a), if the agency determines that adequate supervision	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 079	Continued From page 7 and care are not being provided to residents, resident care standards described in rule 59A-36.007, F.A.C., are not being met, or that the facility is failing to meet the terms of residents' contracts. The agency will consult with the facility administrator and residents regarding any determination that additional staff is required. Based on the recommendations of the local fire safety authority, the agency may require additional staff when the facility fails to meet the fire safety standards described in rule chapter 69A-40, F.A.C., until such time as the local fire safety authority informs the agency that fire safety requirements are being met. 1. When additional staff is required above the minimum, the agency will require the submission of a corrective action plan within the time specified in the notification indicating how the increased staffing is to be achieved to meet resident service needs. The plan will be reviewed by the agency to determine if it sufficiently increases the staffing levels to meet resident needs. 2. When the facility can demonstrate to the agency that resident needs are being met, or that resident needs can be met without increased staffing, the agency may modify staffing requirements for the facility and the facility will no longer be required to maintain a plan with the agency. (e) Facilities that are co-located with a nursing home may use shared staffing provided that staff hours are only counted once for the purpose of meeting either assisted living facility or nursing home minimum staffing ratios. (f) Facilities holding a limited mental health, extended congregate care, or limited nursing services license must also comply with the staffing requirements of rules 59A-36.020.	A 079			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 079	Continued From page 8 59A-36.021 or 59A-36.022, F.A.C., respectively. This Statute or Rule is not met as evidenced by: Based on observation and interview, the facility failed to maintain a written staff work schedule reflecting a 24-hour staffing pattern available for the direct care staff, residents and resident's legal representatives. Findings: An observation on _____ at 11:30 AM, there was no staff work schedule available to view. On _____ at 11:45 AM, an interview with Caregiver A stated that there was no schedule posted and not available and said that she just comes to work when the Administrator ask her. A request to the Administrator to review the staff work schedule. The schedule was provided but it was the schedule for the entire month of _____. The week of _____ - _____ was blank. On _____ at 1:20 PM, an interview with the Administrator confirmed the finding. (Photographic Evidence Obtained) Class III	A 079			
A 168 SS=D	429.24(3)(a) FS; 429.27(7), FS Resident Refund Policy 429.24 (3)(a) . . . The refund policy shall provide that the resident or responsible party is entitled to a	A 168			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 168	Continued From page 9 prorated refund based on the daily rate for any unused portion of payment beyond the termination date after all charges, including the cost of damages to the residential unit resulting from circumstances other than normal use, have been paid to the licensee. For the purpose of this paragraph, the termination date shall be the date the unit is vacated by the resident and cleared of all personal belongings. If the amount of belongings does not preclude renting the unit, the facility may clear the unit and charge the resident or his or her estate for moving and storing the items at a rate equal to the actual cost to the facility, not to exceed 20 percent of the regular rate for the unit, provided that 14 days' advance written notification is given. If the resident's possessions are not claimed within 45 days after notification, the facility may dispose of them. The contract shall also specify any other conditions under which claims will be made against the refund due the resident. Except in the case of or a discharge due to medical reasons, the refunds shall be computed in accordance with the notice of relocation requirements specified in the contract. However, a resident may not be required to provide the licensee with more than 30 days' notice of termination. If after a contract is terminated, the facility intends to make a claim against a refund due the resident, the facility shall notify the resident or responsible party in writing of the claim and shall provide said party with a reasonable time period of no less than 14 calendar days to respond. 429.27, FS Property and personal affairs of residents. - (7) In the event of the of a resident, a licensee shall return all refunds, funds, and property held in trust to the resident's personal	A 168			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 168	Continued From page 10 representative, if one has been appointed at the time the facility disburses such funds, and, if not, to the resident's spouse or adult next of kin named in a beneficiary designation form provided by the facility to the resident. If the resident has no spouse or adult next of kin or such person cannot be located, funds due the resident shall be placed in an interest-bearing account, and all property held in trust by the facility shall be safeguarded until such time as the funds and property are disbursed pursuant to the Florida Probate Code. Such funds shall be kept separate from the funds and property of the facility and other residents of the facility. If the funds of the resident are not disbursed pursuant to the Florida Probate Code within 2 years after the resident's , the funds shall be deposited in the Health Care Trust Fund administered by the agency. This Statute or Rule is not met as evidenced by: Based on resident record review and interview, the facility failed to ensure the refund policy of the contract agreement providing 14 days advance written notification given when resident's personal possessions are not claimed within 45 days after the notification for 3 of 4 sampled residents (#1, #2, #3) as required. Findings: 1. Resident #1's contract agreement dated did not include the 14 days written claim for a refund in the contract agreement. 2. Resident #2's contract agreement dated did not include the 14 days written claim for a refund in the contract agreement.	A 168			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 168	Continued From page 11 3. Resident #3's contract agreement dated did not include the 14 days written claim for a refund in the contract agreement. On _____ at 3:55 PM, an interview with the Administrator confirmed the findings. (Photographic Evidence Obtained) Class III	A 168			
A 170 SS=D	429.24(3)a Resident Refund Policy The facility shall provide a refund to the resident or responsible party within 45 days after the transfer, discharge, or _____ of the resident. The agency shall impose a fine upon a facility that fails to comply with the refund provisions of the paragraph, which fine shall be equal to three times the amount due to the resident. One-half of the fine shall be remitted to the resident or his or her estate, and the other half to the Health Care Trust Fund to be used for the purpose specified in s. 429.18. This Statute or Rule is not met as evidenced by: Based on resident record review and interview, the facility failed to provide the correct amount refund to 1 of 2 sampled residents (#3) after discharged from the facility. Findings: A review of resident #3's contract agreement signed and dated _____ for \$4800/month. Resident #3 moved out of the facility on _____ with 5 days left in _____. The daily rate \$160.00.	A 170			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 170	Continued From page 12 as follows: \$4800/30 days=\$160 daily rate times 5 days=\$800 refund due. On _____, a refund check was sent for amount \$680.00 minus \$120.00 for an administration fee that was already paid at admission into the facility. The facility owes a remaining amount of \$120.00 to resident #3. On _____ at 4 PM, an interview with the Administrator confirmed the finding. (Photographic Evidence Obtained) Class III	A 170			
A 200 SS=D	59A-36.025 FAC Emergency Environmental Control 59A-36.025 Emergency Environmental Control for Assisted Living Facilities. (1) DETAILED EMERGENCY ENVIRONMENTAL CONTROL PLAN. Each assisted living facility shall prepare a detailed plan ("plan") to serve as a supplement to its Comprehensive Emergency Management Plan, to address emergency environmental control in the event of the loss of primary electrical power in that assisted living facility which includes the following information: (a) The acquisition of a sufficient alternate power source such as a generator(s), maintained at the assisted living facility, to ensure that current licensees of assisted living facilities will be equipped to ensure _____ air temperatures will be maintained at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the event of the loss of primary electrical power.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/17/2025
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SEASIDE VILLA ADULT LIVING FACILITY LLC

**610 PALM DR
SATELLITE BEACH, FL 32937**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 13 1. The required temperature must be maintained in an area or areas, determined by the assisted living facility, of sufficient size to maintain residents safely at all times and that is appropriate for resident care needs and life safety requirements. For planning purposes, no less than twenty (20) net square per resident must be provided. The assisted living facility may use eighty percent (80%) of its licensed bed capacity as the number of residents to be used in the to determine the required square footage. This may include areas that are less than the entire assisted living facility if the assisted living facility's comprehensive emergency management plan includes allowing a resident to congregate when he or she desires in portions of the building where temperatures will be maintained and includes procedures for monitoring residents for signs of heat related injury as required by this rule. This rule does not prohibit a facility from acting as a receiving provider for evacuees when the conditions stated in Section 408.821, F.S. and subsection 59A-36.019(5), F.A.C., are met. The plan shall include information regarding the area(s) within the assisted living facility where the required temperature will be maintained. 2. The alternate power source and fuel supply shall be located in an area(s) in accordance with local zoning and the Florida Building Code. 3. Each assisted living facility is unique in size; the types of care provided; the physical and mental capabilities and needs of residents; the type, frequency, and amount of services and care offered; and staffing characteristics. Accordingly, this rule does not limit the types of systems or equipment that may be used to achieve temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours in the	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 14 event of the loss of primary electrical power. The plan shall include information regarding the systems and equipment that will be used by the assisted living facility and the fuel required to operate the systems and equipment. a. An assisted living facility in an evacuation zone pursuant to Chapter 252, F, S. must maintain an alternative power source and fuel as required by this subsection at all times when the assisted living facility is occupied but is permitted to utilize a mobile generator(s) to enable portability if evacuation is necessary. b. Assisted living facilities located on a single campus with other facilities under common ownership, may share fuel, alternative power resources, and resident space available on the campus if such resources are sufficient to support the requirements of each facility's residents, as specified in this rule. Details regarding how resources will be shared and any necessary movement of residents must be clearly described in the emergency power plan. c. A multistory facility, whose comprehensive emergency management plan is to move residents to a higher floor during a flood or surge event, must place its alternative power source and all necessary additional equipment so it can safely operate in a location protected from flooding or storm surge damage. (b) The acquisition of sufficient fuel, and safe maintenance of that fuel at the facility, to ensure that in the event of the loss of primary electrical power there is sufficient fuel available for the alternate power source to maintain temperatures at or below 81 degrees Fahrenheit for a minimum of ninety-six (96) hours after the loss of primary electrical power during a declared state of emergency. The plan must include information regarding fuel source and fuel	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 06/17/2025
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

SEASIDE VILLA ADULT LIVING FACILITY LLC

**610 PALM DR
SATELLITE BEACH, FL 32937**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 200	Continued From page 15 storage. 1. Facilities must store minimum amounts of fuel onsite as follows: a. A facility with a licensed capacity of 16 beds or less must store 48 hours of fuel onsite. b. A facility with a licensed capacity of 17 or more beds must store 72 hours of fuel onsite. 2. An assisted living facility located in an area in a declared state of emergency area pursuant to Section 252.36, F.S. that may impact primary power delivery must secure ninety-six (96) hours of fuel. The assisted living facility may utilize portable fuel storage containers for the remaining fuel necessary for ninety-six (96) hours during the period of a declared state of emergency. 3. Piped natural gas is an allowable fuel source and meets the onsite fuel supply requirements under this rule. 4. If local ordinances or other regulations limit the amount of onsite fuel storage for the assisted living facility's location, then the assisted living facility must develop a plan that includes maximum onsite fuel storage allowable by the ordinance or regulation and a reliable method to obtain the maximum additional fuel at least 24 hours prior to depletion of onsite fuel. (c) The acquisition of services necessary to maintain, and test the equipment and its functions to ensure the safe and sufficient operation of the alternate power source maintained at the assisted living facility. (d) The acquisition and maintenance of a monoxide alarm. (2) SUBMISSION OF THE PLAN. (a) Each new assisted living facility shall submit the plan required under this rule prior to obtaining a license. (b) Each existing assisted living facility that undergoes any additions, modifications,	A 200		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 16 alterations, refurbishment, renovations or reconstruction that require modification of its systems or equipment affecting the facility's compliance with this rule shall amend its plan and submit it to the county emergency management agency for review and approval. (3) APPROVED PLANS. (a) Each assisted living facility must maintain a copy of its approved plan in a manner that makes the plan readily available at the licensee's physical address for review by a legally authorized entity. If the plan is maintained in an electronic format, assisted living facility staff must be readily available to access and produce the plan. For purposes of this section, "readily available" means the ability to immediately produce the plan, either in electronic or paper format, upon request. (b) Within 30 days of the approval of the plan from the county emergency management agency, the assisted living facility shall submit in writing proof of the approval to the Agency for Health Care Administration to assistedliving@ahca.myflorida.com. (c) The assisted living facility shall submit a consumer-friendly summary of the emergency power plan to the Agency. The Agency shall post the summary and notice of the approval and implementation of the assisted living facility emergency power plans on its website within ten (10) business days of the plan's approval by the county emergency management agency and update within ten (10) business days of implementation. (4) IMPLEMENTATION OF THE PLAN. (a) Each assisted living facility licensed prior to the effective date of this rule shall, no later than _____, have implemented the plan required under this rule.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 17 (b) Each new assisted living facility shall implement the plan required under this rule prior to obtaining a license. (c) Existing assisted living facilities that undergo any additions, modifications, alterations, refurbishment, renovations or reconstruction that require modification of the systems or equipment affecting the assisted living facility's compliance with this rule shall implement its amended plan concurrent with any such additions, modifications, alterations, refurbishment, renovations or reconstruction. (5) POLICIES AND PROCEDURES. (a) Each assisted living facility shall develop and implement written policies and procedures to ensure that the assisted living facility can effectively and immediately activate, operate and maintain the alternate power source and any fuel required for the operation of the alternate power source. The procedures shall ensure that residents do not experience complications from fluctuations in air temperatures inside the facility. Procedures must address the care of residents occupying the facility during a declared state of emergency, specifically, a description of the methods to be used to mitigate the potential for heat related injury including: 1. The use of cooling devices and equipment; 2. The use of refrigeration and freezers to produce ice and appropriate temperatures for the maintenance of medicines requiring refrigeration; 3. Wellness checks by assisted living facility staff to monitor for signs of _____ and heat injury; and 4. A provision for obtaining medical intervention from emergency services for residents whose life safety is in jeopardy. (b) Each assisted living facility shall maintain the written policies and procedures in a manner that	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 18 makes them readily available at the licensee's physical address for review by a legally authorized entity. If the policies and procedures are maintained in an electronic format, assisted living facility staff must be readily available to access the policies and procedures and produce the requested information. For purposes of this section, "readily available" means the ability to immediately produce the policies and procedures, either in electronic or paper format, upon request. (c) The written policies and procedures must be readily available for inspection by each resident; each resident's legal representative, designee, surrogate, guardian, attorney in fact, or case manager; each resident's estate; and such additional parties as authorized in writing or by law. (6) REVOCATION OF LICENSE, FINES OR SANCTIONS. For a violation of any part of this rule, the Agency for Health Care Administration may seek any remedy authorized by Chapter 429, Part I, or Chapter 408, Part II, F.S., including, but not limited to, license revocation, license suspension, and the imposition of administrative fines. (7) COMPREHENSIVE EMERGENCY MANAGEMENT PLAN. (a) Assisted living facilities whose comprehensive emergency management plan is to evacuate must comply with this rule. (b) Each facility whose plan has been approved shall submit the plan as an addendum with any future submissions for approval of its comprehensive emergency management plan. (8) NOTIFICATION. (a) Within five (5) business days, each assisted living facility must notify in writing, unless permission for electronic communication has been granted, each resident and the resident's	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 19 legal representative: 1. Upon the initial submission of the plan to the county emergency management agency that the plan has been submitted for review and approval; 2. Upon final implementation of the plan by the assisted living facility. 3. Annual submissions and approvals of the plan do not require notification to residents or their legal representatives unless a significant modification as defined in Rule 59A-36.019, F.A.C., has been made to the plan. (b) Each assisted living facility must maintain a copy of each notification set forth in paragraph (a) above in a manner that makes each notification readily available at the licensee's physical address for review by a legally authorized entity. If the notifications are maintained in an electronic format, facility staff must be readily available to access and produce the notifications. For purposes of this section, "readily available" means the ability to immediately produce the notifications, either in electronic or paper format, upon request. This Statute or Rule is not met as evidenced by: Based on observation and interview, the facility failed to ensure that the caregiver A working alone onsite with two residents could demonstrate a generator check using the portable generator onsite to ensure a safe and sufficient alternate power source in an assisted living facility as required as required. Findings: An observation on _____ at 1 PM, caregiver A was working alone with the two residents, capacity of facility 6 residents. She stated that she had never been trained on starting the generator and had no idea what to do.	A 200			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11969243	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 06/17/2025
NAME OF PROVIDER OR SUPPLIER SEASIDE VILLA ADULT LIVING FACILITY LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 610 PALM DR SATELLITE BEACH, FL 32937		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 200	Continued From page 20 At 1:10 PM, it was asked to the Administrator if she could demonstrate a generator check. She answered no and that a friend was coming on Friday () to train all of them. On at 1:25 PM, an interview with the Administrator confirmed the findings. Class III	A 200			