

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 02/11/2026
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF			STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments A complaint investigation (# 2026001780 and # 2026000385) was conducted at Midway Manor on . Deficiencies were identified at the time of the survey.	A 000			
A 152 SS=D	59A-36.014(3) FAC Physical Plant - Safe Living Environ/Other (3) OTHER REQUIREMENTS. (a) All facilities must: 1. Provide a safe living environment pursuant to section 429.28(1)(a), F.S.; 2. Be maintained free of hazards; and, 3. Ensure that all existing architectural, mechanical, electrical and structural systems, and appurtenances are maintained in good working order. (b) Pursuant to section 429.27, F.S., residents must be given the option of using their own belongings as space permits. When the facility supplies the furnishings, each resident bedroom or sleeping area must have at least the following furnishings: 1. A clean, comfortable bed with a mattress no less than 36 inches wide and 72 inches long, with the top surface of the mattress at a comfortable _____ to ensure easy access by the resident, 2. A closet or wardrobe space for hanging clothes, 3. A dresser, _____ or other furniture designed for storage of clothing or personal effects, 4. A table or nightstand, bedside lamp or floor lamp, and waste basket; and, 5. A comfortable chair, if requested. (c) The facility must maintain master or duplicate keys to resident bedrooms to be used in the event of an emergency. (d) Residents who use portable bedside	A 152			

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 02/11/2026	
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 152	Continued From page 1 commodities must be provided with privacy during use. (e) Facilities must make available linens and personal laundry services for residents who require such services. Linens provided by a facility must be free of tears, stains and must not be This Statute or Rule is not met as evidenced by: Based on observation and interview the facility failed to provide building repairs and maintain a safe, clean-living environment for all residents. Findings included: Observations conducted on _____ of the facility's first and second floors from approximately 9:40 a.m.-11:48 a.m. revealed the following: - _____ had a chirping fire detector while Resident #15 was trying to sleep. There was a loose toilet seat with brown and yellow stains covering it, brown and yellow stains inside the bowl, brown drips down the wall behind and to the side of the toilet, and a loose toilet basin lever. - A vent with gray dust in the dining room by tables set with uncovered chocolate pudding cups. - A shop vac under one of the dining room tables. - _____ had a missing fire detector with the wire exposed above the doorway. - Black bio-growth on the ceiling of one of the offices surveyors were initially set up to work in. During an interview on _____ from 9:38 a.m. the Administrator said the facility would fix the office with bio-growth as soon as possible and nobody would be using the office. During an interview on _____ at 2:10 p.m. the	A 152		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 02/11/2026
---	--	--	--

NAME OF PROVIDER OR SUPPLIER

STREET ADDRESS, CITY, STATE, ZIP CODE

MIDWAY MANOR ALF

**1754 ENSLEY AVENUE
CLEARWATER, FL 33756**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 152	Continued From page 2 Administrator said the facility would work to repair the fire detectors, toilet and clean the dining room vent. Photographic evidence obtained. Class III	A 152		
A 165 SS=D	429.23(&) FS Risk Mgmt & QA 429.23 Internal risk management and quality assurance program; adverse incidents and reporting requirements.- (1) Every facility licensed under this part may, as part of its administrative functions, voluntarily establish a risk management and quality assurance program, the purpose of which is to assess resident care practices, facility incident reports, deficiencies cited by the agency, adverse incident reports, and resident grievances and develop plans of action to correct and respond quickly to identify quality differences. (2) Every facility licensed under this part is required to maintain adverse incident reports. For purposes of this section, the term, "adverse incident" means: (a) An event over which facility personnel could exercise control rather than as a result of the resident's condition and results in: 1. ; 2. or , damage; 3. Permanent ; 4. or of bones or joints; 5. Any condition that required medical attention to which the resident has not given his or her consent, including failure to honor advanced directives;	A 165		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 02/11/2026
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF			STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 165	Continued From page 3 6. Any condition that requires the transfer of the resident from the facility to a unit providing more acute care due to the incident rather than the resident's condition before the incident; or 7. An event that is reported to law enforcement or its personnel for investigation; or (b) Resident elopement, if the elopement places the resident at risk of harm or injury. (3) Licensed facilities shall provide within 1 business day after the occurrence of an adverse incident, through the agency's online portal, or if the portal is offline, by electronic mail, a preliminary report to the agency on all adverse incidents specified under this section. The report must include information regarding the identity of the affected resident, the type of adverse incident, and the status of the facility's investigation of the incident. (4) Licensed facilities shall provide within 15 days, through the agency's online portal, or if the portal is offline, by electronic mail, a full report to the agency on all adverse incidents specified in this section. The report must include the results of the facility's investigation into the adverse incident. (6) _____, neglect, or _____, must be reported to the Department of Children and Families as required under chapter 415. (7) The information reported to the agency pursuant to subsection (3) which relates to persons licensed under chapter 458, chapter 459, chapter 461, chapter 464, or chapter 465 shall be reviewed by the agency. The agency shall determine whether any of the incidents potentially involved conduct by a health care professional who is subject to disciplinary action, in which case the provisions of s. 456.073 apply. The agency may investigate, as it deems appropriate, any such	A 165			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 02/11/2026
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 165	Continued From page 4 incident and prescribe measures that must or may be taken in response to the incident. The agency shall review each incident and determine whether it potentially involved conduct by a health care professional who is subject to disciplinary action, in which case the provisions of s. 456.073 apply. (8) If the agency, through its receipt of the adverse incident reports prescribed in this part or through any investigation, has reasonable belief that conduct by a staff member or employee of a licensed facility is grounds for disciplinary action by the appropriate board, the agency shall report this fact to such regulatory board. (9) The adverse incident reports and preliminary adverse incident reports required under this section are confidential as provided by law and are not discoverable or admissible in any civil or administrative action, except in disciplinary proceedings by the agency or appropriate regulatory board. (10) The agency may adopt rules necessary to administer this section. This Statute or Rule is not met as evidenced by: Based on record review and interview, the facility failed to file an Adverse Incident Report (AIRS) for one (Resident #17) of one sampled resident with law enforcement personnel involvement. Findings included: During an interview on _____ at 9:12 a.m. Resident #9 stated Resident #17 hit a staff member and went to jail. An attempted record review of the adverse incident report revealed no adverse incident report was on	A 165		

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 02/11/2026
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 165	Continued From page 5 file. During an interview on _____ at 2:10 p.m the Administrator said Resident #17 was intoxicated and assaulted a staff member and went to jail approximately two weeks prior. The Administrator stated no adverse incident report was completed and would be submitted. Class III	A 165			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 02/11/2026
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
ZZ830 SS=D	408.821 FS Emergency Management Planning 408.821 Emergency management planning; emergency operations; inactive license.- (1) A licensee required by authorizing statutes and agency rule to have a comprehensive emergency management plan must designate a safety liaison to serve as the primary contact for emergency operations. Such licensee shall submit its comprehensive emergency management plan to the local emergency management agency, county health department, or Department of Health as follows: (a) Submit the plan within 30 days after initial licensure and change of ownership, and notify the agency within 30 days after submission of the plan. (b) Submit the plan annually and within 30 days after any significant modification, as defined by agency rule, to a previously approved plan. (c) Submit necessary plan revisions within 30 days after notification that plan revisions are required. (d) Notify the agency within 30 days after approval of its plan by the local emergency management agency, county health department, or Department of Health. (2) An entity subject to this part may temporarily exceed its licensed capacity to act as a receiving provider in accordance with an approved comprehensive emergency management plan for up to 15 days. While in an overcapacity status, each provider must furnish or arrange for appropriate care and services to all clients. In addition, the agency may approve requests for overcapacity in excess of 15 days, which approvals may be based upon satisfactory justification and need as provided by the receiving and sending providers.	ZZ830			

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 02/11/2026
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF			STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
ZZ830	Continued From page 1 (3)(a) An inactive license may be issued to a licensee subject to this section when the provider is located in a geographic area in which a state of emergency was declared by the Governor if the provider: 1. Suffered damage to its operation during the state of emergency. 2. Is currently licensed. 3. Does not have a provisional license. 4. Will be temporarily unable to provide services but is reasonably expected to resume services within 12 months. (b) An inactive license may be issued for a period not to exceed 12 months but may be renewed by the agency for up to 12 additional months upon demonstration to the agency of progress toward reopening. A request by a licensee for an inactive license or to extend the previously approved inactive period must be submitted in writing to the agency, accompanied by written justification for the inactive license, which states the beginning and ending dates of inactivity and includes a plan for the transfer of any clients to other providers and appropriate licensure fees. Upon agency approval, the licensee shall notify clients of any necessary discharge or transfer as required by authorizing statutes or applicable rules. The beginning of the inactive licensure period shall be the date the provider ceases operations. The end of the inactive period shall become the license expiration date, and all licensure fees must be current, must be paid in full, and may be prorated. Reactivation of an inactive license requires the prior approval by the agency of a renewal application, including payment of licensure fees and agency inspections indicating compliance with all requirements of this part and applicable rules and statutes.	ZZ830			

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953664	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 02/11/2026	
NAME OF PROVIDER OR SUPPLIER MIDWAY MANOR ALF		STREET ADDRESS, CITY, STATE, ZIP CODE 1754 ENSLEY AVENUE CLEARWATER, FL 33756		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
ZZ830	Continued From page 2 (4) . . . Licensees providing residential or inpatient services must utilize an online database approved by the agency to report information to the agency regarding the provider's emergency status, planning, or operations. This Statute or Rule is not met as evidenced by: Based on a record review and interview the facility failed to submit an annual comprehensive emergency management plan (CEMP) to the local emergency management agency. Findings included: A review of the facility's CEMP, conducted on _____, revealed no evidence of a current submitted CEMP. The last approval was valid through _____. During an interview on _____ at 10:53 a.m. the Administrator stated a new CEMP was not submitted, because the facility needed to wait for their annual Fire Inspection which should happen by the end of _____. Class III	ZZ830		