

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11910551	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED 12/23/2025
NAME OF PROVIDER OR SUPPLIER BROXTON'S A L F HOMES			STREET ADDRESS, CITY, STATE, ZIP CODE 2233 PATE POND ROAD CARYVILLE, FL 32427		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
ZZ000	Initial Comments An unannounced closure monitoring survey was completed at Broxton's ALF Homes, located at 2333 Pate Pond Road, Caryville, FL 32427, on 12/09/2025. The facility had 19 Residents' onsite at the time of the survey and were making efforts to relocate all Residents'. Continued monitoring will occur until all Residents' are placed and facility closure can be confirmed. An unannounced closure monitoring survey was completed at Broxton's ALF Homes, located at 2333 Pate Pond Road, Caryville, FL 32427, on 12/18/2025. The facility had 6 Residents' onsite at the time of the survey and were making efforts to relocate the remaining 6 Residents'. On 12/19/2025 3 additional Residents' were placed in other facilities, leaving 3 remaining Residents'. Continued monitoring will occur until all Residents' are placed and facility closure can be confirmed. An unannounced closure monitoring survey was completed at Broxton's ALF Homes, located at 2333 Pate Pond Road, Caryville, FL 32427, on 12/23/2025, following several unsuccessful attempts to reach the facility by phone. No one answered the door and the facility appeared to be uninhabited. The facility had removed the sign with the business name that was facing the road.	ZZ000			
A 000	Initial Comments An unannounced closure monitoring survey was completed at Broxton's ALF Homes, located at 2333 Pate Pond Road, Caryville, FL 32427, on 12/09/2025. The facility had 19 Residents' onsite at the time of the survey and were making efforts	A 000			

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X8) DATE

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11910551	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 12/23/2025
NAME OF PROVIDER OR SUPPLIER BROXTON'S A L F HOMES		STREET ADDRESS, CITY, STATE, ZIP CODE 2233 PATE POND ROAD CARYVILLE, FL 32427		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Continued From page 1 to relocate all Residents'. Continued monitoring will occur until all Residents' are placed and facility closure can be confirmed. An unannounced closure monitoring survey was completed at Broxton's ALF Homes, located at 2333 Pate Pond Road, Caryville, FL 32427, on 12/18/2025. The facility had 6 Residents' onsite at the time of the survey and were making efforts to relocate the remaining 6 Residents'. On 12/19/2025 3 additional Residents' were placed in other facilities, leaving 3 remaining Residents'. Continued monitoring will occur until all Residents' are placed and facility closure can be confirmed. An unannounced closure monitoring survey was completed at Broxton's ALF Homes, located at 2333 Pate Pond Road, Caryville, FL 32427, on 12/23/2025, following several unsuccessful attempts to reach the facility by phone. No one answered the door and the facility appeared to be uninhabited. The facility had removed the sign with the business name that was facing the road.	A 000		