

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964056	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 06/22/2012
---	--	--	--

NAME OF PROVIDER OR SUPPLIER BELVEDERE COMMONS OF TAMPA	STREET ADDRESS, CITY, STATE, ZIP CODE 1513 WEST FLETCHER AVENUE TAMPA, FL 33612
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------------	--	---------------------	--	--------------------------

A 000 Initial Comments

Assisted Living Facility

A complaint survey, CCR# 2012006700, was conducted on 06/22/12.

Belvedere Commons of Tampa assisted living facility had no deficiencies found at the time of the visit.

A 000

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6900

OH8K11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

July 2, 2012

Administrator
Belvedere Commons of Tampa
1513 West Fletcher Avenue
Tampa, FL 33612

Re: CCR# 2012006700

Dear Administrator:


This letter reports the findings of a complaint survey completed on June 22, 2012, by a representative of this office.

Attached is the provider's copy of the State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions, please contact **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

for 
Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State form 3020

