

7/5/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11912091	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 6/26/2012
Name of Facility TAMIAMI LAKES MONTBLANC ALF		Street Address, City, State, Zip Code 2040 SOUTHWEST 127TH AVENUE MIAMI, FL 33175

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0077</u> Reg. # <u>58A-5.019(1) FAC</u> LSC _____	Correction Completed 06/26/2012	ID Prefix <u>A0078</u> Reg. # <u>58A-5.019(2) FAC</u> LSC _____	Correction Completed 06/26/2012	ID Prefix <u>A0081</u> Reg. # <u>58A-5.019(2) FAC</u> LSC _____	Correction Completed 06/26/2012
ID Prefix <u>A0090</u> Reg. # <u>58A-5.019(11) FAC</u> LSC _____	Correction Completed 06/26/2012	ID Prefix <u>A0161</u> Reg. # <u>58A-5.024(2) FAC</u> LSC _____	Correction Completed 06/26/2012	ID Prefix <u>AZB15</u> Reg. # <u>408.809, 435.02(2), 435.06</u> LSC _____	Correction Completed 06/26/2012
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
Reviewed By _____ State Agency _____		Reviewed By _____ CMS RO _____	Date: _____	Signature of Surveyor: <u>Justal Brannen</u> Date: <u>7/5/12</u>	
Followup to Survey Completed on: 5/15/2012		Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO			



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

July 10, 2012

Administrator
Tamiami Lakes Montblanc Alf
2040 Southwest 127th Avenue
Miami, FL 33175

CCR#2012004088 f/u

Dear Administrator:

This letter reports the findings of a state complaint survey revisit conducted on June 26, 2012 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

for Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

J5XD

