

7/9/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11964959	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 7/6/2012
---	--	----------------------------------

Name of Facility


STERLING HOUSE OF PENSACOLA

Street Address, City, State, Zip Code

8700 UNIVERSITY PARKWAY
PENSACOLA, FL 32501

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0008 Reg. # 58A-5.0181(2) FAC LSC	Correction Completed 07/06/2012	ID Prefix A0030 Reg. # 58A-5.0182(6) FAC: 429.28 LSC	Correction Completed 07/06/2012	ID Prefix A0053 Reg. # 58A-5.0185(4) FAC LSC	Correction Completed 07/06/2012
ID Prefix A0054 Reg. # 58A-5.0185(5) FAC LSC	Correction Completed 07/06/2012	ID Prefix A0056 Reg. # 58A-5.0185(7) FAC LSC	Correction Completed 07/06/2012	ID Prefix A0083 Reg. # 58A-5.0191(4) FAC LSC	Correction Completed 07/06/2012
ID Prefix A0084 Reg. # 58A-5.0191(5) FAC LSC	Correction Completed 07/06/2012	ID Prefix A0092 Reg. # 58A-5.020(1) FAC LSC	Correction Completed 07/06/2012	ID Prefix AZ815 Reg. # 408.809, 435.02(2), 435.06 LSC	Correction Completed 07/06/2012
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By _____	Reviewed By _____	Date: 7/10/12	Signature of Surveyor: 	Date: 7/10/12
State Agency _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on:

5/15/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964959	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 07/06/2012
NAME OF PROVIDER OR SUPPLIER STERLING HOUSE OF PENSACOLA			STREET ADDRESS, CITY, STATE, ZIP CODE 8700 UNIVERSITY PARKWAY PENSACOLA, FL 32501		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{A 000}	Initial Comments A follow-up survey was conducted 7/5/12-7/6/12 to a complaint investigation completed 5/15/12 at Sterling House of Pensacola Assisted Living Facility. At the time of the follow-up the facility was found to be without deficient practice and all tags written at the time of the complaint were cleared.	{A 000}			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6909

UYVJ12

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

July 9, 2012

Administrator
Sterling House Of Pensacola
8700 University Parkway
Pensacola, FL 32501

RE: revisit to CCR 2012004805

Dear Administrator:


This letter reports the findings of a complaint investigation revisit survey conducted on July 6, 2012 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call me at 850-412-4540.

Sincerely,


for Donah Heiberg, MSW
Field Office Manager

Enclosure

Headquarters
2727 Mahan Drive
Tallahassee, FL 32308
<http://ahca.myflorida.com>



Tallahassee Field Office
2727 Mahan Drive, Mail Stop #46
Tallahassee, FL 32308
Phone 850-412-4540; Fax (850) 922-9162