

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11942847	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/27/2012
NAME OF PROVIDER OR SUPPLIER NTM HOMES		STREET ADDRESS, CITY, STATE, ZIP CODE 98 MISSIONS BLVD SANFORD, FL 32771			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments An Abbreviated biennial re-licensure survey was conducted on 6/27/12. The ALF had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

5099

MGQV11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

July 2, 2012

Administrator
Ntm Homes
98 Missions Blvd
Sanford, FL 32771

Dear Administrator:


RE: Abbreviated biennial relicensure

This letter reports findings of a state licensure survey that was conducted on June 27, 2012 by representative(s) of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Lorraine Henry at (407) 420-2502.

Sincerely,


Theresa DeCanio, RN
Field Office Manager

LH/be
Enclosure

65FO

