

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11967913	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 07/16/2012
NAME OF PROVIDER OR SUPPLIER CAPE WEST			STREET ADDRESS, CITY, STATE, ZIP CODE 4616-4614 SW 7 PL CAPE CORAL, FL 33914		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{A 000}	Initial Comments This is the follow-up to the Biennial survey completed on 7/16/12 at Cape West, an Assisted Living Facility. All previous citations have been substantially improved or corrected. No deficiencies were cited relevant to the survey during this visit.	{A 000}			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6999

HYK012

If continuation sheet 1 of 1

7/17/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11967913	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 7/16/2012
Name of Facility CAPE WEST	Street Address, City, State, Zip Code 4616-4614 SW 7 PL CAPE CORAL, FL 33914	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0011 Reg. # 58A-5.0181(5) FAC LSC	Correction Completed 07/16/2012	ID Prefix A0026 Reg. # 58A-5.0182(2) FAC LSC	Correction Completed 07/16/2012	ID Prefix A0030 Reg. # 58A-5.0182(6) FAC; 429.28 LSC	Correction Completed 07/16/2012
ID Prefix A0050 Reg. # 58A-5.0185(1) FAC LSC	Correction Completed 07/16/2012	ID Prefix A0056 Reg. # 58A-5.0185(7) FAC LSC	Correction Completed 07/16/2012	ID Prefix A0161 Reg. # 58A-5.024(2) FAC LSC	Correction Completed 07/16/2012
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By State Agency	Reviewed By HFS	Date: 7-17-12	Signature of Surveyor: Kris Vandenberg, TNS	Date: 7-17-12
Reviewed By CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on:

5/2/2012

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

July 17, 2012

Administrator
Cape West
4616-4614 Sw 7 Pl
Cape Coral, FL 33914

Dear Administrator:


This letter reports the findings of a Biennial survey revisit conducted on July 16, 2012 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (239) 335-1315.

Sincerely,



Harold D. Williams
Field Office Manager

bw
Enclosure

