

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number
AL 11942864

(Y2) Multiple Construction
A. Building
B. Wing

(Y3) Date of Revisit
7/18/2012

Name of Facility

DOLPHIN HOUSE, INC. (THE)

Street Address, City, State, Zip Code

9670 - 134 STREET, NORTH
SEMINOLE, FL 33776

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0090	Correction Completed 07/18/2012	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # 58A-5.0191(11) FAC		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. #		Reg. #		Reg. #	
LSC		LSC		LSC	

Reviewed By
State Agency
Reviewed By
CMS RO

Reviewed By
Reviewed By

Date: 7/24/12
Date:

Signature of Surveyor:
Signature of Surveyor:

Date:
Date:

Followup to Survey Completed on:
5/30/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

July 24, 2012

Administrator
Dolphin House, Inc. (The)
9670 - 134 Street, North
Seminole, FL 33776


Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on July 18, 2012, by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiency was found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

For Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: Revisit Report

