

7/24/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number
AL11912132(Y2) Multiple Construction
A. Building
B. Wing(Y3) Date of Revisit
7/23/2012

Name of Facility

ATRIUM AT BOCA RATON (THE)

Street Address, City, State, Zip Code

1080 NORTHWEST 15TH STREET
BOCA RATON, FL 33486

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0030</u> Reg. # <u>58A-5.0182(6) FAC: 429.28</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0032</u> Reg. # <u>58A-5.0182(8) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0052</u> Reg. # <u>58A-5.0185(3) FAC</u> LSC _____	Correction Completed 07/23/2012
ID Prefix <u>A0054</u> Reg. # <u>58A-5.0185(5) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0078</u> Reg. # <u>58A-5.019(2) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0086</u> Reg. # <u>58A-5.0191(9) FAC</u> LSC _____	Correction Completed 07/23/2012
ID Prefix <u>A0090</u> Reg. # <u>58A-5.0191(11) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0092</u> Reg. # <u>58A-5.020(1) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By
State Agency
Reviewed By
CMS ROReviewed By
ACS
Reviewed ByDate:
7-24-12
Date:Signature of Surveyor:
A.T. Smith (ACS)
Signature of Surveyor:Date:
7-24-12
Date:

Followup to Survey Completed on:

5/24/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

July 24, 2012

Administrator
The Atrium at Boca Raton
1080 N.W. 15th Street
Boca Raton, FL 33486

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on July 23, 2012 by a representative of this office. Attached is the provider's copy of the State Form Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to this agency's representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,

A.C. Doyle, HFE Supervisor
for Arlene Mayo-Davis
Field Office Manager

AMD/hl
Enclosure

