

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11967138	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/26/2012
NAME OF PROVIDER OR SUPPLIER HELPING HEART ASSISTED LIVING FACILITY		STREET ADDRESS, CITY, STATE, ZIP CODE 5317 E 20TH AVENUE TAMPA, FL 33619		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments Assisted Living Facility An extended congregate care (ECC) state licensure survey was conducted on 7/26/12. The Helping Heart assisted living facility had no deficiencies found at the time of the visit.	A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6899

CV1211

If continuation sheet 1 of 1

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

July 31, 2012

Administrator
Helping Heart Assisted Living Facility
5317 E 20th Avenue
Tampa, FL 33619

Dear Administrator:

This letter reports findings of an extended congregate care (ECC) state licensure survey that was conducted on July 26, 2012, by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,


Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State Form 3020

