

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11922273	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/25/2012
NAME OF PROVIDER OR SUPPLIER SUNNYSIDE MANOR			STREET ADDRESS, CITY, STATE, ZIP CODE 5201 BAHIA VISTA STREET SARASOTA, FL 34232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments This is the Biennial and Limited Nursing Services survey completed on 7/25/12 at Sunnyside Manor, an Assisted Living Facility. The facility did not receive any citations as a result of this survey.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0090

YUYE11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

August 1, 2012

Administrator
Sunnyside Manor
5201 Bahia Vista Street
Sarasota, FL 34232

Dear Administrator:

This letter reports findings of a Biennial and Limited Nursing Services survey that was conducted on July 25, 2012 by representatives of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyors. Should you have any questions please call this office at (239) 335-1315.

Sincerely,

Harold D. Williams
Field Office Manager

bw
Enclosure

