

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11910716	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/13/2012
NAME OF PROVIDER OR SUPPLIER NORTH LAKE RETIREMENT HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 1222 NORTH 16TH AVENUE HOLLYWOOD, FL 33020		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments CCR# 2012007520 Northlake Retirement Home had no deficiencies identified during the survey conducted on 7/13/12..	A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

MS7511

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

August 15, 2012

Administrator
North Lake Retirement Home
1222 North 16th Avenue
Hollywood, FL 33020

Re: CCR #2012007520

Dear Administrator:

This letter reports the findings of a complaint survey completed on July 13, 2012 by a representative from this office.

Attached is the provider's copy of the Statement of Deficiencies and Plan of Correction, State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions, please contact this office at (561) 381-5840.

Sincerely,

A.C. Boyles, AFE Supervisor
for Arlene Mayo - Davis
Field Office Manager

AMD/jw
Enclosure

7MRZ

