

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11966240	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 08/16/2012
NAME OF PROVIDER OR SUPPLIER ABIGAIL (THE)		STREET ADDRESS, CITY, STATE, ZIP CODE 320 SOUTH DELAWARE TAMPA, FL 33606		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments Assisted Living Facility A complaint survey, CCR# 2012008442, was conducted on 8/16/12. The Abigail assisted living facility had no deficiencies found at the time of the visit.	A 000		

AHCA Form 3020-0001

TITLE

(X8) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0820

UEWL11

If continuation sheet 1 of 1

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

August 23, 2012

Administrator
Abigail (The)
320 South Delaware
Tampa, FL 33606

Re: CCR# 2012008442


Dear Administrator:

This letter reports the findings of a complaint survey completed on August 16, 2012, by a representative of this office.

Attached is the provider's copy of the State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions, please contact **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

For Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State Form 3020

Headquarters
2727 Mahan Drive
Tallahassee, FL 32308
<http://ahca.myflorida.com>



St. Petersburg Field Office
525 Mirror Lake Drive North, Suite 410 A
St. Petersburg, FL 33701
Phone (727) 552-2000; Fax (727) 552-1161