

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11963855	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2012
NAME OF PROVIDER OR SUPPLIER A SAFE PLACE			STREET ADDRESS, CITY, STATE, ZIP CODE 2015 CENTRAL AVENUE TAMPA, FL 33602		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments Assisted Living Facility A complaint survey CCR# 2012008436 was conducted on 08/20/2012. No deficiencies were identified during the survey.		A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

60000

SBKY11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

August 29, 2012

Administrator
A Safe Place
2015 Central Avenue
Tampa, FL 33602

Re: CCR #2012008436


Dear Administrator:

This letter reports the findings of a complaint survey completed on August 20, 2012 by representative(s) of this office.

Attached is the provider's copy of the Statement of Deficiencies and Plan of Correction, Form CMS-2567, and State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions, please contact Paul Brown, HFES, at (727) 552-2000.

Sincerely,

For Patricia Reid Cauffman
Field Office Manager

PRC/tc
Enclosure

