

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11932515	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/21/2012
NAME OF PROVIDER OR SUPPLIER OAKVIEW TERRACE			STREET ADDRESS, CITY, STATE, ZIP CODE 7220 BAILLIE DRIVE NEW PORT RICHEY, FL 34653		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments Assisted Living Facility An extended congregate care (ECC) monitoring visit was conducted on 08/21/12. The Oakview Terrace assisted living facility had no deficiencies found at the time of the visit.		A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

5099

QLRQ11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

August 30, 2012

Administrator
Oakview Terrace
7220 Baillie Drive
New Port Richey, FL 34653


Dear Administrator:

This letter reports findings of an extended congregate care (ECC) monitoring visit that was conducted on August 21, 2012, by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,


Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State Form 3020

