

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11964590	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 7/23/2012
Name of Facility VILLA MARGO IV		Street Address, City, State, Zip Code 2978 SW 27 LANE MIAMI, FL 33133

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0026</u> Reg. # <u>58A-5.0182(2) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0030</u> Reg. # <u>58A-5.0182(6) FAC; 429.28</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0053</u> Reg. # <u>58A-5.0185(4) FAC</u> LSC _____	Correction Completed 07/23/2012
ID Prefix <u>A0055</u> Reg. # <u>58A-5.0185(6) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0091</u> Reg. # <u>58A-5.0191(12) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0093</u> Reg. # <u>58A-5.020(2) FAC</u> LSC _____	Correction Completed 07/23/2012
ID Prefix <u>A0127</u> Reg. # <u>58A-5.021(8) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0160</u> Reg. # <u>58A-5.024(1) FAC</u> LSC _____	Correction Completed 07/23/2012	ID Prefix <u>A0162</u> Reg. # <u>58A-5.024(3) FAC</u> LSC _____	Correction Completed 07/23/2012
ID Prefix <u>AZ815</u> Reg. # <u>408.809, 435.02(2), 435.06</u> LSC _____	Correction Completed 07/23/2012	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By _____	Date: _____	Signature of Surveyor <i>Trista Brunson</i>	Date: <u>8/28/2012</u>
Reviewed By _____ CMS RO	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
Followup to Survey Completed on: _____		Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS 2567) Sent to the Facility? _____		



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

August 28, 2012.

Administrator
Villa Margo Iv
2978 Sw 27 Lane
Miami, FL 33133

Dear Administrator:

This letter reports the findings of a state Monitoring/MPI Project revisits survey conducted on July 23, 2012 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

J5XD

