

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11964797	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/15/2012
NAME OF PROVIDER OR SUPPLIER HELEN M SAWYER PLAZA			STREET ADDRESS, CITY, STATE, ZIP CODE 1150 NW 11 STREET ROAD MIAMI, FL 33136		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments A complaint survey (CCR#2012007901) was conducted on August 14, 2012 and August 15, 2012. . The Helen Sawyer Plaza Assisted Living Facility with Extended Congregate Care had deficiencies found at the time of the visit and were cited under an adjoining biennial survey.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

DF9Z11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

September 6, 2012

Administrator
Helen M Sawyer Plaza
1150 Nw 11 Street Road
Miami, FL 33136

Re: CCR #2012007901

Dear Administrator:

This letter reports the findings of a complaint survey completed on August 15, 2012 by representative(s) of this office.

Attached is the provider's copy of the Statement of Deficiencies and Plan of Correction, Form CMS-2567, and State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions, please contact Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,


Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

7MRZ

