



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

August 16, 2012

Administrator
Hampton Manor
1500 Southeast 24th Road
Ocala, FL 34471


Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on August 16, 2012 by representative(s) of this office. Enclosed is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call this office at (386) 462-6201.

Sincerely,


Kriste J. Mennella
Field Office Manager

KJM/amw

Enclosure

J5XD



8/16/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number
AL11964374(Y2) Multiple Construction
A. Building
B. Wing(Y3) Date of Revisit
8/16/2012

Name of Facility

HAMPTON MANOR

Street Address, City, State, Zip Code

1500 S.E. 24TH ROAD
OCALA, FL 34471

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0005	Correction Completed 08/16/2012	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # 58A-5.0161 FAC LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	
ID Prefix	Correction Completed	ID Prefix	Correction Completed	ID Prefix	Correction Completed
Reg. # LSC		Reg. # LSC		Reg. # LSC	

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

State Agency



09/11/12



09/11/12

Reviewed By

Reviewed By

Date:

Signature of Surveyor:

Date:

CMS RO

Followup to Survey Completed on:

7/6/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES

NO