

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11968007	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 9/5/2012
---	--	----------------------------------

Name of Facility
SUNSET OAK II

Street Address, City, State, Zip Code
8581 SW 30 STREET
MIAMI, FL 33157

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0008 Reg. # 58A-5.0181(2) FAC LSC	Correction Completed 09/05/2012	ID Prefix A0025 Reg. # 58A-5.0182(1) FAC LSC	Correction Completed 09/05/2012	ID Prefix A0055 Reg. # 58A-5.0185(6) FAC LSC	Correction Completed 09/05/2012
ID Prefix A0056 Reg. # 58A-5.0185(7) FAC LSC	Correction Completed 09/05/2012	ID Prefix A0078 Reg. # 58A-5.019(2) FAC LSC	Correction Completed 09/05/2012	ID Prefix A0081 Reg. # 58A-5.0191(2) FAC LSC	Correction Completed 09/05/2012
ID Prefix A0083 Reg. # 58A-5.0191(4) FAC LSC	Correction Completed 09/05/2012	ID Prefix A0090 Reg. # 58A-5.0191(11) FAC LSC	Correction Completed 09/05/2012	ID Prefix A0093 Reg. # 58A-5.020(2) FAC LSC	Correction Completed 09/05/2012
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: <i>Kristal Barton</i>	Date: 9/10/2012
State Agency _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO _____				

Followup to Survey Completed on:

7/11/2012

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

September 12, 2012

Administrator
Sunset Oak II
8581 Sw 30 Street
Miami, FL 33157

Dear Administrator:

This letter reports the findings of a state monitoring revisit survey conducted on September 5, 2012 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

for Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

J5XD

