

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11966437	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/11/2012
NAME OF PROVIDER OR SUPPLIER WESLEY HOUSE II		STREET ADDRESS, CITY, STATE, ZIP CODE 1146 TIMBER TRACE DRIVE WESLEY CHAPEL, FL 33543		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	
A 000	Initial Comments Assisted Living Facility An extended congregate care (ECC) monitoring visit was conducted on 9/11/12. The Wesley House II assisted living facility had no deficiencies found at the time of the visit.	A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

ORPS11

If continuation sheet 1 of 1

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

September 17, 2012

Administrator
Wesley House II
1146 Timber Trace Drive
Wesley Chapel, FL 33543

Dear Administrator:

This letter reports findings of an extended congregate care (ECC) monitoring visit that was conducted on September 11, 2012, by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: State Form 3020

