

9/19/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11964062	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 9/13/2012
---	--	-----------------------------------

Name of Facility

STERLING HOUSE OF VERO BEACH

Street Address, City, State, Zip Code

410 4TH COURT
VERO BEACH, FL 32962

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0055</u> Reg. # <u>58A-5.0185(6) FAC</u> LSC <u> </u>	Correction Completed 09/13/2012	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed
ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed
ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed
ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed
ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed
ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed	ID Prefix <u> </u> Reg. # <u> </u> LSC <u> </u>	Correction Completed

Reviewed By <u> </u> State Agency <u> </u> Reviewed By <u> </u> CMS RO <u> </u>	Reviewed By <u> </u> Reviewed By <u> </u>	Date: <u>9-20-12</u> Date: <u> </u>	Signature of Surveyor: <u>A. Stanton (ms)</u> Signature of Surveyor: <u> </u>	Date: <u>9-20-12</u> Date: <u> </u>
--	--	---	---	---

Followup to Survey Completed on:

7/13/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



FLORIDA AGENCY FOR HEALTH CARE ADMINISTRATION

Better Health Care for all Floridians

RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

September 20, 2012

Administrator
Sterling House Of Vero Beach
410 4th Court
Vero Beach, FL 32962

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on September 13, 2012 by a representative from this office. Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,

Arlene Mayo-Davis
for Arlene Mayo-Davis
Field Office Manager

AMD/lis
Enclosure

