

9/27/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11942886	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 9/27/2012
---	--	-----------------------------------

Name of Facility

COUNTRYSIDE HAVEN

Street Address, City, State, Zip Code

6960 CR 95
PALM HARBOR, FL 34684

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0161</u> Reg. # <u>58A-5.024(2) FAC</u> LSC _____	Correction Completed 09/27/2012	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By 	Date: <u>9/27/12</u>	Signature of Surveyor: _____	Date: _____
State Agency <u>✓</u>	Reviewed By _____	Signature of Surveyor: _____	Date: _____
Reviewed By _____	CMS RO _____		

Followup to Survey Completed on:

8/1/2012

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

September 27, 2012

Administrator
Countryside Haven
6960 Cr 95
Palm Harbor, FL 34684


Dear Administrator:

This letter reports the findings of a state licensure follow-up (desk review) conducted on September 27, 2012, by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiency was found corrected on the day of the desk review.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

for Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: Revisit Report

