

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11953460	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/09/2012
NAME OF PROVIDER OR SUPPLIER CRYSTAL BAY			STREET ADDRESS, CITY, STATE, ZIP CODE 2400 CRYSTAL COVE LANE DESTIN, FL 32541		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments An unannounced visit was made to Crystal Bay for Extended Congregate Care (ECC) and Limited Nursing Service (LNS) Monitoring on 10/9/10 to 10/10/12. There was no deficient practice noted during the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

DRX811

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

October 11, 2012

Administrator
Crystal Bay
2400 Crystal Cove Lane
Destin, FL 32541

RE: Capacity Increase, ECC Monitoring, LNS Monitoring & Revisit

Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on October 9, 2012 by representative(s) of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey. Also attached is the revisit report, indicating correction of A0053.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call me at 850-412-4540.

Sincerely,

Donah Heiberg
Field Office Manager

DH/dh
Enclosure

65FO

