

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965699	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/08/2012
NAME OF PROVIDER OR SUPPLIER ABUELITOS RESIDENCE HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 7855 NW 185TH STREET HIALEAH, FL 33015		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments An Abbreviated Survey was conducted on October 08, 2012 at Abuelitos Residence Home with Limited Nursing Services component. There were no deficiencies found at time of survey.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

ZZTX11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

October 17, 2012

Administrator
Abuelitos Residence Home
7855 Nw 185th Street
Hialeah, FL 33015

Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on October 8, 2012 by representative(s) of this office.

Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

65FO

