

10/19/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11910160	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 10/11/2012
---	--	------------------------------------

Name of Facility AZALEA MANOR OF ST. PETERSBURG	Street Address, City, State, Zip Code 112 12TH AVENUE NORTH SAINT PETERSBURG, FL 33701
--	--

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0126</u> Reg. # <u>58A-5.021(7) FAC</u> LSC _____	Correction Completed 10/11/2012	ID Prefix <u>A0167</u> Reg. # <u>58A-5.025(1) FAC</u> LSC _____	Correction Completed 10/11/2012	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By State Agency Reviewed By CMS RO	Reviewed By	Date:	Signature of Surveyor: 	Date: 10/19/12
		Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on:

7/26/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

October 19, 2012

Administrator
Azalea Manor of St. Petersburg
112 12th Avenue North
Saint Petersburg, FL 33701

Dear Administrator:


This letter reports the findings of a two state licensure survey revisits conducted on October 11, 2012, by a representative of this office.

Attached are the provider's copies of the Revisit Reports, which indicate the previously cited deficiencies were found corrected on the day of the revisits.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,


Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosures: Revisit Reports

