


State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11911005	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 10/15/2012
---	--	------------------------------------

Name of Facility MIDWAY RETIREMENT RESIDENCE	Street Address, City, State, Zip Code 93 SW 79 COURT MIAMI, FL 33144
---	--

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0030 Reg. # 58A-5.0182(6) FAC; 429.28 LSC	Correction Completed 10/15/2012	ID Prefix A0055 Reg. # 58A-5.0185(6) FAC LSC	Correction Completed 10/15/2012	ID Prefix A0078 Reg. # 58A-5.019(2) FAC LSC	Correction Completed 10/15/2012
ID Prefix A0079 Reg. # 58A-5.019(4) FAC LSC	Correction Completed 10/15/2012	ID Prefix A0081 Reg. # 58A-5.0191(2) FAC LSC	Correction Completed 10/15/2012	ID Prefix A0084 Reg. # 58A-5.0191(5) FAC LSC	Correction Completed 10/15/2012
ID Prefix A0085 Reg. # 58A-5.0191(6) FAC LSC	Correction Completed 10/15/2012	ID Prefix A0090 Reg. # 58A-5.0191(11) FAC LSC	Correction Completed 10/15/2012	ID Prefix A0160 Reg. # 58A-5.024(1) FAC LSC	Correction Completed 10/15/2012
ID Prefix A0161 Reg. # 58A-5.024(2) FAC LSC	Correction Completed 10/15/2012	ID Prefix AL243 Reg. # 58A-5.0191(8) FAC LSC	Correction Completed 10/15/2012	ID Prefix AZ806 Reg. # 59A-35.040, FAC LSC	Correction Completed 10/15/2012
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: 	Date: 10-25-12
State Agency _____				
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO _____				

Followup to Survey Completed on: 7/11/2012	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO
---	---



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

October 26, 2012

Administrator
Midway Retirement Residence
93 Sw 79 Court
Miami, FL 33144

CCR#2012007407

Dear Administrator:

This letter reports the findings of a state complaint revisit survey conducted on October 15, 2012 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

J5XD

