

10/30/2012


State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11922253	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 10/25/2012
---	--	------------------------------------

Name of Facility HAMMACK'S RETIREMENT HOME	Street Address, City, State, Zip Code 4919 HAMMACK ROAD VERNON, FL 32462
---	--

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0030 Reg. # 58A-5.0182(6) FAC; 429.28 LSC	Correction Completed 10/25/2012	ID Prefix A0078 Reg. # 58A-5.019(2) FAC LSC	Correction Completed 10/25/2012	ID Prefix AL242 Reg. # 58A-5.029(3) FAC LSC	Correction Completed 10/25/2012
ID Prefix AZ815 Reg. # 408.809, 435.02(2), 435.06 LSC	Correction Completed 10/25/2012	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By State Agency Reviewed By CMS RO	Reviewed By  Reviewed By	Date: 10/30/12 Date:	Signature of Surveyor:  Signature of Surveyor:	Date: 10/30/12 Date:
--	---	----------------------------	---	----------------------------

Followup to Survey Completed on: 9/6/2012	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO
--	---

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11922253	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 10/25/2012
NAME OF PROVIDER OR SUPPLIER HAMMACK'S RETIREMENT HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 4919 HAMMACK ROAD VERNON, FL 32462		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
(A 000)	Initial Comments On 10/25/12 at Hammack's Assisted Living Facility, an unannounced revisit was conducted and no deficiencies were found at the time of the visit.		(A 000)		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

October 30, 2012

Administrator
Hammack's Retirement Home
4919 Hammack Road
Vernon, FL 32462

RE: revisit to CCR 2012008956

Dear Administrator:


This letter reports the findings of a complaint investigation revisit survey conducted on September 6, 2012 by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call me at 850-412-4540.

Sincerely,


G~ Donah Heiberg, MSW
Field Office Manager

Enclosure

Headquarters
2727 Mahan Drive
Tallahassee, FL 32308
<http://ahca.myflorida.com>



Tallahassee Field Office
2727 Mahan Drive, Mail Stop #46
Tallahassee, FL 32308
Phone 850-412-4540; Fax (850) 922-9162