

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11966313	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 11/26/2012
Name of Facility PARADISE VILLA RETIREMENT HOME IV AT PEMBROKE PINE		Street Address, City, State, Zip Code 1145 NW 92 AVE PEMBROKE PINES, FL 33024

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0026 Reg. # 58A-5.0182(2) FAC LSC	Correction Completed 11/26/2012	ID Prefix A0027 Reg. # 58A-5.0182(3) FAC LSC	Correction Completed 11/26/2012	ID Prefix A0030 Reg. # 58A-5.0182(6) FAC: 429.28 LSC	Correction Completed 11/26/2012
ID Prefix A0052 Reg. # 58A-5.0185(3) FAC LSC	Correction Completed 11/26/2012	ID Prefix A0053 Reg. # 58A-5.0185(4) FAC LSC	Correction Completed 11/26/2012	ID Prefix A0054 Reg. # 58A-5.0185(5) FAC LSC	Correction Completed 11/26/2012
ID Prefix A0079 Reg. # 58A-5.019(4) FAC LSC	Correction Completed 11/26/2012	ID Prefix A0091 Reg. # 58A-5.0191(12) FAC LSC	Correction Completed 11/26/2012	ID Prefix A0093 Reg. # 58A-5.020(2) FAC LSC	Correction Completed 11/26/2012
ID Prefix A0162 Reg. # 58A-5.019(3) FAC LSC	Correction Completed 11/26/2012	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By	Reviewed By	Date:	Signature of Surveyor:	Date:
State Agency	<i>W. J. Smith</i>	11/28/12	<i>W. J. Smith for ANNETTE THOMAS</i>	11/28/12
Reviewed By	Reviewed By	Date:	Signature of Surveyor:	Date:
CMS RO				

Followup to Survey Completed on:

9/24/2012

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

November 28, 2012

Administrator
Paradise Villa Retirement Home IV At Pembroke Pines
1145 NW 92 Avenue
Pembroke Pines, FL 33024

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on November 26, 2012 by a representative from this office. Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,


Arlene Mayo-Davis
Field Office Manager

AMD/ls
Enclosure

