

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11963882	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 12/03/2012
NAME OF PROVIDER OR SUPPLIER SPRINGWOOD COURT		STREET ADDRESS, CITY, STATE, ZIP CODE 12780 KENWOOD LANE FORT MYERS, FL 33903	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)
{A 000}	Initial Comments This is the follow-up to a Monitoring Review conducted on 11/01/12 for Springwood Court Assisted Living Facility. This follow-up was conducted on 12/03/12 by desk review. The citation issued was cleared by this desk review.	{A 000}	

AHCA Form 3020-0001

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

STATE FORM

0009

YL4112

If continuation sheet 1 of 1

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number
AL11963882

(Y2) Multiple Construction
A. Building
B. Wing

(Y3) Date of Revisit
12/3/2012

Name of Facility

SPRINGWOOD COURT

Street Address, City, State, Zip Code

12780 KENWOOD LANE
FORT MYERS, FL 33903

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0181 Reg. # 58A-5.026(2) FAC LSC	Correction Completed 12/03/2012	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By
State Agency
Reviewed By
CMS RO

Reviewed By
[Signature] HFES
Reviewed By

Date:
12-3-12
Date:

Signature of Surveyor:
[Signature] HFES
Signature of Surveyor:

Date:
12-03-12
Date:

Followup to Survey Completed on:
11/1/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO

RICK SCOTT
GOVERNOR



ELIZABETH DUDEK
SECRETARY

December 3, 2012

Administrator
Springwood Court
12780 Kenwood Lane
Fort Myers, Florida 33903

Dear Administrator:


This letter reports the findings of a Monitoring survey revisit conducted via Desk Review on December 3, 2012 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiency was found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call this office at (239) 335-1315.

Sincerely,


Harold D. Williams
Field Office Manager

HW:ss

Enclosures: State Form and Revisit Report

J5XD

