

12/7/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11910126	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 12/6/2012
---	--	-----------------------------------

Name of Facility GRAND VILLA OF ALTAMONTE SPRINGS	Street Address, City, State, Zip Code 433 ORANGE DRIVE ALTAMONTE SPRINGS, FL 32701
--	--

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0025 Reg. # 58A-5.0162(1) FAC LSC	Correction Completed 12/06/2012	ID Prefix A0076 Reg. # 58A-5.0186 FAC LSC	Correction Completed 12/06/2012	ID Prefix A0083 Reg. # 58A-5.0191(4) FAC LSC	Correction Completed 12/06/2012
ID Prefix A0161 Reg. # 58A-5.024(2) FAC LSC	Correction Completed 12/06/2012	ID Prefix A0162 Reg. # 58A-5.024(3) FAC LSC	Correction Completed 12/06/2012	ID Prefix A0165 Reg. # 429.23 FS; 58A-5.0241 FAC LSC	Correction Completed 12/06/2012
ID Prefix A0167 Reg. # 58A-5.025(1) FAC LSC	Correction Completed 12/06/2012	ID Prefix AN278 Reg. # 58A-5.031(3) FAC LSC	Correction Completed 12/06/2012	ID Prefix AZB15 Reg. # 408.809, 435.02(2), 435.06 LSC	Correction Completed 12/06/2012
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By State Agency	Reviewed By <i>Shirley LSC</i>	Date: 12/1/12	Signature of Surveyor:	Date:
Reviewed By CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on:
10/25/2012

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

December 7, 2012

Administrator
Grand Villa Of Altamonte Springs
433 Orange Drive
Altamonte Springs, FL 32701

Dear Administrator:

RE: Revisit to biennial w/LNS


This letter reports the findings of a state licensure survey revisit conducted on December 6, 2012 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit. **You will not receive a copy of this report in the mail; you will only receive this faxed report.**

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Lorraine Henry at (407) 420-2502.

Sincerely,



Theresa DeCanio, RN
Field Office Manager

LH/be
Enclosure

J5XD

