

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11966622	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/27/2012
NAME OF PROVIDER OR SUPPLIER GOLDEN AGE SENIORS OF SUNRISE		STREET ADDRESS, CITY, STATE, ZIP CODE 9811 NW 31 PLACE SUNRISE, FL 33351			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 000	Initial Comments A Complaint Inspection #2012010154 was conducted on 11/27/12. Golden Age Seniors of Sunrise had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0000

MBBE11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

December 19, 2012

Administrator
Golden Age Seniors Of Sunrise
9811 NW 31st Place
Sunrise, FL 33351

Re: CCR #2012010154

Dear Administrator:

This letter reports the findings of a complaint survey completed on November 27, 2012 by a representative from this office.

Attached is the provider's copy of the Statement of Deficiencies and Plan of Correction, State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions, please contact this office at (561) 381-5840.

Sincerely,


for Arlene Mayo - Davis
Field Office Manager

AMD/jw
Enclosure

7MRZ

