



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

December 19, 2012

Administrator
Personal Touch Assisted Living Facility Inc.
20 Fir Trail
Ocala, FL 34472

Dear Administrator:

This letter reports findings of a state licensure survey that was conducted on December 17, 2012 by representative(s) of this office. Enclosed is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call this office at (386) 462-6201.

Sincerely,


Kriste J. Mennella
Field Office Manager

KJM/amw

Enclosure



Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11967739	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 12/17/2012
NAME OF PROVIDER OR SUPPLIER PERSONAL TOUCH ASSISTED LIVING FACILIT			STREET ADDRESS, CITY, STATE, ZIP CODE 20 FIR TRAIL OCALA, FL 34472		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments An unannounced LNS survey for monitoring visit was conducted on 12/17/2012. There were no discernible deficiencies identified. The facility is in compliance with Florida Statutes Chapter 429, Part I & 408 Part II and Florida Administrative Code, Chapter 58A-5 as it pertains to this survey.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6890

97DM11

If continuation sheet 1 of 1