

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965472	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 12/18/2012
NAME OF PROVIDER OR SUPPLIER BELVEDERE COMMONS OF FORT WALTON BI		STREET ADDRESS, CITY, STATE, ZIP CODE 2000 PRINCIPAL LANE FORT WALTON BEACH, FL 32547		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
A 000	Initial Comments CCR #2012011904 An unannounced complaint investigation was conducted on December 18, 2012. The allegations were not substantiated and at the time of the survey no deficiencies were identified.	A 000		

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0999

0SJL11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

December 21, 2012

Administrator
Belvedere Commons of Fort Walton Beach
2000 Principal Lane
Fort Walton Beach, FL 32547

Dear Administrator:

This letter reports findings of a complaint investigation survey that was conducted on December 18, 2012 by a representative of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call me at 850-412-4540.

Sincerely,

Donah Heiberg, MSW
Field Office Manager

Enclosure

