

12/31/2012

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11922348	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 12/17/2012
---	--	------------------------------------

Name of Facility

HILLSIDE GARDENS II

Street Address, City, State, Zip Code

3434 ZARA WAY
CLEARWATER, FL 33761

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>A0152</u>	Correction Completed 12/17/2012	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # <u>58A-5.023(3) FAC</u>		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	

Reviewed By _____	Reviewed By _____	Date: <u>12/31/12</u>	Signature of Surveyor: <u>Bonnanawes</u>	Date: <u>12/31/12</u>
State Agency _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
Reviewed By _____	CMS RO _____			

Followup to Survey Completed on:

11/7/2012

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility?

YES NO



RICK SCOTT
GOVERNOR

ELIZABETH DUDEK
SECRETARY

December 31, 2012

Administrator
Hillside Gardens II
3434 Zara Way
Clearwater, FL 33761

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on December 17, 2012, by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiency was found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,

Patricia Reid Cauffman
Field Office Manager

PRC/kpr

Enclosure: Revisit Report

