

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965026	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 12/26/2012
NAME OF PROVIDER OR SUPPLIER EMERITUS AT THE LAKES			STREET ADDRESS, CITY, STATE, ZIP CODE 7460 LAKE BREEZE DRIVE FORT MYERS, FL 33919		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
A 000	Initial Comments This is to report the results to an unannounced Extended Congregate Care survey conducted on 12/26/12 at Emeritus at the Lakes, an Assisted Living Facility in Fort Myers, Florida. The census at the time of the survey was 164 residents. There were no deficiencies cited during this survey	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

8099

IRSH11

If continuation sheet 1 of 1



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

January 2, 2013

Administrator
Emeritus at the Lakes
7460 Lake Breeze Drive
Fort Myers, Florida 33919

Dear Administrator:

This letter reports findings of an Extended Congregate Care survey that was conducted on December 26, 2012 by representative(s) of this office. Attached is the provider's copy of the State (3020) Form, which indicates there were no discernible deficiencies noted on the date of the survey.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call this office at (239) 335-1315.

Sincerely,

Harold D. Williams
Field Office Manager

HW:ss
Enclosure: State Form

