

1/2/2013

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number AL11911388	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 12/19/2012
---	--	------------------------------------

Name of Facility

TERRACE MANOR

Street Address, City, State, Zip Code

8770 SW 127 TERRACE
MIAMI, FL 33176

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix AZ815 Reg. # 408.809, 435.02(2), 435.06 LSC _____	Correction Completed 12/19/2012	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By ☒	Reviewed By <i>Arlene May Davis</i>	Date: <i>1/2/13</i>	Signature of Surveyor: _____	Date: _____
State Agency	Reviewed By	Date: _____	Signature of Surveyor: _____	Date: _____
Reviewed By	Reviewed By	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO				

Followup to Survey Completed on:

9/27/2011

Check for any Uncorrected Deficiencies. Was a Summary of
Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

January 3, 2012

Administrator
Terrace Manor
8770 Sw 127 Terrace
Miami, FL 33176

Dear Administrator:

This letter reports the findings of a state licensure 3rd revisit survey conducted on December 19, 2012 by representative(s) of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/publicationsandforms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor(s). Should you have any questions please call Kristal Branton, Health Facility Evaluator Supervisor at (305) 593-3100.

Sincerely,

Arlene Mayo-Davis
Field Office Manager

AMD:sy
Enclosure

J5XD

