

Agency for Health Care Administration

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: AL11965336	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 12/20/2012
NAME OF PROVIDER OR SUPPLIER ASHFORD COURT ASSISTED LIVING		STREET ADDRESS, CITY, STATE, ZIP CODE 1700 THE GREENS WAY JACKSONVILLE BEACH, FL 32250			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
A 000	Initial Comments An unannounced licensure complaint survey, CCR #2012011322, was conducted on December 18, 2012. Ashford Court Assisted Living had no deficiencies found at the time of the visit.	A 000			

AHCA Form 3020-0001

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

0099

OKM711

If continuation sheet 1 of 1

RICK SCOTT
GOVERNOR



Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

January 9, 2013

Administrator
Ashford Court Assisted Living
1700 The Greens Way
Jacksonville Beach, FL 32250

Re: CCR #2012011322

Dear Administrator:

This letter reports the findings of a complaint survey completed on December 20, 2012 by a representative of this office.

Attached is the provider's copy of the Statement of Deficiencies and Plan of Correction, State (3020) Form, indicating no deficiencies were identified during this survey.

The *Quality Assurance Questionnaire* has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions, please contact this office at (904) 798-4201.

Sincerely,

Keisha Woods, MPH
Health Facility Evaluator Supervisor
Division of Health Quality Assurance

NG/KW/sm
Enclosure

