

1/16/2013

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA /
Identification Number
AL11966836(Y2) Multiple Construction
A. Building
B. Wing(Y3) Date of Revisit
1/9/2013

Name of Facility

CASSIE'S CASTLE

Street Address, City, State, Zip Code

208 NATCHEZ TRACE
ROYAL PALM BEACH, FL 33411

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix A0025 Reg. # 58A-5.0182(1) FAC LSC	Correction Completed 01/09/2013	ID Prefix A0027 Reg. # 58A-5.0182(3) FAC LSC	Correction Completed 01/09/2013	ID Prefix A0167 Reg. # 58A-5.025(1) FAC LSC	Correction Completed 01/09/2013
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed
ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed	ID Prefix Reg. # LSC	Correction Completed

Reviewed By
 State Agency
 Reviewed By
 CMS RO
 Followup to Survey Completed on:
 11/13/2012

Date: 1/18/2013
 Signature of Surveyor: [Signature]
 Date: 1/18/13
 Signature of Surveyor: [Signature]

Check for any Uncorrected Deficiencies. Was a Summary of
 Uncorrected Deficiencies (CMS-2567) Sent to the Facility? **YES** **NO**



RICK SCOTT
GOVERNOR

Better Health Care for all Floridians

ELIZABETH DUDEK
SECRETARY

January 18, 2013

Administrator
Cassie's Castle
208 Natchez Trace
Royal Palm Beach, FL 33411

Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on January 9, 2013 by a representative from this office. Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiencies were found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under Health Facilities and Providers on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the representative. Should you have any questions please call this office at (561) 381-5840.

Sincerely,


for Arlene Mayo-Davis
Field Office Manager

AMD/dso
Enclosure

J5XD

Headquarters
2727 Mahan Drive
Tallahassee, FL 32308
<http://ahca.myflorida.com>



Delray Beach Field Office
5150 Linton Boulevard, Suite 500
Delray Beach, FL 33484
Phone (561) 381-5840; Fax (561) 496-5924