

1/31/2013

## State Form: Revisit Report

|                                                                       |                                                      |                                                                                  |
|-----------------------------------------------------------------------|------------------------------------------------------|----------------------------------------------------------------------------------|
| (Y1) Provider / Supplier / CLIA / Identification Number<br>AL11967826 | (Y2) Multiple Construction<br>A. Building<br>B. Wing | (Y3) Date of Revisit<br>1/22/2013                                                |
| Name of Facility<br>JUSTIN FAMILY ALF                                 |                                                      | Street Address, City, State, Zip Code<br>10103 BAY WIND COURT<br>TAMPA, FL 33615 |

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

| (Y4) Item                                                             | (Y5) Date                          | (Y4) Item                                    | (Y5) Date            | (Y4) Item                                    | (Y5) Date            |
|-----------------------------------------------------------------------|------------------------------------|----------------------------------------------|----------------------|----------------------------------------------|----------------------|
| ID Prefix <u>A0151</u><br>Reg. # <u>58A-5.023(2) FAC</u><br>LSC _____ | Correction Completed<br>01/22/2013 | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed |
| ID Prefix _____<br>Reg. # _____<br>LSC _____                          | Correction Completed               | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed |
| ID Prefix _____<br>Reg. # _____<br>LSC _____                          | Correction Completed               | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed |
| ID Prefix _____<br>Reg. # _____<br>LSC _____                          | Correction Completed               | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed |
| ID Prefix _____<br>Reg. # _____<br>LSC _____                          | Correction Completed               | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed | ID Prefix _____<br>Reg. # _____<br>LSC _____ | Correction Completed |

|                                                                      |                   |                                                                                                                              |                              |             |
|----------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------|
| Reviewed By <input checked="" type="checkbox"/> <u>Paul R. Brown</u> | Reviewed By _____ | Date: <u>1/31/13</u>                                                                                                         | Signature of Surveyor: _____ | Date: _____ |
| State Agency                                                         | Reviewed By _____ | Date: _____                                                                                                                  | Signature of Surveyor: _____ | Date: _____ |
| Reviewed By _____                                                    |                   |                                                                                                                              |                              |             |
| CMS RO                                                               |                   |                                                                                                                              |                              |             |
| Followup to Survey Completed on:<br>1/10/2013                        |                   | Check for any Uncorrected Deficiencies. Was a Summary of<br>Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO |                              |             |

RICK SCOTT  
GOVERNOR



ELIZABETH DUDEK  
SECRETARY

January 31, 2013

Administrator  
Justin Family ALF  
10103 Bay Wind Court  
Tampa, FL 33615


Dear Administrator:

This letter reports the findings of a state licensure survey revisit conducted on January 22, 2013, by a representative of this office.

Attached is the provider's copy of the Revisit Report, which indicates the previously cited deficiency was found corrected on the day of the revisit.

The Quality Assurance Questionnaire has long been employed to obtain your feedback following survey activity. This form has been placed on the Agency's website at <http://ahca.myflorida.com/Publications/Forms.shtml> as a first step in providing a web-based interactive consumer satisfaction survey system. You may access the questionnaire through the link under **Health Facilities and Providers** on this page. Your feedback is encouraged and valued, as our goal is to ensure the professional and consistent application of the survey process.

Thank you for the assistance provided to the surveyor. Should you have any questions please call **Paul Brown**, HFES, at (727) 552-2000.

Sincerely,  
  
for Patricia Reid Cauffman  
Field Office Manager

PRC/kpr

Enclosure: Revisit Report

